

Global Rank	State Rank	Species
Mosses		
G5	S5	<i>Abietinella abietina</i> (Hedw.) Fleisch <i>Thuidium abietinum</i> (Hedw.) Schimp.
G4G5T4	SH	<i>Acaulon muticum</i> var. <i>rufescens</i> (A. Jaeger) H.A. Crum
G4G5	S1	<i>Alleniella besseri</i> (Lobarz.) S. Olsson, Enroth & D. Quandt <i>Neckera besseri</i> (Lobarz) Jur. <i>Homalia trichomanoides</i> (Hedw.) Schimp. fo. <i>gracilis</i>
G5	S1	<i>Alleniella complanata</i> (Hedw.) S. Olsson, Enroth & D. Quandt <i>Neckera complanata</i> (Hedw.) Hub.
G5	S5	<i>Amblystegium serpens</i> (Hedw.) Schimp. <i>Amblystegium serpens</i> (Hedw.) Schimp. var. <i>juratzkanum</i> (Schimp.) Rau & Herv.
G5	S2	<i>Amphidium lapponicum</i> (Hedw.) Schimp.
G5	S2	<i>Amphidium mougeotii</i> (Bruch & Schimp. in B.S.G.) Schimp.
G3G5	S3	<i>Anacamptodon splachnoides</i> (Frol. ex Brid.) Brid.
G5?	S1	<i>Andreaea crassinervia</i> Bruch
G5	S3	<i>Andreaea rothii</i> Web. & Mohr.
G5	S5	<i>Andreaea rupestris</i> Hedw.
GU	S1	<i>Anomobryum concinatum</i> (Spruce) Lindb.
G5	S1	<i>Anomobryum julaceum</i> (Schrader ex G. Gaertn., B. Mey. & Scherb.) Schimp. <i>Anomobryum filiforme</i> Dicks. Solms in Rabenh. <i>Pohlia filiformis</i> (Dicks.) A.L. Andrews
G5	S3	<i>Anomodon minor</i> (Hedw.) Lindb.
G5	S4	<i>Anomodon viticulosus</i> (Hedw.) Hook. & Tayl.
G5	S5	<i>Anomodontopsis rugelii</i> (Müll. Hal.) Ignatov & Fedosov <i>Anomodon rugelii</i> (C. Müll.) Keissl.
GNR	S3	<i>Aongstroemia canadensis</i> (Mitt.) Siebel & Fedosov <i>Dicranella schreberiana</i> (Hedw.) Hilf. ex Crum & Anderson <i>Dicranella schreberiana</i> var. <i>robusta</i> (Schimp. ex Braithw.) H.A. Crum & L.E. Anderson
G5	S1S3	<i>Aquilonium plicatulum</i> (Lindb.) Hedenäs <i>Hypnum plicatulum</i> (Lindb.) Jaeg.
G4G5	SH	<i>Archidium alternifolium</i> (Hedw.) Schimp.
G5	S1	<i>Arctoa fulvella</i> (Dicks.) Bruch & Schimp.
G5	S5	<i>Atrichum altecristatum</i> (Ren. & Card.) Smyth & Smyth
G5	S5	<i>Atrichum angustatum</i> (Brid.) Bruch. & Schimp.
G5	S5	<i>Atrichum crispulum</i> Bescherele
G5	S2S3	<i>Atrichum crispum</i> (James) Sull.
G4G5	S1	<i>Atrichum tenellum</i> (Rohl.) Bruch & Schimp.
G5	S1	<i>Aulacomnium androgynum</i> (Hedw.) Schwaegr.
G5	S3	<i>Aulacomnium heterostichum</i> (Hedw.) Bruch & Schimp. <i>Arrhenopterum heterostichum</i> Hedw.
G5	S5	<i>Aulacomnium palustre</i> (Hedw.) Schwaegr.
G5	S5	<i>Barbula unguiculata</i> Hedw. <i>Barbula unguiculata</i> fo. <i>apiculata</i>
G5	S5	<i>Bartramia pomiformis</i> Hedw.
G5	S3	<i>Blindia acuta</i> Bruch. & Schimp.
G5	S4	<i>Brachytheciastrum velutinum</i> (Hedw.) Ignatov & Huttunen <i>Brachythecium velutinum</i> (Hedw.) Schimp.
G5	SU	<i>Brachythecium acuminatum</i> (Hedw.) Aust.
G5	S1	<i>Brachythecium acutum</i> (Mitt.) Sull.
G5	SH	<i>Brachythecium albicans</i> (Hedw.) Schimp.
G4G5Q	S3	<i>Brachythecium campestre</i> (C. Mull.) Schimp. <i>Brachythecium calcareum</i> Kindb
G5	S1	<i>Brachythecium erythrorrhizon</i> Schimp.
GNR	S1	<i>Brachythecium falcatum</i> (Grout) H.A. Crum
G5	S5	<i>Brachythecium laetum</i> (Brid.) Schimp. <i>Brachythecium digastrum</i> C. Mull. & Kindb. in Mac. & Kindb. <i>Brachythecium oxycladon</i> (Brid.) Jaeg (misapplied)
G5	S5	<i>Brachythecium novae-angliae</i> (Sull. & Lesq.) A. Jaegr. <i>Bryhnia novae-angliae</i> (Sull. & Lesq. in Sull.) Grout
G5	S5	<i>Brachythecium rivulare</i> Schimp.

G5	S3	<i>Brachythecium rotaceum</i> De Not.
G5	S5	<i>Brachythecium rutabulum</i> (Hedw.) Schimp.
G5	S1	<i>Brachythecium turgidum</i> (Hartm.) Kindb.
G5	S5	<i>Brideliella wahlenbergii</i> (Brid.) Fedosov, M. Stech & Ignatov <i>Oncophorus wahlenbergii</i> Brid.
G5	S5	<i>Brotherella recurvans</i> (Michx.) Fleisch.
G5	S1	<i>Bryoandersonia illecebra</i> (Hedw.) Robins.
G5	S4	<i>Bryoerythrophyllum recurvirostrum</i> (Hedw.) Chen.
G5T5	S5	<i>Bryum argenteum</i> Hedw. var. <i>argenteum</i>
G3G5	S1	<i>Bryum blindii</i> Bruch & Schimp.
GNR	S1	<i>Bryum veronense</i> De Not.
G5	S2	<i>Bucklandiella microcarpos</i> (Hedw.) Bednarek-Ochyra & Ochyra. <i>Racomitrium microcarpon</i> (Hedw.) Brid. <i>Racomitrium heterostichum</i> (Hedw.) Brid var. <i>microcarpon</i> (Hedw.) Boulay
G5	S1	<i>Bucklandiella sudetica</i> (Funck) Bednarek-Ochyra & Ochyra <i>Racomitrium sudeticum</i> (Funck) Bruch & Schimp.
GU	S2	<i>Bucklandiella venusta</i> (Frisvoll) Bednarek-Ochyra & Ochyra <i>Racomitrium venustum</i> Frisvoll
G5	S2	<i>Buxbaumia aphylla</i> Hedw.
G2G4	S1	<i>Buxbaumia minakatae</i> Okam.
G5	S2S3	<i>Calcidicranella varia</i> (Hedw.) Bonfim Santos, Fedosov & Kučera <i>Dicranella varia</i> (Hedw.) Schimp
G5	S5	<i>Callicladium haldaneanum</i> (Grev.) Crum
G5	S5	<i>Callicladium imponens</i> (Hedw.) Hedenäs <i>Hypnum imponens</i> Hedw.
G5	S5	<i>Calliergon cordifolium</i> (Hedw.) Kindb.
G5	S5	<i>Calliergon giganteum</i> (Schimp.) Kindb.
G5	S3	<i>Calliergon richardsonii</i> (Mitt.) Kindb. in Warnst. <i>Calliergon obtusifolium</i> Karsz.
G5	S5	<i>Calliergonella curvifolia</i> (Hedw.) B.H. Allen <i>Hypnum curvifolium</i> Hedw.
G5	S4S5	<i>Calliergonella cuspidata</i> (Hedw.) Loeske
G5	S5	<i>Calliergonella lindbergii</i> (Mitt.) Hedenäs <i>Hypnum lindbergii</i> Mitt.
G5	S5	<i>Campyliadelphus chrysophyllus</i> (Brid.) Kanda <i>Campylium chrysophyllum</i> (Brid.) J. Lange
G5	S5	<i>Campylium stellatum</i> (Hedw.) C. Jens.
G5	S5	<i>Campylophyllopsis hispidula</i> (Brid.) Ochyra <i>Campylium hispidulum</i> (Brid.) Mitt. <i>Campylophyllum hispidulum</i> (Brid.) Hedenäs
GNR	SH	<i>Campylophyllopsis sommerfeltii</i> (Myrin) Ochyra <i>Campylophyllum sommerfeltii</i> (Myrin) Hedenäs
G3G5	S1	<i>Campylophyllum montanum</i> (Lindb.) B.H. Allen <i>Hygrohypnum montanum</i> (Lindb.) Broth. <i>Hygrohypnum eumontanum</i> H.A. Crum, Steere & L.E. Anderson
G3G5	S1	<i>Campylostelium saxicola</i> (Web. & Mohr.) Bruch & Schimp.
G5T5	S5	<i>Ceratodon purpureus</i> (Hedw.) Brid. ssp. <i>purpureus</i>
G5	S2S3	<i>Chionoloma tenuirostre</i> (Hook & Taylor) M. Alons, M.J. Cano & J.A. Jiménez <i>Trichostomum tenuirostre</i> (Hook. & Tayl.) Lindb. var. <i>tenuirostre</i> <i>Oxystegus tenuirostris</i> (Hook & Tayl.) A.J.E. Sm. <i>Oxystegus cylindricus</i> (Bruch ex Brid.) Hilp.
G5	S1	<i>Cinclidium stygium</i> Sw. in Schrad.
G5	S2	<i>Cirriphyllum piliferum</i> (Hedw.) Grout
G5	S5	<i>Claopodium rostratum</i> (Hedw.) Ignatov <i>Anomodon rostratus</i> (Hedw.) Schimp.
G5	S3	<i>Climacium americanum</i> Brid.
G5	S5	<i>Climacium dendroides</i> (Hedw.) Web. & Mohr.
G5?	S1	<i>Climacium kindbergii</i> (Ren. & Card.) Grout
G3G5	S1	<i>Cnestrum alpestre</i> (Wahl.) Nyholm <i>Cynodontium alpestre</i> (Wahl.) Milde <i>Cynodontium torquescens</i> Limpr.
G5	S4	<i>Codriophorus acicularis</i> (Hedw.) P. Beauv. <i>Racomitrium aciculare</i> (Hedw.) Brid.
GNR	S1	<i>Codriophorus aduncoides</i> (Bednarek-Ochyra) Bedn.-Ochyra & Ochyra <i>Racomitrium aduncoides</i> Bedn.-Ochyra

G5	S1	Conardia compacta (Müll. Hal.) H. Rob. Rhynchostegiella compacta (Müll. Hal.) Loeske
G5	S4	Cratoneuron filicinum (Hedw.) Spruce
GNR	S1	Ctenidium subrectifolium (Brid.) G. Pedano ex W.R. Buck & B.H. Allen
G5	S1	Cynodontium strumiferum (Hedw.) Lindb.
G5	S1	Cynodontium tenellum (Bruch. & Schimp.) Limpr.
G5?	S2	Cyrtomnium hymenophylloides (Hub.) Nyh. ex T. Kop. Mnium hymenophylloides Huebener
G5	S1	Dichelyma capillaceum (With.) Myr.
G5	S1	Dichelyma falcatum (Hedw.) Myr.
G5	S2	Dichelyma pallescens Schimp.
G5	S2S3	Dichodontium pellucidum (Hedw.) Schimp.
G5	S1	Dicranella cerviculata (Hedw.) Schimp.
G5	S5	Dicranella heteromalla (Hedw.) Schimp.
G5	SH	Dicranellopsis subulata (Hedw.) Bonfim Santos, Siebel & Fedosov Dicranella subulata (Hedw.) Schimp.
G4G5	S2	Dicranodontium denudatum (Brid.) Britt. in Williams
G5	S1	Dicranum acutifolium (Lindb. & Arnell) C.E.O. Jensen
G5	S1	Dicranum bonjeanii De Not. in Lisa
G5	S1	Dicranum condensatum Hedw.
TNR	S4	Dicranum fuscescens Turn. var. fuscescens
G3G5	S1	Dicranum muehlenbeckii Bruch & Schimp.
G4G5	S2	Dicranum ontariense Peters. Dicranum drummondii Sull. ex Lindb.
G5	S5	Dicranum polysetum Sw. Dicranum rugosum Hoffm. ex Brid.
G5	S5	Dicranum scoparium Hedw.
G5	S1	Dicranum spurium Hedw.
G5	S4	Dicranum undulatum Brid.
G5	S5	Dicranum viride (Sull. & Lesq. in Sull.) Lindb. Campylopus viridis Sull. & Lesq.
G5T4?	S1	Didymodon rigidulus Hedw. var. rigidulus
G5	S1	Dilutineuron fasciculare (Schr. ex Hedw.) Bedn.-Ochyra, Sawicki, Ochyra, Szczecińska & Plášek Codriophorus fascicularis (Hedwig) Bedn.-Ochyra & Ochyra Racomitrium fasciculare (Hedw.) Brid.
G5	S5	Diphyscium foliosum (Hedw.) Mohr.
G5	S2	Distichium capillaceum (Hedw.) Bruch. & Schimp.
G5	S3S4	Ditrichum lineare (Sw.) Lindb.
G5	S3S4	Ditrichum pallidum (Hedw.) Hampe
G5	S3S4	Ditrichum pusillum (Hedw.) Hampe Ditrichum tortile (Schr.) Brockm.
G3G5	SH	Ditrichum rhynchostegium Kindb.
GNR	S1	Ditrichum tortuloides Grout
G3G5	S1	Drepanium fastigiatum (Brid.) Lange & G.E.O. Jensen Hypnum recurvatum (Lindb. & Arnell) Kindb.
G5	S5	Drepanocladus aduncus (Hedw.) Warnst.
GNR	S1	Drepanocladus longifolius (Mitt.) Broth. ex Paris
GNR	S1	Drepanocladus polycarpus (Blandow ex Voit) Warnst.
G5	S2S3	Drepanocladus polygamus (Schimp.) Hedenäs Campylium polygamum (Schimp.) C. Jens.
G5	S1	Drepanocladus trifarius (Web. & Mohr.) Broth. Pseudocalliergon trifarium (Web. & Mohr.) Loeske Calliergon trifarium (Web. & Mohr.) Kindb.
G5	S2	Drummondia prorepens (Hedw.) Britt.
G3G5	S2	Elodium paludosum Aust.
G5	S3	Encalypta ciliata Hedw.
G5	S5	Encalypta procera Bruch
G5	SH	Encalypta raptocarpa Schwaegr.
G4?	S1	Entodon brevisetus (Hook & Wils. in Wils.) Lindb.
G5	S5	Entodon cladorrhizans (Hedw.) C. Mull.
G5	S4	Entodon seductrix (Hedw.) C. Mull.
G4G5	S1S3	Ephemerum cohaerens (Hedw.) Hampe
G4TNR	S1	Ephemerum crassinervium (Schwägr.) Hampe var. crassinervium
G4G5	S1S3	Ephemerum spinulosum Bruch. & Schimp. in Schimp.
G5	S4	Eurhynchiastrum pulchellum (Hedw.) Ignatov & Huttunen

		<i>Eurhynchium pulchellum</i> (Hedw.) Jenn. var. <i>pulchellum</i>
G5	S5	<i>Fissidens adianthoides</i> Hedw.
G5	S4	<i>Fissidens bryoides</i> Hedw.
G5	S5	<i>Fissidens bushii</i> (Card & Ther.) Card & Ther.
G5	S5	<i>Fissidens dubius</i> P. Beauv.
		<i>Fissidens cristatus</i> Wils. ex Mitt.
G3G4	S1	<i>Fissidens exilis</i> Hedw.
G5	SH	<i>Fissidens fontanus</i> (B. Pyl.) Steud.
GNR	SU	<i>Fissidens minutulus</i> Sull.
G5	S5	<i>Fissidens osmundioides</i> Hedw.
G4G5	S1	<i>Fissidens subbasilaris</i> Hedw.
G5	S5	<i>Fissidens taxifolius</i> Hedw.
G5	S1	<i>Flexitrichum flexicaule</i> (Schwaegr.) Ignatov & Fedosov
		<i>Ditrichum flexicaule</i> (Schwaegr.) Hampe
G5	S4S5	<i>Fontinalis antipyretica</i> Hedw.
		<i>Fontinalis patula</i>
G5	S4S5	<i>Fontinalis dalecarlica</i> Schimp.
G5	S1	<i>Fontinalis hypnoides</i> Hartm.
G5	S5	<i>Fontinalis novae-angliae</i> Sull. s.l.
G3G5	S2	<i>Fontinalis sphagnifolia</i> (C. Mull.) Wijk & Marg.
GNR	SH	<i>Fontinalis sullivantii</i> Lindb.
		<i>Fontinalis disticha</i>
G5	S1	<i>Forsstroemia trichomitria</i> (Hedw.) Lindb.
G5T5	S5	<i>Funaria hygrometrica</i> Hedw. var. <i>hygrometrica</i>
G5	S2	<i>Geheebia fallax</i> (Hedw.) Zand.
		<i>Didymodon fallax</i> (Hedw.) Zand.
G5	S1	<i>Geheebia ferruginea</i> (Schimp. ex Besch.) Zand.
		<i>Didymodon ferrugineus</i> (Schimp. ex Besch.) M. O. Hill
		<i>Barbula reflexa</i> (Brid.) Brid.
		<i>Didymodon fallax</i> (Hedw.) Zand. var. <i>reflexus</i> (Brid.) Zand.
G5	S1	<i>Geheebia tophacea</i> (Brid.) Zand.
		<i>Didymodon tophaceus</i> (Brid.) Lisa
G5	S4S5	<i>Gemmabryum caespiticium</i> (Hedw.) J.R. Spence
G3G5	SU	<i>Gemmabryum dichotomum</i> (Hedw.) J.R. Spence & H.P. Ramsay
		<i>Bryum bicolor</i> Dicks.
G4G5	S1	<i>Gemmabryum klinggraeffii</i> (Schimp.) J.R. Spence
G4G5	S1	<i>Grimmia donniana</i> Sm.
G4G5	S1	<i>Grimmia hartmanii</i> Schimp.
G5	SH	<i>Grimmia laevigata</i> (Brid.) Brid.
G5	S1	<i>Grimmia longirostris</i> Hooker
		<i>Grimmia affinis</i> Hoppe & Hornsch.
GNR	S1	<i>Grimmia milleri</i> Hastings & Greven
G3G5	S2	<i>Grimmia muehlenbeckii</i> Schimp.
G3G5	S1	<i>Grimmia olneyi</i> Sull.
G4G5	S2	<i>Grimmia pilifera</i> P. Beauv.
G3G5	SH	<i>Grimmia torquata</i> Hornsch. in Grev.
G5?	SH	<i>Grimmia trichophylla</i> Grev.
G4G5	S1	<i>Grimmia unicolor</i> Hook. in Grev.
G5	S5	<i>Gymnostomum aeruginosum</i> Sm.
G3G5	S1	<i>Hageniella micans</i> (Mitt.) B.C. Tan & Y. Jia
		<i>Hygrohypnum micans</i> (Mitt.) Broth.
G5	S2	<i>Hamatocaulis vernicosus</i> (Mitt.) Hedenäs
		<i>Drepanocladus vernicosus</i>
G5	S2	<i>Haplocladium microphyllum</i> (Hedw.) Broth.
		<i>Bryohaplocladium microphyllum</i> (Hedw.) Wat. & Iwats.
G5	SH	<i>Haplocladium virginianum</i> (Brid.) Broth.
		<i>Bryohaplocladium virginianum</i> (Brid.) Wat. & Iwats.
G5	S2	<i>Haplohymenium triste</i> (Ces. in De Not.) Kindb.
		<i>Anomodon tristis</i> (Ces.) Sull. & Lesq.
G5	S5	<i>Hedwigia ciliata</i> (Hedw.) P. Beauv.
GNR	SU	<i>Hedwigia filiformis</i> (Michx.) P. Beauv.
		<i>Hedwigia integrifolia</i> P. Beauv.
G5	S3	<i>Helodium blandovii</i> (Web. & Mohr.) Warnst.
		<i>Elodium blandowii</i> (Web. & Mohr.) Eckel
G3	S1	<i>Helodium elodioides</i> (Ren. & Card.) B.H. Allen

		Elodium elodioides (Ren. & Card. ex Roll.) Eckel
G5	S5	Herzogiella striatella (Brid.) Iwats.
G5	S2S3	Herzogiella turfacea (Lindb.) Iwats.
G5	S1	Heteroclaadiella dimorpha (Brid.) Ignatov & Fedosov
		Heterocladium dimorphum (Brid.) Schimp.
G5T5	S3S4	Homalia trichomanoides (Hedw.) Schimp. var. trichomanoides
G5?	SH	Homalotheciella subcapillata (Hedw.) Broth.
G3G5	S5	Homomallium adnatum (Hedw.) Broth.
G5?	S1	Hydrogonium orientale (F. Weber) Jan Kùcera
		Barbula indica (Hook.) Spreng. var. indica
G5	S5	Hygroamblystegium fluviatile (Hedw.) Loeske
		Amblystegium fluviatile (Hedw.) Schimp
G5	S2	Hygroamblystegium humile (P. Beauv.) Vanderp., Hedenäs & Goffinet
		Hygroamblystegium varium var. humile (P. Beauv.) Vanderp. & Hedenäs
		Leptodictyum humile (P. Beauv.) Ochyra
		Leptodictyum trichopodium (Schultz) Warnst.
		Amblystegium trichopodium (Schultz) C. Hartm.
G5	S5	Hygroamblystegium tenax (Hedw.) Jenn.
		Amblystegium tenax (Hedw.) C.E.O. Jensen
G5	S5	Hygroamblystegium varium (Hedw.) Mönk.
		Amblystegium varium (Hedw.) Lindb.
G5	S5	Hygrohypnella ochracea (Turner ex Wils.) Ignatov & Ignatova
		Hygrohypnum ochraceum (Turn. ex Wils.) Loeske
G3	S1	Hygrohypnum closteri (Aust.) Grout
G5	S2S3	Hygrohypnum luridum (Hedw.) Jenn.
G5	S5	Hylocomiadelphus triquetrus (Hedw.) Ochyra & Stebel
		Rhytidiadelphus triquetrus (Hedw.) Warnst.
G5	S2	Hylocomiastrum pyrenaicum (Spruce) Fleisch. in Broth.
		Hylocomium pyrenaicum (Spruce) Lindb.
G5	S4	Hylocomiastrum umbratum (Hedw.) Fleisch. in Broth.
		Hylocomium umbratum
G5	S5	Hylocomium splendens (Hedw.) Schimp.
G4G5	SH	Hymenoloma crispulum (Hedw.) Ochyra
		Dicranoweisia crispula (Hedw.) Lindb. ex Milde
G5	S3	Hymenostylium recurvirostrum (Hedw.) Dix.
		Gymnostomum recurvirostrum var. latifolium
		Gymnostomum recurvirostrum
		Gymnostomum recurvirostrum var. commutatum
G4G5	S3	Hyophila involuta (Hook.) Jaeg.
G5	S3	Hypnum cupressiforme Hedw. s.l.
G5T5	SU	Hypnum cupressiforme Hedw. var. cupressiforme
G5TNR	S3	Hypnum cupressiforme Hedw. var. filiforme Brid.
G5TNR	S1	Hypnum cupressiforme Hedw. var. julaceum Brid.
G5	SH	Hypnum resupinatum Taylor
		Hypnum cupressiforme Hedw. var. resupinatum (Tayl. ex Spruce) Schimp.
G3G5	SU	Imbriobryum gemmiparum (De Not.) J.R. Spence
GNR	S1	Imbriobryum mildeanum (Jur.) J.R. Spence
G5	S2S3	Isopterygiopsis muelleriana (Schimp.) Iwats.
		Isopterygium muellerianum
G5	S1	Isopterygiopsis pulchella (Hedw.) Iwats.
G5	S5	Jochenia pallescens (Hedw.) Hedenäs
		Hypnum pallescens (Hedw.) P. Beauv.
G5	S1	Kiaeria starkei (F. Weber & D. Mohr) I. Hagen
G5	S2S3	Koponeniella graminicolor (Brid.) Huttunen
		Bryhnia graminicolor (Brid.) Grout
G5	S4S5	Leptobryum pyriforme (Hedw.) Wils.
G5	S5	Leptodictyum riparium (Hedw.) Warnst.
		Amblystegium riparium
		Leptodictyum brevipes
		Leptodictyum laxirete
		Leptodictyum siphon
		Leptodictyum vacillans
G4G5	SH	Lescuraea saxicola (Schimp.) Milde
G5	S2	Leskea gracilescens Hedw.
G5	S2	Leskea obscura Hedw.

G5	S5	Leskea polycarpa Hedw. Leskea arenicola Best Leskea polycarpa Hedw. var. paludosa (Hedw.) Schimp.
G5	S3	Leucobryum albidum (Brid. ex P. Beauv.) Lindb.
G5	S5	Leucobryum glaucum (Hedw.) Angstr. in Fries
G5	S1	Leucodon brachypus Brid. Leucodon brachypus Brid. var. brachypus
G5	SH	Leucodon julaceus (Hedw.) Sull.
G5	S4S5	Leucodon sciuroides (Hedw.) Schwaegr. Leucodon andrewsianus (Crum & Anderson) Reese & Anderson Leucodon brachypus Brid. var. andrewsianus Crum & Anderson
G5	S1	Lindbergia brachyptera (Mitt.) Kindb.
G5	S1	Lewinskya elegans (Schwägr. ex Hook. & Grev.) F. Lara et al. Orthotrichum elegans Schwaegr. ex Hook. & Grev.
G5	S5	Lewinskya sordida (Sull. & Lesq.) F. Lara, Garilleti & Goffinet Orthotrichum sordidum Sull & Lesq. in Aust.
G5	S3	Lewinskya speciosa (Nees) F. Lara, Garilleti & Goffinet Orthotrichum speciosum Nees in Sturm s.l.
G5	S1	Loeskeobryum brevirostre (Brid.) Fleisch. in Broth. Hylocomium brevirostre
G4G5	S2S3	Longiella distichacea (Mitt.) J. T. Wynns Pseudotaxiphyllum distichaceum (Mitt.) Iwats. Isopterygium distichaceum
G5	S2	Meesia triquetra (Richt.) Angstr.
G5	SH	Meesia uliginosa Hedw.
G5TNR	S1	Microbryum davallianum (Sm.) R. H. Zand. var. davallianum Pottia davalliana (Sm. Ex Drake) C. Jens.
G4G5	S1	Micromitrium tenerum (Bruch. & Schimp.) Crosby
G5	S3	Mnium lycopodioides Schwaegr. Mnium ambiguum H. Mull.
G5	S4S5	Mnium hornum Hedw.
G5	S4	Mnium marginatum (With.) Brid. ex P. Beauv.
G5	S4	Mnium spinulosum Bruch & Schimp.
G5	S4	Mnium stellare Hedw.
G5	S2	Mnium thomsonii Schimp. Mnium orthorhynchum
G5	S2	Myurella julacea (Schwaegr.) Schimp.
G5	S5	Myurella sibirica (C. Mull.) Reim.
G5	S5	Neckera pennata Hedw.
G5T5	S3	Niphotrichum canescens (Hedwig) Bednarek-Ochyra & Ochyra ssp. canescens Racomitrium canescens (Hedw.) Brid. var. canescens
G5	S2S3	Nyholmiella obtusifolia (Brid.) Holmen & E. Warncke Orthotrichum obtusifolium Brid.
G5	SH	Oncophorus virens (Hedw.) Brid.
G5	S5	Orthodicranum flagellare (Hedw.) Loeske Dicranum flagellare Hedw.
G5	S5	Orthodicranum fulvum (Hook.) G. Roth Dicranum fulvum Hook.
G5	S5	Orthodicranum montanum (Hedw.) Loeske Dicranum montanum Hedw.
G5	S5	Orthotrichum anomalum Hedw.
GNR	S1	Orthotrichum lescurii Austin
G4	S2	Orthotrichum ohioense Sull & Lesq. in Aust.
G5	S1	Orthotrichum pumilum Sw.
G5	S5	Orthotrichum stellatum Brid.
G4	S2	Orthotrichum strangulatum P. Beauv.
G5	S2	Oxyrrhynchium hians (Hedw.) Loeske Eurhynchium hians (Hedw.) Sande Lac.
G5	S2	Paludella squarrosa (Hedw.) Brid.
G5	S1	Palustriella falcata (Brid.) Hedenäs Palustriella commutata (Brid.) Ochyra Cratoneuron commutatum var. falcatum Cratoneuron commutatum
G5	S5	Paraleucobryum longifolium (Hedw.) Loeske
G5	SH	Pelekiium minutulum (Hedw.) Touw

		Cyrto-hypnum minutulum (Hedw.) W.R. Buck & H.A. Crum
		Thuidium minutulum (Hedw.) Schimp.
G4G5	S1	Pelekium pygmaeum (Schimp.) Touw
		Cyrto-hypnum pygmaeum (Schimp.) W.R. Buck & H.A. Crum
		Thuidium pygmaeum Schimp.
G5T4?	SU	Philonotis caespitosa Jur.
		Philonotis fontana (Hedw.) Brid. var. caespitosa (Jur.) Schimp.
G5	S5	Philonotis fontana (Hedw.) Brid.
G5	S3	Philonotis marchica (Hedw.) Brid.
		Philonotis muhlenbergii (Schwaegr.) Brid.
GNR	SU	Philonotis tomentella Molendo
		Philonotis fontana (Hedw.) Brid. var. pumila (Turn.) Brid.
G3	SH	Philonotis yezoana Besch. & Card. in Card.
G2G4	S1	Physcomitrium collenchymatum Gier
G4	S1	Physcomitrium immersum Sull.
G5	S4	Physcomitrium pyriforme (Hedw.) Hampe
G4G5	S2S3	Physcomitrium serratum (Wilson & Hook.) Müll. Hal.
		Aphanorrhagma serratum (Hook. f. & Wills. in Drumm.) Sull. in Gra
G5	S1	Plagiobryum zieri (Hedw.) Lindb.
G5	S5	Plagiomnium ciliare (C. Mull.) T. Kop.
		Mnium affine var. ciliare
		Mnium ciliare
G5	S5	Plagiomnium cuspidatum (Hedw.) T. Kop
		Mnium cuspidatum
G5	S2	Plagiomnium drummondii (Bruch. & Schimp.) T. Kop
		Mnium drummondii
G5	S3S4	Plagiomnium ellipticum (Brid.) T. Kop.
		Mnium affine
		Mnium affine var. rugicum
		Mnium rugicum
G5	S4	Plagiomnium medium (Bruch. & Schimp.) T. Kop. s.l.
		Mnium medium
G5	S2	Plagiomnium rostratum (Schrad.) T. Kop.
		Mnium longirostrum
G5	S4	Plagiopus oederianus (Sw.) H.A. Crum & L.E. Anderson
GNR	S5	Plagiothecium cavifolium (Brid.) Iwats.
GNR	S5	Plagiothecium denticulatum (Hedw.) Schimp.
G5	S5	Plagiothecium laetum Schimp.
G3G4	SH	Plagiothecium latebricola Schimp.
GNRQ	SU	Plagiothecium nemorale (Mitt.) A. Jaeger
GNR	SU	Plagiothecium succulentum (Wilson) Lindb.
G5	S1	Platydictya jungermannioides (Brid.) Crum
G5	S5	Platygyrium repens (Brid.) Schimp.
G5	S2	Platyhypnum duriusculum (De Not.) Ochyra
		Hygrohypnum duriusculum (De Not.) Jamieson
G5	SH	Platylomella lescurii (Sull. in Gray) Andrews
		Sciaromium lescurii
G5	S2S3	Pleuridium subulatum (Hedw.) Rabenh.
G5	S5	Pleurozium schreberi (Brid.) Mitt.
G5	S2	Pogonatum dentatum (Brid.) Brid.
G5	S5	Pogonatum pensilvanicum (Hedw.) P. Beauv.
G5	S3	Pogonatum urnigerum (Hedw.) P. Beauv.
G4G5	S1	Pohlia andalusica (Höhn.) Broth.
G4G5	S2	Pohlia annotina (Hedw.) Lindb.
G5	S1	Pohlia bulbifera (Warnst.) Warnst.
G5	S4	Pohlia cruda (Hedw.) Lindb.
G4	SH	Pohlia drummondii (C. Mull.) Andrews
G4G5TNR	S1	Pohlia elongata Hedw. var. elongata
G4G5	SH	Pohlia longicolla (Hedw.) Lindb.
G4?	S1	Pohlia melanodon (Brid.) A.J. Shaw
G5	S5	Pohlia nutans (Hedw.) Lindb.
		Pohlia sphagnicola (Bruch & Schimp.) Broth.
G5	S1S3	Pohlia proligera (Kindb. ex Breidl.) Lindb. ex Arnell
G5	S3	Pohlia wahlenbergii (Web. & Mohr) Andrews
		Mniobryum wahlenbergii (Web. & Mohr.) Jenn.

G5TNR	S5	Polytrichastrum alpinum (Hedw.) G.L. Sm. var. alpinum Pogonatum alpinum
G5	S1	Polytrichastrum longisetum (Brid.) G. L. Smith Polytrichum longisetum Brid.
G5	S5	Polytrichastrum ohioense (Ren. & Card.) G. L. Smith Polytrichum ohioense Renauld & Card.
G4	S5	Polytrichastrum pallidisetum (Funck) G. L. Smith Polytrichum pallidisetum Funck Polytrichum smithiae Grout
G5	S5	Polytrichum commune Hedw. s.l.
G5T5	S5	Polytrichum commune Hedw. var. commune
G5T5	SH	Polytrichum commune Hedw. var. perigoniale (Michx.) Hampe
G5TNR	S2	Polytrichum densifolium Wilson ex Mitt. Polytrichastrum formosum Hedw. var. densifolium (Mitten) Z. Iwatsuki & A. Noguchi
G5	S5	Polytrichum juniperinum Hedw.
G5	S5	Polytrichum piliferum Hedw.
G5	S3	Polytrichum strictum Brid. Polytrichum juniperinum var. affine
G5	S5	Pseudanomodon attenuatus (Hedw.) Ignatov and Fedosov Anomodon attenuatus (Hedw.) Hub.
G5	S2	Pseudoamblystegium subtile (Hedw.) Vanderp. & Hedenäs Serpoleskea subtilis (Hew.) Loeske Platydictya subtilis (Hedw.) Crum
G5	S2S3	Pseudobryum cinclidioides (Hub.) T. Kop. Mnium cinclidioides
G3G5	SU	Pseudocalliergon turgescens (T. Jensen) Loeske
G3G5	S2	Pseudocampylium radicale (P. Beauv.) Vanderpoorten & Hedenäs Campylium radicale (P. Beauv.) Grout Amblystegium radicale (P. Beauv.) Schimp.
GNR	S4?	Pseudohygrohypnum appalachianum Brinda, Fedosov & Ignatova
G5	S1S3	Pseudohygrohypnum fauriei (Card.) Kučera & Ignatov Hypnum fauriei Card.
G3	S1	Pseudohygrohypnum subeugyrium (Ren. & Card.) Ignatov & Ignatova Hygrohypnum subeugyrium (Ren. & Card.) Broth.
G5	S5	Pseudoleskeella nervosa (Brid.) Nyholm Leskeella nervosa (Brid.) Loeske
G5	S1	Pseudoleskeella tectorum (Funck ex Brid.) Kindb. ex Broth.
G5	S2S4	Pseudotaxiphyllum elegans (Brid.) Iwats. Isopterygium elegans
G5	S3	Pterigynandrum filiforme Hedw.
G5	S5	Ptilium crista-castrensis (Hedw.) De Not.
G4	S1	Ptychomitrium incurvum (Schwaegr.) Spruce
G5	SU	Ptychostomum bimum (Schreb.) J.R. Spence Bryum pseudotriquetrum var. bimum
G3G5	SH	Ptychostomum cernuum (Hedw.) Hornsch.
G5	SH	Ptychostomum compactum Hornsch. Ptychostomum pendulum Hornsch. Bryum algovicum Sendt. ex Mull.
G5	S5	Ptychostomum creberrimum (Taylor) J.R. Spence & H.P. Ramsay Bryum lisae De Not. var. cuspidatum (Bruch & Schimp.) Marg. Bryum creberrimum
G5	S2	Ptychostomum pallens (Swartz) J. R. Spence
G5	S1	Ptychostomum pallescens (Schleich. ex Schwägr.) J.R. Spence Bryum pallescens Schleich. ex Schwägr.
G5	S5	Ptychostomum pseudotriquetrum (Hedw.) J.R. Spence & H.P. Ramsay ex Holyoak & N. Pedersen Bryum pseudotriquetrum
G5	S2	Ptychostomum weigeli (Spreng.) J.R. Spence Bryum weigeli Spreng. in Biehler
G5	S5	Pylaisia intricata (Hartm.) Venturi & Bott.
G5	S2S4	Pylaisia polyantha (Hedw.) Schimp.
G5	S5	Pylaisia selwynii Kindb. Pylaisiella selwynii (Kindb.) H. A. Crum, Steere & L. E. Anderson
G5?	S1	Pylaisiadelpha tenuirostris (Bruch & Schimp. ex Sull.) W.R. Buck Pylaisia tenuirostris (Bruch & Schimp. ex Sull.) A. Jaeger
G3G5	S3	Raiiella scita (P. Beauv.) Reim.

		Rauiella scita (P. Beauv.) Reim. var. aestivalis (Aust.) Wijk & Morgad.
		Thuidium scitum
G5	S3	Rhabdoweisia crispata (With.) Lindb.
G5	S5	Rhizomnium appalachianum T. Kop.
		Mnium punctatum var. appalachianum
		Mnium punctatum var. elatum
G5	SU	Rhizomnium magnifolium (Horik.) T. Kop.
		Mnium punctatum var. elatum
G5	S2	Rhizomnium pseudopunctatum (Bruch. & Schimp.) T. Kop.
		Mnium pseudopunctatum
G5	S5	Rhizomnium punctatum (Hedw.) T. Kop.
		Mnium punctatum
G5	S5	Rhodobryum ontariense (Kindb.) Kindb.
		Rhodobryum roseum (Hedw.) Limpr.
G5	S3S5	Rhynchostegium serrulatum (Hedw.) A. Jaeger
		Steerecleus serrulatus (Hedw.) Robbins
G5	S5	Rhytidiadelphus subpinnatus (Lindb.) T.J. Kop.
G5	S3	Rhytidium rugosum (Hedw.) Kindb.
G5	S4	Rosulabryum capillare (Hedw.) J.R. Spence
		Bryum capillare Hedw. s. l.
GNR	SU	Rosulabryum moravicum (Podp.) Ochyra & Stebel
		Rosulabryum laevifilum (Syed) Ochyra
		Bryum laevifilum Syed
G5?	S2S3	Ruficaulis rufescens (Dicks.) Bonfim Santos & Fedosov
		Dicranella rufescens (With.) Schimp.
G5	S2	Saelania glaucescens (Hedw.) Broth. in Bomanss. & Broth.
G5	S5	Sanionia uncinata (Hedw.) Warnst.
		Drepanocladus uncinatus
G5	S3	Schistidium agassizii Sull. & Lesq. in Sull.
		Grimmia agassizii
		Grimmia alpicola
		Schistidium alpicola (Hedw.) Limpr.
G5	SU	Schistidium apocarpum (Hedw.) Bruch. & Schimp. s.s.
G4	S1	Schistidium boreale Poelt
G5TNRQ	SU	Schistidium canadense (Dupr.) Ignatova & H.H. Blom
		Schistidium apocarpum (Hedw.) Bruch. & Schimp. ssp. canadense (Dupr.) H. H. Blom
GNR	S1	Schistidium crassithecium H.H. Blom ex B.H. Allen
GNR	S1	Schistidium dupretii (Thér.) W.A. Weber
GNR	SH	Schistidium lancifolium (Kindb.) H. H. Blom
GNR	S3	Schistidium liliputanum (Mull. Hal.) Deguchi
G5	S1	Schistidium papillosum Culm.
G5	S4	Schistidium rivulare (Brid.) Podp.
		Grimmia alpicola var. rivularis
		Grimmia rivularis
GNR	S1	Schistidium viride H. H. Blom
G4	S3	Schistostega pennata (Hedw.) Web. & Mohr.
G5	S1	Schwetschkeopsis fabronia (Schwaegr.) Broth.
G5	S5	Sciuro-hypnum curtum (Lindb.) Ignatov
		Brachythecium curtum (Lindb.) Limpr.
		Brachythecium oedipodium (Mitt.) Jaeg. (misapplied)
G5	S5	Sciuro-hypnum plumosum (Hedw.) Ignatov & Huttunen
		Brachythecium plumosum (Hedw.) Schimp.
G5	S5	Sciuro-hypnum populeum (Hedw.) Ignatov & Huttunen
		Brachythecium populeum (Hedw.) Schimp.
G5	S5	Sciuro-hypnum reflexum (Starke) Ignatov & Huttunen
		Brachythecium reflexum (Starke in Web. & Mohr.) Schimp. var. reflexum
G5	S1	Sciuro-hypnum starkei (Brid.) Ignatov & Huttunen
		Brachythecium starkei (Brid.) Schimp.
G5	S2	Scorpidium cossonii (Schimp.) Hedenäs
		Limprichtia cossonii (Schimp.) Anderson et al.
G5	S1S3	Scorpidium revolvens (Sw.) Rubers
		Limprichtia revolvens (Sw.) Loeske
		Drepanocladus revolvens
G5	S2	Scorpidium scorpioides (Hedw.) Limpr.
G4?	S1	Seligeria calcarea (Hedw.) Bruch. & Schimp.

G4G5	S1	<i>Seligeria donniana</i> (Sm.) C. Mull.
G3G5	S1	<i>Seligeria pusilla</i> (Hedw.) Bruch & Schimp.
G4	SH	<i>Seligeria tristichoides</i> Kindb.
G5	S1	<i>Sematophyllum adnatum</i> (Michx.) Britt.
G5	S1	<i>Sematophyllum demissum</i> (Wils.) Mitt.
G5	S1	<i>Sematophyllum marylandicum</i> (C. Mull.) Britt.
G4G5	S2S4	<i>Serpoleskea confervoides</i> (Brid.) Loeske <i>Platydictya confervoides</i> (Brid.) Crum
G5	S1	<i>Sphagnum affine</i> Ren. & Card.
G5	S1	<i>Sphagnum angermanicum</i> Melin
G5	S5	<i>Sphagnum angustifolium</i> (C. Jens. ex Russ.) C. Jens. in Tolf <i>Sphagnum recurvum</i> var. <i>tenue</i>
G5	S1	<i>Sphagnum austinii</i> Sull. in Aust.
G5	S5	<i>Sphagnum capillifolium</i> (Ehrh.) Hedw. <i>Sphagnum nemoreum</i> <i>Sphagnum subtile</i> (Russ.) Warnst.
G5	S5	<i>Sphagnum centrale</i> C. Jens. in Arnell & C. Jens.
G5	S1	<i>Sphagnum compactum</i> DC. in Lam. & DC.
G5	S2	<i>Sphagnum contortum</i> Schultz <i>Sphagnum subsecundum</i> var. <i>contortum</i>
G5	S3S4	<i>Sphagnum cuspidatum</i> Ehrh. ex Hoffm. <i>Sphagnum viride</i> Flatb.
GNR	SU	<i>Sphagnum divinum</i> Flatberg & Hassel One of several species formerly identified as <i>Sphagnum magellanicum</i>
G5	S5	<i>Sphagnum fallax</i> (Klinggr.) Klinggr. <i>Sphagnum recurvum</i> var. <i>brevifolium</i> <i>Sphagnum brevifolium</i> (Lindb. ex Braithw.) Röll. <i>Sphagnum isoviitae</i> Flatberg
G5	S5	<i>Sphagnum fimbriatum</i> Wils. in Wils. & Hook. f. in Hook. f. <i>Sphagnum fimbriatum</i> Wils. in Wils. & Hook. f. in Hook. f. ssp. <i>fimbriatum</i>
G5	S2	<i>Sphagnum flexuosum</i> Dozy & Molk. <i>Sphagnum recurvum</i> var. <i>amblyphyllum</i>
G5	S5	<i>Sphagnum fuscum</i> (Schimp.) Klinggr.
G5	S5	<i>Sphagnum girgensohnii</i> Russ.
G5	S2	<i>Sphagnum lescurii</i> Sull. in Gray <i>Sphagnum inundatum</i> Russ. (eastern North American collections) <i>Sphagnum subsecundum</i> var. <i>rufescens</i>
G5?	S1	<i>Sphagnum lindbergii</i> Schimp. in Lindb.
G5	S2	<i>Sphagnum majus</i> (Russ.) C. Jens. <i>Sphagnum majus</i> ssp. <i>majus</i> (Russ.) C. Jens. <i>Sphagnum majus</i> ssp. <i>norvegicum</i> Flatberg
GNR	SU	<i>Sphagnum medium</i> Limpr. One of several species formerly identified as <i>Sphagnum magellanicum</i>
G5	S5	<i>Sphagnum palustre</i> L. <i>Sphagnum henryense</i> Warnst.
G5	S3	<i>Sphagnum papillosum</i> Lindb.
G5	S1	<i>Sphagnum platyphyllum</i> (Lindb. ex Braithw.) Sull. ex Warnst.
G5	S1	<i>Sphagnum pulchrum</i> (Lindb. ex Braithw.) Warnst.
G5	S3	<i>Sphagnum quinquefarium</i> (Lindb. ex Braithw.) Warnst.
G5	S1	<i>Sphagnum recurvum</i> P. Beauv.
G5	S1	<i>Sphagnum riparium</i> Angstr.
G5	S5	<i>Sphagnum rubellum</i> Wils. <i>Sphagnum capillifolium</i> var. <i>tenellum</i> <i>Sphagnum andersonianum</i> Andrus <i>Sphagnum bartlettianum</i> Warnst.
G5	S5	<i>Sphagnum russowii</i> Warnst. <i>Sphagnum robustum</i> (Warnst.) Röll
G5	S5	<i>Sphagnum squarrosum</i> Crome
G5	S2	<i>Sphagnum subfulvum</i> Sjors <i>Sphagnum nitidum</i> Warnst.
G5	S4	<i>Sphagnum subsecundum</i> Nees in Sturm
G5	S1	<i>Sphagnum tenellum</i> (Brid.) Bory
G5	S4	<i>Sphagnum teres</i> (Schimp.) Angstr. in Hartm.
G5	SU	<i>Sphagnum torreyanum</i> Sull. <i>Sphagnum atlanticum</i> Andrus

G5	S5	<i>Sphagnum warnstorffii</i> Russ.
G5	S3	<i>Sphagnum wulfianum</i> Girg.
G5	S3	<i>Splachnum ampullaceum</i> Hedw.
G4?	S1	<i>Splachnum pensylvanicum</i> (Brid.) Grout ex Crum
G5	S3	<i>Stereodon pratensis</i> (W.D.J. Koch ex Spruce) Warnst. <i>Hypnum pratense</i> (Rabenh.) W. Koch ex Spruce
G5	S3	<i>Straminergon stramineum</i> (Dicks. ex Brid.) Hedenäs <i>Calliergon stramineum</i> (Brid.) Kindb
G5	S2S3	<i>Streblotrichum convolutum</i> (Hedw.) P.-Beauv. <i>Barbula convoluta</i> Hedw. var. <i>convolute</i>
G5	S1	<i>Syntrichia papillosa</i> (Wils. ex Spruce) Spruce
G5	S2	<i>Syntrichia ruralis</i> (Hedw.) Web. & Mohr <i>Tortula ruralis</i> (Hedw.) Gaertn. et al.
G4G5	S3	<i>Taxiphyllum deplanatum</i> (Bruch. & Schimp. ex Sull.) Fleisch.
G4	SH	<i>Tayloria serrata</i> (Hedw.) Bruch. & Schimp.
G5T5	S5	<i>Tetraphis pellucida</i> Hedw. var. <i>pellucida</i>
G5	S1	<i>Tetraplodon angustatus</i> (Hedw.) Bruch & Schimp.
G4	S1	<i>Tetraplodon mnioides</i> (Hedw.) Bruch. & Schimp.
GNR	S2	<i>Tetrodontium brownianum</i> (Dicks.) Schwägr.
GNR	S1	<i>Tetrodontium ovatum</i> (Fueck) Schwägr.
G5?	S3	<i>Thamnobryum alleghaniense</i> (C. Mull.) Nieuwl.
G5	S2	<i>Thelia asprella</i> Sull. in Sull. & Lesq.
G5	SH	<i>Thelia hirtella</i> (Hedw.) Sull. in Sull. & Lesq.
G5T5	S5	<i>Thuidium delicatulum</i> (Hedw.) Schimp. var. <i>delicatulum</i>
G5T5	SU	<i>Thuidium delicatulum</i> (Hedw.) Schimp. var. <i>radicans</i> (Kindb.) H. A. Crum <i>Thuidium philibertii</i> Limpr.
G5	S5	<i>Thuidium recognitum</i> (Hedw.) Lindb.
G5TNR	S1	<i>Timmia comata</i> Lindb. & Arnell <i>Timmia norvegica</i> var. <i>excurrens</i> Bryhn
G5T5	S2	<i>Timmia megapolitana</i> Hedw. ssp. <i>megapolitana</i>
G3G5	S1	<i>Tomentypnum falcifolium</i> (Ren. ex Nichols) Tuom. in Ahti & Fagers. <i>Tomentypnum nitens</i> var. <i>falcifolium</i>
G5	S3	<i>Tomentypnum nitens</i> (Hedw.) Loeske
G4	S5	<i>Torrentaria riparioides</i> (Hedw.) Ochyra <i>Platyhypnidium riparioides</i> (Hedw.) Dix. <i>Eurhynchium riparioides</i>
GNR	SH	<i>Tortella bambergeri</i> (Schimp.) Broth.
G5	S1	<i>Tortella fragilis</i> (Drumm.) Limpr.
G5	S3	<i>Tortella humilis</i> (Hedw.) Jenn.
G4G5TNR	S1	<i>Tortella densa</i> (Lorentz & Molendo) Limpr.
G4G5TNR	S1	<i>Tortella inclinata</i> (Hedw.) Limpr.
G5TNR	SH	<i>Tortella tortuosa</i> (Hedw.) Limpr. var. <i>fragilifolia</i> (Juratz.) Limpr.
G5T5	S5	<i>Tortella tortuosa</i> (Hedw.) Limpr. var. <i>tortuosa</i>
G5	S2	<i>Tortula mucronifolia</i> Schwaegr.
G5	S1	<i>Tortula obtusifolia</i> (Schwaegr.) Mathieu <i>Desmatodon obtusifolius</i> (Schwaegr.) Schimp.
G3?	SH	<i>Tortula porteri</i> (James) Broth. <i>Desmatodon porteri</i> James in Aust.
G3G5	S3	<i>Tortula truncata</i> (Hedw.) Mitt. <i>Pottia truncata</i> (Hedw.) Bruch & Schimp.
G5	S2S3	<i>Trematodon ambiguus</i> (Hedw.) Hornsch.
G5	S1	<i>Trematodon longicollis</i> Michx.
G4G5	S1	<i>Trichostomum crispulum</i> Bruch in F. Muell.
G5	S5	<i>Ulota coarctata</i> (P. Beauv.) Hammar
G5	S5	<i>Ulota crispula</i> Bruch
G4G5	S1	<i>Ulota curvifolia</i> (Wahl.) Lilj.
G5T5	S5	<i>Ulota hutchinsiae</i> (Sm.) Hammar var. <i>hutchinsiae</i>
G5	S4	<i>Warnstorffia fluitans</i> (Hedw.) Loeske <i>Drepanocladus fluitans</i>
G5	S2S3	<i>Warnstorffia exannulata</i> (Schimp.) Loeske <i>Sarmentypnum exannulatum</i> (Schimp.) Hedenäs <i>Drepanocladus exannulatus</i>
G3G4	S1	<i>Warnstorffia pseudostraminea</i> (Müll. Hal.) Tuom. & T.J. Kop.
G5	S4	<i>Weissia controversa</i> Hedw.
G5	S1S3	<i>Weissia muhlenbergiana</i> (Sw.) W. D. Reese & B. A. E. Lemmon

		<i>Astomum muhlenbergianum</i> (Sw.) Grout
G3G5	S1	<i>Zygodon conoideus</i> (Dicks.) Hook. & Tayl.

Global Rank	State Rank	Species
Liverworts		
G5	S2	<i>Anastrophyllum michauxii</i> (F. Weber) H. Buch
G5T5	S5	<i>Aneura pinguis</i> (L.) Dum. var. <i>pinguis</i> <i>Riccardia pinguis</i> (L.) Gray
GNR	S1	<i>Aneura sharpii</i> Inoue & N.G. Mill.
G5	S2	<i>Apopellia endiviifolia</i> (Dicks.) Nebel & D. Quandt <i>Pellia endiviifolia</i> (Dicks.) Dumort.
GNR	S1	<i>Apopellia megaspora</i> (R. M. Schust.) Nebel & D. Quandt <i>Pellia megaspora</i> Schust.
G5	S3	<i>Asterella tenella</i> (L.) P. Beauv.
G5	S5	<i>Barbilophozia barbata</i> (Schmid. ex Schreb.) Loeske <i>Lophozia barbata</i> (Schmid.) Dum.
G5	S1	<i>Barbilophozia hatcheri</i> (Evans) Loeske <i>Lophozia hatcheri</i> (Evans) Steph.
G5	S1	<i>Barbilophozia lycopodioides</i> (Wallr.) Loeske
G4G5	S1	<i>Barbilophozia sudetica</i> (Nees ex Huebener) L. Soderstr., De Roo & Hedd. <i>Lophozia sudetica</i> (Nees) Grolle <i>Pseudolophozia sudetica</i> (Nees ex Huebener) Konstant. & Vilnet
G4G5	S4	<i>Bazzania denudata</i> (Torrey ex Gott. et al.) Trev.
G4T4	S3	<i>Bazzania tricrenata</i> (Wahlenb.) Lindb. var. <i>tricrenata</i>
G5T5	S5	<i>Bazzania trilobata</i> (L.) Gray var. <i>trilobata</i>
G5	S5	<i>Blasia pusilla</i> L.
G5T5	S5	<i>Blepharostoma trichophyllum</i> (L.) Dumort. ssp. <i>trichophyllum</i>
G5	SH	<i>Calypogeia azurea</i> Stotler & Crotz
G5	S4	<i>Calypogeia integristipula</i> Steph.
G5T5	S4	<i>Calypogeia muelleriana</i> (Schiffn.) Müll.Frib. ssp. <i>muelleriana</i>
G5	S4	<i>Calypogeia neesiana</i> (Mass. & Carest.) K. Mull.
G4	S5	<i>Calypogeia neogaea</i> (Schust.) Bakalin <i>Calypogeia fissa</i> (L.) Raddi ssp. <i>neogaea</i> Schust.
G4G5	S3	<i>Calypogeia sphagnicola</i> (Arnell & J. Perss.) Warnst. & Loeske
G5	SH	<i>Calypogeia succica</i> (H. Arnell & J. Perss.) K. Mull.
G3G4	S1	<i>Cephalozia ambigua</i> C. Massal.
G5	S4	<i>Cephalozia bicuspidata</i> (L.) Dum.
T5	S3	<i>Cephaloziella divaricata</i> (Sm.) Schiffn. var. <i>divaricata</i> <i>Cephaloziella byssacea</i> (Roth) Warnst. <i>Cephaloziella starkei</i> (Funck.) Schiffn.
G4	S2	<i>Cephaloziella elachista</i> (Jack) Schiffn.
G3?	S1	<i>Cephaloziella elegans</i> (Heeg) Schiffn.
G5	S3	<i>Cephaloziella hampeana</i> (Nees) Schiffn.
G3G5	S1	<i>Cephaloziella massalongoi</i> (Spruce) K. Mull.
GNR	S2	<i>Cephaloziella rubella</i> (Nees) Warnst. <i>Cephaloziella rubella</i> (Nees) Warnst. var. <i>bifida</i> (Schmid. ex Hoffm.) Douin
G2G4	S1	<i>Cephaloziella stellulifera</i> (Tayl.) Schiffn.
G5	S1	<i>Cephaloziella varians</i> (Gott.) Steph.
G54	SH	<i>Chiloscyphus pallescens</i> (Ehrh. ex Hoffm.) Dum. var. <i>fragilis</i> (Roth) K. Mull.
G5T5	S2	<i>Chiloscyphus pallescens</i> (Ehrh. ex Hoffm.) Dum. var. <i>pallescens</i>
G5T4	S1	<i>Chiloscyphus polyanthos</i> (L.) Corda var. <i>polyanthos</i>
G5T4	SH	<i>Chiloscyphus polyanthos</i> (L.) Corda var. <i>rivularis</i> (Schrad.) Nees
G5	SH	<i>Clevea hyalina</i> (Sommert.) Lindb. <i>Athalamia hyalina</i> (Sommert.) Hatt.
G5	S4	<i>Cololejeunea biddlecomiae</i> (Aust.) Evans
G5	S5	<i>Conocephalum salebrosum</i> Szweyk., Buczk. & Odrzyk. (formerly thought to be <i>Conocephalum conicum</i> (L.) Dumort.)
G5	S2	<i>Crossocalyx hellerianus</i> (Nees ex Lindenb.) Meyl. <i>Anastrophyllum hellerianum</i> (Nees) Schust.
G5	S4	<i>Diplophyllum apiculatum</i> (Evans) Steph.

G2	SH	<i>Diplophyllum obtusatum</i> (R.M. Schust.) R.M. Schust.
G5T5	S3	<i>Diplophyllum taxifolium</i> (Wahlenb.) Dum. var. <i>taxifolium</i>
G4	S1	<i>Endogemma caespiticia</i> (Lindenb.) Konstant., Vilnet & A.V. Troitsky <i>Jungermannia caespiticia</i> Lindenb. <i>Solenostoma caespiticium</i> (Lindb.) Steph
G5	S2	<i>Fossombronia foveolata</i> Lindb.
G4G5	SH	<i>Fossombronia wondraczekii</i> (Corda) Dumort. ex Lindb.
G5	S5	<i>Frullania asagrayana</i> Mont. <i>Frullania tamarisci</i> (L.) Dum. ssp. <i>asagrayana</i> (Mont.) Hatt.
GNR	S1	<i>Frullania austinii</i> J.J. Atwood, Vilnet, Mamontov, & Konstant.
G4	S1	<i>Frullania brittoniae</i> Evans
G5	S5	<i>Frullania eboracensis</i> Gott.
G5	S2	<i>Frullania inflata</i> Gott.
G5	S2	<i>Frullania oakesiana</i> Aust.
G4	S1	<i>Frullania plana</i> Sull.
G4G5	S2	<i>Frullania riparia</i> Hampe ex Lehm.
G3	S1	<i>Frullania selwyniana</i> Pears.
G5	SH	<i>Fuscocephaloziopsis catenulata</i> (Huebener) Váňa & L. Söderstr. <i>Cephalozia catenulata</i> (Hub.) Lindb.
G5	S2	<i>Fuscocephaloziopsis connivens</i> (Dicks.) Váňa & L. Söderstr. <i>Cephalozia connivens</i> (Dicks.) Lindb. s.l.
G4	SH	<i>Fuscocephaloziopsis leucantha</i> (Spruce) Váňa & L. Söderstr. <i>Cephalozia leucantha</i> Spruce
G5	S5	<i>Fuscocephaloziopsis lunulifolia</i> (Dumort.) Váňa & L. Söderstr. <i>Cephalozia lunulifolia</i> (Dum.) Dum. <i>Cephalozia media</i> Lindb.
G4	SH	<i>Fuscocephaloziopsis macrostachya</i> (Kaal.) Váňa & L. Söderstr. <i>Cephalozia macrostachya</i> Kaal. ssp. <i>macrostachya</i>
G5	S2	<i>Fuscocephaloziopsis pleniceps</i> (Austin) Váňa & L. Söderstr. <i>Cephalozia pleniceps</i> (Aust.) Lindb. var. <i>pleniceps</i>
G5	S5	<i>Geocalyx graveolens</i> (Schr.) Nees
G5T5	S2	<i>Gymnocolea inflata</i> (Huds.) Dum. var. <i>inflata</i>
G5T3Q	SH	<i>Gymnocolea inflata</i> (Huds.) Dum. subsp. <i>acutiloba</i> (Schiffn.) R.M. Schust. & Damsh. ex L. Söderstr. & Váňa
G5	SH	<i>Gymnomitrium concinnum</i> (Lightf.) Corda
G4?	S2	<i>Harpanthus drummondii</i> (Tayl.) Grolle
G4G5	S1	<i>Harpanthus scutatus</i> (Web & Mohr) Spruce
G4	SH	<i>Heterogemma capitata</i> (Hook.) Konstant. & Vilnet <i>Lophozia capitata</i> (Hook.) Macoun
G4	S2	<i>Heterogemma laxa</i> (Lindb.) Konstant. & Vilnet <i>Lophozia laxa</i> (Lindb.) Grolle <i>Lophozia marchica</i> (Nees) Steph.
G5	S3	<i>Isopaches bichenatus</i> (Schmid.) Buch <i>Lophozia bichenata</i> (Schmid. ex Hoffm.) Dum.
G5T5	S2	<i>Jubula hutchinsiae</i> (Hook.) Dumort. ssp. <i>pennsylvanica</i> (Steph.) Verd. <i>Jubula pennsylvanica</i> (Steph.) Evans ssp. <i>pennsylvanica</i>
G5	SH	<i>Jungermannia eucordifolia</i> Schljakov <i>Jungermannia exsertifolia</i> Steph. ssp. <i>cordifolia</i> (Dumort.) Váňa <i>Solenostoma cordifolium</i> (Hook.) Steph.
G5	S3	<i>Jungermannia pumila</i> With. <i>Solenostoma pumilum</i> (With.) K. Mull.
G5	S1	<i>Kurzia pauciflora</i> (Dicks.) Grolle
G5	S5	<i>Lejeunea cavifolia</i> (Ehrh.) Lindb. emend. Buch
G5T4	S1	<i>Lejeunea lamacerina</i> (Steph.) Schiffn. ssp. <i>gemminata</i> Schust.
G5	S5	<i>Lepidozia reptans</i> (L.) Dum.
G5	S4	<i>Liochlaena lanceolata</i> Nees <i>Jungermannia leiantha</i> Grolle <i>Jungermannia lanceolata</i> L. amend. Schrad.
G5	S1	<i>Lophocolea bidentata</i> (L.) Dum. <i>Lophocolea cuspidata</i> (Nees) Limpr. var. <i>alata</i> K. Mull.
G5	S5	<i>Lophocolea heterophylla</i> (Schr.) Dum. <i>Chiloscyphus profundus</i> (Nees) Engel & Schust.
G5	S2	<i>Lophocolea minor</i> Nees <i>Chiloscyphus minor</i> (Nees) Eng. & Schust.
G4	S2	<i>Lophozia ascendens</i> (Warnst.) Schust.
	S2	<i>Lophozia guttulata</i> (Lindb. & H. Arnell) Evans

G5	S3	Lophozia longiflora (Nees) Schiffn. Lophozia porphyroleuca (Nees) Schiffn. Lophozia ventricosa (Dicks.) Dum. var. longiflora (Nees) Macoun
G5	S1	Lophozia silvicola H. Buch
G5T4T5	S4	Lophozia ventricosa (Dicks.) Dum. var. ventricosa
G4G5T4	S1	Lophozia wenzelii (Nees) Steph. var. wenzelii Lophocolea confertifolia Schiffn.
G5	S1	Lophoziopsis excisa (Dicks.) Konstant. & Vilnet Lophozia excisa (Dicks.) Dum. s.l.
G5?	S3	Lophoziopsis longidens (Lindb.) Konstant. & Vilnet Lophozia longidens (Lindb.) Macoun subsp. longidens
G5	SH	Lunularia cruciata (L.) Dum.
G5	S1	Mannia fragrans (Balbis) Frye & Clark
G4?	SH	Mannia pilosa (Hornem.) Frye & Clark
G4?	SH	Mannia sibirica (Müll. Frib.) Frye & L. Clark
G3G4	SH	Mannia triandra (Scop.) Grolle Mannia rupestris (Nees) Frye & L. Clark
G5T3T5	S1	Marchantia polymorpha ssp. montivagans Bischl. & Boissel.-Dub. Marchantia alpestris (Nees) Burgeff
G5TNR	S2	Marchantia polymorpha L. ssp. polymorpha Marchantia aquatica (Nees) Burgeff
TNR	S5	Marchantia polymorpha ssp. ruderalis Bischl. & Boissel.-Dub.
G5	S5	Marchantia quadrata Scop. Preissia quadrata (Scop.) Nees ssp. quadrata
	S1	Marchantia quadrata Scop. ssp. hyperborea (Schust.) Borovich. Preissia quadrata (Scop.) Nees ssp. hyperborea Schust
G5	S3	Marsupella emarginata (Ehrh.) Dum. Marsupella ustulata (Hub.) Spruce var. ustulata
G5	S1	Marsupella sphacelata (Gieseke) Dum.
G5?	S2	Mesoptychia badensis (Gottsche) L. Söderstr. & Vána Lophozia badensis (Gott. ex Rabenh.) Schiffn. var. badensis
G5	S1	Mesoptychia collaris (Nees) L. Söderstr. & Vána
G5	S3	Mesoptychia gillmanii (Austin) L. Söderstr. & Vána Lophozia gillmanii (Aust.) Schust. s.l. Leiocolea gillmanii (Aust.) Evans
G5TU	S1	Mesoptychia heterocolpos (Thed.) L. Söderstr. & Vána var. heterocolpos Lophozia heterocolpos (Thed.) M.A. Howe var. heterocolpos Leiocolea heterocolpa (Thed.) ex Hartm.) Buch.
GNR	SH	Mesoptychia rutheana (Limpr.) L. Söderstr. & Vána Lophozia rutheana (Limpr.) M.A. Howe
G5	S5	Metzgeria conjugata Lindb.
G4G5	S2	Metzgeria crassipilis (Lindb.) Evans
G5T5	S5	Metzgeria furcata (L.) Dum. var. ulvula Nees
G5	SH	Metzgeria pubescens (Schränk) Raddi Apometzgeria pubescens (Schränk) Kuwah.
GNR	S2	Moerkia flotoviana (Nees) Schiffn.
G4?	S3	Moerkia hibernica (Hook.) Gott.
G5	S4	Mylia anomala (Hook.) S. Gray
G5	S1	Mylia taylorii (Hook.) S. Gray
G5T5	S1	Nardia scalaris S. Gray ssp. scalaris
G5	S4	Neoorthocaulis attenuatus (Mart.) L. Söderstr., De Roo, Hedd. & Mart. Barbilophozia attenuata (Mart.) Loeske Lophozia attenuata (Mart.) Dum.
G5	SH	Neoorthocaulis floerkei (F. Weber & D. Mohr) L. Söderstr., De Roo & Hedd. Barbilophozia floerkei (Web. & Mohr) var. floerkei Lophozia floerkei (Web. & Mohr.) Schiffn.
G5	S5	Nowellia curvifolia (Dicks.) Mitt.
G5T5	S3	Odontoschisma denudatum (Nees ex Mart.) Dum. subsp. denudatum
G5	S4	Odontoschisma fluitans (Nees) L. Söderstr. & Vána Cladopodiella fluitans (Nees) Joerg. Cephalozia fluitans (Nees) Spruce
G5	SH	Odontoschisma sphagni (Dicks.) Dumort. Odontoschisma prostratum (Sw.) Trev.
G5	S4	Pallavicinia lyellii (Hook.) Carruth.
G5T5	S5	Pellia epiphylla (L.) Corda var. epiphylla

GNR	S5	<i>Pellia neesiana</i> (Gott.) Limpr.
G3	S1	<i>Plagiochila austinii</i> Evans
G5	S5	<i>Plagiochila porelloides</i> (Torrey ex Nees) Lindenb. <i>Plagiochila asplenoides</i> (L.) Dum. ssp. <i>porelloides</i> (Torrey ex nees) Schust.
G5	S2	<i>Porella pinnata</i> L.
G5	S5	<i>Porella platyphylla</i> (L.) Pfeiff. <i>Porella platyphylloidea</i> (Schwein.) Lindb.
G5	S5	<i>Ptilidium ciliare</i> (L.) Hampe
G5	S5	<i>Ptilidium pulcherrimum</i> (G. Web.) Hampe
G5	S5	<i>Radula complanata</i> (L.) Dum.
G5	S2	<i>Radula obconica</i> Sull.
G3G4	SH	<i>Radula tenax</i> Lindb.
G5	S3	<i>Reboulia hemisphaerica</i> (L.) Raddi
G5	S4	<i>Riccardia latifrons</i> Lindb.
G5TNR	S4	<i>Riccardia multifida</i> (L.) S. Gray var. <i>multifida</i>
G5	S3	<i>Riccardia palmata</i> (Hedw.) Carruth.
G5	S1	<i>Riccia bifurca</i> Hoffm.
G5	S1	<i>Riccia cavernosa</i> Hoffm. <i>Riccia crystallina</i> auct. pro parte non L.
G5	S4	<i>Riccia fluitans</i> L. <i>Cladopodiella fluitans</i>
G5	SH	<i>Riccia frostii</i> Aust.
G4G5T4T5QS2		<i>Riccia huebeneriana</i> Lindenb. ssp. <i>sullivantii</i> (Aust.) Schust.
G5	S4	<i>Ricciocarpos natans</i> (L.) Corda
G3?	S1	<i>Scapania carinthiaca</i> J.B. Jack ex Lindb.
G5T5	SH	<i>Scapania curta</i> (Mart.) Dum. var. <i>curta</i>
G5T5	S1	<i>Scapania cuspiduligera</i> (Nees) K. Mull. var. <i>cuspiduligera</i>
G4G5	SH	<i>Scapania glaucocephala</i> (Tayl.) Aust.
G4	S2	<i>Scapania gymnostomophila</i> Kaal.
G5T5?	S2	<i>Scapania irrigua</i> (Nees) Gott. et al. ssp. <i>irrigua</i>
G2G4TU	S1	<i>Scapania lingulata</i> Buch var. <i>lingulata</i>
G5	S1	<i>Scapania mucronata</i> Buch
G5	S5	<i>Scapania nemorea</i> (L.) Grolle <i>Scapania nemorosa</i> (L.) Dum.
G5T3T5	S2	<i>Scapania paludicola</i> Loeske & K. Mull. var. <i>paludicola</i>
G5	SH	<i>Scapania paludosa</i> (K. Mull.) K. Mull.
G4G5	S1	<i>Scapania umbrosa</i> (Schrad.) Dum.
G5	S5	<i>Scapania undulata</i> (L.) Dum.
GNR	SH	<i>Schistochilopsis grandiretis</i> (Lindb. ex Kaal.) Konstant. <i>Lophozia grandiretis</i> (Lindb.) Schiffn. var. <i>grandiretis</i>
G5T5	S4	<i>Schistochilopsis incisa</i> (Schrad.) Konstant. var. <i>incisa</i> <i>Lophozia incisa</i> (Schrad.) Dum. var. <i>incisa</i>
G5	S1	<i>Schljakovia kunzeana</i> (Huebener) Konstant. & Vilnet <i>Barbilophozia kunzeana</i> (Hüb.) Gams <i>Lophozia kunzeana</i> (Hüb.) Evans
G5	S4	<i>Solenostoma gracillimum</i> (Smith) Schust. <i>Jungermannia gracillima</i> Sm.
G5	S1	<i>Solenostoma hyalinum</i> (Lyell) Mitt. <i>Jungermannia hyalina</i> Lyell
GNR	SH	<i>Solenostoma obovatum</i> (Nees) Schust. <i>Jungermannia obovata</i> Nees
G2G4	S2	<i>Solenostoma obscurum</i> (Evans) Schust. <i>Jungermannia evansii</i> Vana
G5	S1	<i>Solenostoma sphaerocarpum</i> (Hook.) Steph. <i>Jungermannia sphaerocarpa</i> Hook.
G5	S3	<i>Sphenolobus minutus</i> (Schreb.) Berggr. <i>Anastrophyllum minutum</i> (Schreb.) Schust. var. <i>minutum</i> <i>Eremonotus minutus</i> (Schreb.) Schust.
G3G4	S1	<i>Sphenolobus saxicola</i> (Schrad.) Steph. <i>Anastrophyllum saxicola</i> (Schrad.) Schust.
G5	S5	<i>Syzygiella autumnalis</i> (DC.) K. Feldberg, Váňa, Hentschel & Heinrichs <i>Jamesoniella autumnalis</i> (DC.) Steph. var. <i>autumnalis</i>
G5	S1	<i>Tetralophozia setiformis</i> (Ehrh.) Schljak. <i>Chandonanthus setiformis</i> (Ehrh.) Lindb.
G5	S5	<i>Trichocolea tomentella</i> (Ehrh.) Dum.

G5	S3	<i>Tritomaria exsecta</i> (Schrad.) Loeske
G5T5	S1	<i>Tritomaria exsectiformis</i> (Breidl.) Loeske ssp. <i>exsectiformis</i>
G5T5	S2	<i>Tritomaria quinquedentata</i> (Huds.) Buch. var. <i>quinquedentata</i>

Global	State	Species
Rank	Rank	

Hornworts

G4G5	S1	<i>Anthoceros agrestis</i> Paton
G3G4	S1	<i>Anthoceros macounii</i> M.A. Howe
G5	S2	<i>Notothylas orbicularis</i> (Schwein.) Sull.
G5	S3	<i>Phaeoceros carolinianus</i> (Michx.) Prosk