

Global Rank	State Rank	Species
Mosses		
G5	S5	Abietinella abietina (Hedw.) Fleisch Thuidium abietinum (Hedw.) Schimp.
G4G5	S1	Acaulon rufescens A. Jaeger Acaulon muticum var. rufescens (A. Jaeger) H.A. Crum
G4G5	S1	Alleniella besseri (Lobarz.) S. Olsson, Enroth & D. Quandt Neckera besseri (Lobarz) Jur. Homalia trichomanoides (Hedw.) Schimp. fo. gracilis
G5	SH	Alleniella complanata (Hedw.) S. Olsson, Enroth & D. Quandt Neckera complanata (Hedw.) Hub.
G5	S5	Amblystegium serpens (Hedw.) Schimp. Amblystegium serpens (Hedw.) Schimp. var. juratzkanum (Schimp.) Rau & Herv.
G5	S2	Amphidium lapponicum (Hedw.) Schimp.
G5	S2	Amphidium mougeotii (Bruch & Schimp. in B.S.G.) Schimp.
G3G5	S3	Anacamptodon splachnoides (Frol. ex Brid.) Brid.
G5?	S1	Andreaea crassinervia Bruch
G5	S3	Andreaea rothii Web. & Mohr.
G5	S5	Andreaea rupestris Hedw.
GU	S1	Anomobryum concinnum (Spruce) Lindb.
G5	S1	Anomobryum julaceum (Schrader ex G. Gaertn., B. Mey. & Scherb.) Schimp. Anomobryum filiforme Dicks. Solms in Rabenh. Pohlia filiformis (Dicks.) A.L. Andrews
G5	S3	Anomodon minor (Hedw.) Lindb.
G5	S5	Anomodon rugelii (C. Müll.) Keissl. Anomodontopsis rugelii (Müll. Hal.) Ignatov & Fedosov
G5	S2	Anomodon tristis (Ces.) Sull. & Lesq. Haplophragma triste (Ces. in De Not.) Kindb.
G5	S4	Anomodon viticulosus (Hedw.) Hook. & Tayl.
GNR	S3	Aongstroemia canadensis (Mitt.) Siebel & Fedosov Dicranella schreberiana (Hedw.) Hilf. ex Crum & Anderson Dicranella schreberiana var. robusta (Schimp. ex Braithw.) H.A. Crum & L.E. Anderson
G5	S1S3	Aquilonium plicatum (Lindb.) Hedenäs Hypnum plicatum (Lindb.) Jaeg.
G4G5	SH	Archidium alternifolium (Hedw.) Schimp.
G5	S1	Arctoa fulvella (Dicks.) Bruch & Schimp.
G5	S5	Atrichum altecristatum (Ren. & Card.) Smyth & Smyth
G5	S5	Atrichum angustatum (Brid.) Bruch. & Schimp.
G5	S5	Atrichum crispulum Beschereille
G5	S2S3	Atrichum crispum (James) Sull.
G4G5	S1	Atrichum tenellum (Rohl.) Bruch & Schimp.
G5	S1	Aulacomnium androgynum (Hedw.) Schwaegr.
G5	S3	Aulacomnium heterostichum (Hedw.) Bruch & Schimp. Arrhenopterum heterostichum Hedw.
G5	S5	Aulacomnium palustre (Hedw.) Schwaegr.
G5	S5	Barbula unguiculata Hedw. Barbula unguiculata fo. apiculata
G5	S5	Bartramia pomiformis Hedw.
G5	S3	Blindia acuta Bruch. & Schimp.
G5	S4	Brachytheciastrum velutinum (Hedw.) Ignatov & Huttunen Brachythecium velutinum (Hedw.) Schimp.
G5	SU	Brachythecium acuminatum (Hedw.) Aust.
G5	S1	Brachythecium acutum (Mitt.) Sull.
G5	SH	Brachythecium albicans (Hedw.) Schimp.
G4G5Q	S3	Brachythecium campestre (C. Mull.) Schimp. Brachythecium calcareum Kindb
G5	S1	Brachythecium erythrorhizon Schimp.
GNR	S1	Brachythecium falcatum (Grout) H.A. Crum
G5	S5	Brachythecium laetum (Brid.) Schimp. Brachythecium digastrum C. Mull. & Kindb. in Mac. & Kindb. Brachythecium oxycladon (Brid.) Jaeg (misapplied)

G5	S5	Brachythecium novae-angliae (Sull. & Lesq.) A. Jaegr. Bryhnia novae-angliae (Sull. & Lesq. in Sull.) Grout
G5	S5	Brachythecium rivulare Schimp.
G5	S3	Brachythecium rotaceum De Not.
G5	S5	Brachythecium rutabulum (Hedw.) Schimp.
G5	S1	Brachythecium turgidum (Hartm.) Kindb.
G5	S5	Brideliella wahlenbergii (Brid.) Fedosov, M. Stech & Ignatov Oncophorus wahlenbergii Brid.
G5	S5	Brotherella recurvans (Michx.) Fleisch.
G5	S1	Bryoandersonia illecebra (Hedw.) Robins.
G5	S4	Bryoerythrophyllum recurvirostrum (Hedw.) Chen.
G5T5	S5	Bryum argenteum Hedw. var. argenteum
G3G5	S1	Bryum blindii Bruch & Schimp.
GNR	S1	Bryum veronense De Not.
G5	S2	Bucklandiella microcarpos (Hedw.) Bednarek-Ochyra & Ochyra. Racomitrium microcarpon (Hedw.) Brid. Racomitrium heterostichum (Hedw.) Brid var. microcarpon (Hedw.) Boulay
G5	S1	Bucklandiella sudetica (Funck) Bednarek-Ochyra & Ochyra Racomitrium sudeticum (Funck) Bruch & Schimp.
GU	S2	Bucklandiella venusta (Frisvoll) Bednarek-Ochyra & Ochyra Racomitrium venustum Frisvoll
G5	S2	Buxbaumia aphylla Hedw.
G2G4	S1	Buxbaumia minakatae Okam.
G5	S2S3	Calcidicranella varia (Hedw.) Bonfim Santos, Fedosov & Kučera Dicranella varia (Hedw.) Schimp
G5	S5	Callicladium haldaneanum (Grev.) Crum
G5	S5	Callicladium imponens (Hedw.) Hedenäs Hypnum imponens Hedw.
G5	S5	Calliergon cordifolium (Hedw.) Kindb.
G5	S5	Calliergon giganteum (Schimp.) Kindb.
G5	S3	Calliergon richardsonii (Mitt.) Kindb. in Warnst. Calliergon obtusifolium Karsz.
G5	S5	Calliergonella curvifolia (Hedw.) B.H. Allen Hypnum curvifolium Hedw.
G5	S4S5	Calliergonella cuspidata (Hedw.) Loeske
G5	S5	Calliergonella lindbergii (Mitt.) Hedenäs Hypnum lindbergii Mitt.
G5	S5	Campylium chrysophyllum (Brid.) J. Lange Campyliadelphus chrysophyllus (Brid.) Kanda
G5	S5	Campylium stellatum (Hedw.) C. Jens.
G5	S5	Campylophyllopsis hispidula (Brid.) Ochyra Campylium hispidulum (Brid.) Mitt. Campylophyllum hispidulum (Brid.) Hedenäs
GNR	SH	Campylophyllopsis sommerfeltii (Myrin) Ochyra Campylophyllum sommerfeltii (Myrin) Hedenäs
G3G5	S1	Campylophyllum montanum (Lindb.) B.H. Allen Hygrohypnum montanum (Lindb.) Broth. Hygrohypnum eumontanum H.A. Crum, Steere & L.E. Anderson
G3G5	S1	Campylostelium saxicola (Web. & Mohr.) Bruch & Schimp.
G5T5	S5	Ceratodon purpureus (Hedw.) Brid. subsp. purpureus
G5	S2S3	Chionoloma tenuirostre (Hook & Taylor) M. Alons., M.J. Cano & J.A. Jiménez Trichostomum tenuirostre (Hook. & Tayl.) Lindb. var. tenuirostre Oxystegus tenuirostris (Hook & Tayl.) A.J.E. Sm. Oxystegus cylindricus (Bruch ex Brid.) Hilp.
G5	S1	Cinclidium stygium Sw. in Schrad.
G5	S2	Cirriphyllum piliferum (Hedw.) Grout
G5	S5	Claopodium rostratum (Hedw.) Ignatov Anomodon rostratus (Hedw.) Schimp.
G5	S3	Climacium americanum Brid.
G5	S5	Climacium dendroides (Hedw.) Web. & Mohr.
G5?	S1	Climacium kindbergii (Ren. & Card.) Grout
G3G5	S1	Cnestrum alpestre (Wahl.) Nyholm Cynodontium alpestre (Wahl.) Milde Cynodontium torquescens Limpr.
G5	S4	Codriophorus acicularis (Hedw.) P. Beauv.

		<i>Racomitrium aciculare</i> (Hedw.) Brid.
GNR	S1	<i>Codriophorus aduncoides</i> (Bednarek-Ochyra) Bedn.-Ochyra & Ochyra
		<i>Racomitrium aduncoides</i> Bedn.-Ochyra
G5	S1	<i>Conardia compacta</i> (Müll. Hal.) H. Rob.
		<i>Rhynchostegiella compacta</i> (Müll. Hal.) Loeske
G5	S4	<i>Cratoneuron filicinum</i> (Hedw.) Spruce
GNR	S1	<i>Ctenidium subrectifolium</i> (Brid.) G. Pedano ex W.R. Buck & B.H. Allen
G5	S1	<i>Cynodontium strumiferum</i> (Hedw.) Lindb.
G5	S1	<i>Cynodontium tenellum</i> (Bruch. & Schimp.) Limpr.
G5?	S2	<i>Cyrtomnium hymenophylloides</i> (Hub.) Nyh. ex T. Kop.
		<i>Mnium hymenophylloides</i> Huebener
G5	S1	<i>Dichelyma capillaceum</i> (With.) Myr.
G5	S1	<i>Dichelyma falcatum</i> (Hedw.) Myr.
G5	S2	<i>Dichelyma pallescens</i> Schimp.
G5	S2S3	<i>Dichodontium pellucidum</i> (Hedw.) Schimp.
G5	S1	<i>Dicranella cerviculata</i> (Hedw.) Schimp.
G5	S5	<i>Dicranella heteromalla</i> (Hedw.) Schimp.
G5	SH	<i>Dicranellopsis subulata</i> (Hedw.) Bonfim Santos, Siebel & Fedosov
		<i>Dicranella subulata</i> (Hedw.) Schimp.
G4G5	S2	<i>Dicranodontium denudatum</i> (Brid.) Britt. in Williams
G5	S1	<i>Dicranum acutifolium</i> (Lindb. & Arnell) C.E.O. Jensen
G5	S1	<i>Dicranum bonjeanii</i> De Not. in Lisa
G5	S1	<i>Dicranum condensatum</i> Hedw.
G5T5	S4	<i>Dicranum fuscescens</i> Turn. var. <i>fuscescens</i>
G3G5	S1	<i>Dicranum muehlenbeckii</i> Bruch & Schimp.
G4G5	S2	<i>Dicranum ontariense</i> Peters.
		<i>Dicranum drummondii</i> Sull. ex Lindb.
G5	S5	<i>Dicranum polysetum</i> Sw.
		<i>Dicranum rugosum</i> Hoffm. ex Brid.
G5	S5	<i>Dicranum scoparium</i> Hedw.
G5	S1	<i>Dicranum spurium</i> Hedw.
G5	S4	<i>Dicranum undulatum</i> Brid.
G5	S5	<i>Dicranum viride</i> (Sull. & Lesq. in Sull.) Lindb.
		<i>Campylopus viridis</i> Sull. & Lesq.
G5T4?	S1	<i>Didymodon rigidulus</i> Hedw. var. <i>rigidulus</i>
G5	S1	<i>Dilutineuron fasciculare</i> (Schr. ex Hedw.) Bedn.-Ochyra, Sawicki, Ochyra, Szczecińska & Plášek
		<i>Codriophorus fascicularis</i> (Hedwig) Bedn.-Ochyra & Ochyra
		<i>Racomitrium fasciculare</i> (Hedw.) Brid.
G5	S5	<i>Diphyscium foliosum</i> (Hedw.) Mohr.
G5	S2	<i>Distichium capillaceum</i> (Hedw.) Bruch. & Schimp.
G5	S3S4	<i>Ditrichum lineare</i> (Sw.) Lindb.
G5	S3S4	<i>Ditrichum pallidum</i> (Hedw.) Hampe
G5	S3S4	<i>Ditrichum pusillum</i> (Hedw.) Hampe
		<i>Ditrichum tortile</i> (Schr.) Brockm.
G3G5	SH	<i>Ditrichum rhynchostegium</i> Kindb.
GNR	S1	<i>Ditrichum tortuloides</i> Grout
G3G5	S1	<i>Drepanium fastigiatum</i> (Brid.) Lange & G.E.O. Jensen
		<i>Hypnum recurvatum</i> (Lindb. & Arnell) Kindb.
G5	S5	<i>Drepanocladus aduncus</i> (Hedw.) Warnst.
GNR	S1	<i>Drepanocladus longifolius</i> (Mitt.) Broth. ex Paris
GNR	S1	<i>Drepanocladus polycarpos</i> (Blandow ex Voit) Warnst.
G5	S2S3	<i>Drepanocladus polygamus</i> (Schimp.) Hedenäs
		<i>Campylium polygamum</i> (Schimp.) C. Jens.
G5	S1	<i>Drepanocladus trifarius</i> (Web. & Mohr.) Broth.
		<i>Pseudocalliergon trifarium</i> (Web. & Mohr.) Loeske
		<i>Calliergon trifarium</i> (Web. & Mohr.) Kindb.
G5	S2	<i>Drummondia prorepens</i> (Hedw.) Britt.
G3G5	S2	<i>Elodium paludosum</i> Aust.
G5	S3	<i>Encalypta ciliata</i> Hedw.
G5	S5	<i>Encalypta procera</i> Bruch
G5	SH	<i>Encalypta raptocarpa</i> Schwaegr.
G4?	S1	<i>Entodon brevisetus</i> (Hook & Wils. in Wils.) Lindb.
G5	S5	<i>Entodon cladorrhizans</i> (Hedw.) C. Mull.
G5	S4	<i>Entodon seductrix</i> (Hedw.) C. Mull.
G4G5	S1S3	<i>Ephemerum cohaerens</i> (Hedw.) Hampe

G4TNR	S1	<i>Ephemerum crassinervium</i> (Schwägr.) Hampe var. <i>crassinervium</i>
G4G5	S1S3	<i>Ephemerum spinulosum</i> Bruch. & Schimp. in Schimp.
G5	S4	<i>Eurhynchiastrum pulchellum</i> (Hedw.) Ignatov & Huttunen <i>Eurhynchium pulchellum</i> (Hedw.) Jenn. var. <i>pulchellum</i>
G5	S5	<i>Fissidens adianthoides</i> Hedw.
G5	S4	<i>Fissidens bryoides</i> Hedw.
G5	S5	<i>Fissidens bushii</i> (Card & Ther.) Card & Ther.
G5	S5	<i>Fissidens dubius</i> P. Beauv. <i>Fissidens cristatus</i> Wils. ex Mitt.
G3G4	S1	<i>Fissidens exilis</i> Hedw.
G5	SH	<i>Fissidens fontanus</i> (B. Pyl.) Steud.
GNR	SU	<i>Fissidens minutulus</i> Sull.
G5	S5	<i>Fissidens osmundioides</i> Hedw.
G4G5	S1	<i>Fissidens subbasilaris</i> Hedw.
G5	S5	<i>Fissidens taxifolius</i> Hedw.
G5	S1	<i>Flexitrichum flexicaule</i> (Schwaegr.) Ignatov & Fedosov <i>Ditrichum flexicaule</i> (Schwaegr.) Hampe
G5	S4S5	<i>Fontinalis antipyretica</i> Hedw. <i>Fontinalis patula</i>
G5	S4S5	<i>Fontinalis dalecarlica</i> Schimp.
G5	S1	<i>Fontinalis hypnoides</i> Hartm.
G5	S5	<i>Fontinalis novae-angliae</i> Sull. s.l.
G3G5	S2	<i>Fontinalis sphagnifolia</i> (C. Mull.) Wijk & Marg.
GNR	SH	<i>Fontinalis sullivantii</i> Lindb. <i>Fontinalis disticha</i>
G5	S1	<i>Forsstroemia trichomitria</i> (Hedw.) Lindb.
G5T5	S5	<i>Funaria hygrometrica</i> Hedw. var. <i>hygrometrica</i>
G5	S2	<i>Geheebia fallax</i> (Hedw.) Zand. <i>Didymodon fallax</i> (Hedw.) Zand.
G5	S1	<i>Geheebia ferruginea</i> (Schimp. ex Besch.) Zand. <i>Didymodon ferrugineus</i> (Schimp. ex Besch.) M. O. Hill <i>Barbula reflexa</i> (Brid.) Brid. <i>Didymodon fallax</i> (Hedw.) Zand. var. <i>reflexus</i> (Brid.) Zand.
G5	S1	<i>Geheebia tophacea</i> (Brid.) Zand. <i>Didymodon tophaceus</i> (Brid.) Lisa
G5	S4S5	<i>Gemmabryum caespitium</i> (Hedw.) J.R. Spence <i>Bryum caespitium</i> Hedw.
G3G5	SU	<i>Gemmabryum dichotomum</i> (Hedw.) J.R. Spence & H.P. Ramsay <i>Bryum bicolor</i> Dicks.
G4G5	S1	<i>Gemmabryum klinggraeffii</i> (Schimp.) J.R. Spence
G4G5	S1	<i>Grimmia donniana</i> Sm.
G4G5	S1	<i>Grimmia hartmanii</i> Schimp.
G5	SH	<i>Grimmia laevigata</i> (Brid.) Brid.
G5	S1	<i>Grimmia longirostris</i> Hooker <i>Grimmia affinis</i> Hoppe & Hornsch.
GNR	S1	<i>Grimmia milleri</i> Hastings & Greven
G3G5	S2	<i>Grimmia muehlenbeckii</i> Schimp.
G3G5	S1	<i>Grimmia olneyi</i> Sull.
G4G5	S2	<i>Grimmia pilifera</i> P. Beauv.
G3G5	SH	<i>Grimmia torquata</i> Hornsch. in Grev.
G5?	SH	<i>Grimmia trichophylla</i> Grev.
G4G5	S1	<i>Grimmia unicolor</i> Hook. in Grev.
G5	S5	<i>Gymnostomum aeruginosum</i> Sm.
G3G5	S1	<i>Hageniella micans</i> (Mitt.) B.C. Tan & Y. Jia <i>Hygrohypnum micans</i> (Mitt.) Broth.
G5	S2	<i>Hamatocaulis vernicosus</i> (Mitt.) Hedenäs <i>Drepanocladus vernicosus</i>
G5	S2	<i>Haplocladium microphyllum</i> (Hedw.) Broth. <i>Bryohaplocladium microphyllum</i> (Hedw.) Wat. & Iwats.
G5	SH	<i>Haplocladium virginianum</i> (Brid.) Broth. <i>Bryohaplocladium virginianum</i> (Brid.) Wat. & Iwats.
G5	S5	<i>Hedwigia ciliata</i> (Hedw.) P. Beauv.
GNR	SU	<i>Hedwigia filiformis</i> (Michx.) P. Beauv. <i>Hedwigia integrifolia</i> P. Beauv.
G5	S3	<i>Helodium blandovii</i> (Web. & Mohr.) Warnst.

		<i>Elodium blandowii</i> (Web. & Mohr.) Eckel
G3	S1	<i>Helodium elodioides</i> (Ren. & Card.) B.H. Allen
		<i>Elodium elodioides</i> (Ren. & Card. ex Roll.) Eckel
G5	S5	<i>Herzogiella striatella</i> (Brid.) Iwats.
G5	S2S3	<i>Herzogiella turfacea</i> (Lindb.) Iwats.
G5	S1	<i>Heterocladiella dimorpha</i> (Brid.) Ignatov & Fedosov
		<i>Heterocladium dimorphum</i> (Brid.) Schimp.
G5T5	S3S4	<i>Homalia trichomanoides</i> (Hedw.) Schimp. var. <i>trichomanoides</i>
G5?	SH	<i>Homalotheciella subcapillata</i> (Hedw.) Broth.
G3G5	S5	<i>Homomallium adnatum</i> (Hedw.) Broth.
G5?	S1	<i>Hydrogonium orientale</i> (F. Weber) Jan Kůcera
		<i>Barbula indica</i> (Hook.) Spreng. var. <i>indica</i>
G5	S5	<i>Hygroamblystegium fluviatile</i> (Hedw.) Loeske
		<i>Amblystegium fluviatile</i> (Hedw.) Schimp
G5	S2	<i>Hygroamblystegium humile</i> (P. Beauv.) Vanderp., Hedenäs & Goffinet
		<i>Hygroamblystegium varium</i> var. <i>humile</i> (P. Beauv.) Vanderp. & Hedenäs
		<i>Leptodictyum humile</i> (P. Beauv.) Ochyra
		<i>Leptodictyum trichopodium</i> (Schultz) Warnst.
		<i>Amblystegium trichopodium</i> (Schultz) C. Hartm.
G5	S5	<i>Hygroamblystegium tenax</i> (Hedw.) Jenn.
		<i>Amblystegium tenax</i> (Hedw.) C.E.O. Jensen
G5	S5	<i>Hygroamblystegium varium</i> (Hedw.) Mönk.
		<i>Amblystegium varium</i> (Hedw.) Lindb.
G5	S5	<i>Hygrohypnella ochracea</i> (Turner ex Wils.) Ignatov & Ignatova
		<i>Hygrohypnum ochraceum</i> (Turn. ex Wils.) Loeske
G3	S1	<i>Hygrohypnum closteri</i> (Aust.) Grout
G5	S2S3	<i>Hygrohypnum luridum</i> (Hedw.) Jenn.
G5	S5	<i>Hylocomiadelphus triquetrus</i> (Hedw.) Ochyra & Stebel
		<i>Rhytidiadelphus triquetrus</i> (Hedw.) Warnst.
G5	S2	<i>Hylocomiastrum pyrenaicum</i> (Spruce) Fleisch. in Broth.
		<i>Hylocomium pyrenaicum</i> (Spruce) Lindb.
G5	S4	<i>Hylocomiastrum umbratum</i> (Hedw.) Fleisch. in Broth.
		<i>Hylocomium umbratum</i>
G5	S5	<i>Hylocomium splendens</i> (Hedw.) Schimp.
G4G5	SH	<i>Hymenoloma crispulum</i> (Hedw.) Ochyra
		<i>Dicranoweisia crispula</i> (Hedw.) Lindb. ex Milde
G5	S3	<i>Hymenostylium recurvirostrum</i> (Hedw.) Dix.
		<i>Gymnostomum recurvirostrum</i> var. <i>latifolium</i>
		<i>Gymnostomum recurvirostrum</i>
		<i>Gymnostomum recurvirostrum</i> var. <i>commutatum</i>
G4G5	S3	<i>Hyophila involuta</i> (Hook.) Jaeg.
G5	S3	<i>Hypnum cupressiforme</i> Hedw. s.l.
G5T5	SU	<i>Hypnum cupressiforme</i> Hedw. var. <i>cupressiforme</i>
G5TNR	S3	<i>Hypnum cupressiforme</i> Hedw. var. <i>filiforme</i> Brid.
G5TNR	S1	<i>Hypnum cupressiforme</i> Hedw. var. <i>julaceum</i> Brid.
G5	SH	<i>Hypnum resupinatum</i> Taylor
		<i>Hypnum cupressiforme</i> Hedw. var. <i>resupinatum</i> (Tayl. ex Spruce) Schimp.
G3G5	SU	<i>Imbriobryum gemmiparum</i> (De Not.) J.R. Spence
GNR	S1	<i>Imbriobryum mildeanum</i> (Jur.) J.R. Spence
G5	S1	<i>Isopterygiella pulchella</i> (Hedw.) Ignatov & Ignatova
		<i>Isopterygiopsis pulchella</i> (Hedw.) Iwats.
G5	S2S3	<i>Isopterygiopsis muelleriana</i> (Schimp.) Iwats.
		<i>Isopterygium muellerianum</i>
G5	S5	<i>Jochenia pallescens</i> (Hedw.) Hedenäs
		<i>Hypnum pallescens</i> (Hedw.) P. Beauv.
G5	S1	<i>Kiaeria starkei</i> (F. Weber & D. Mohr) I. Hagen
G5	S2S3	<i>Koponeniella graminicolor</i> (Brid.) Huttunen
		<i>Bryhnia graminicolor</i> (Brid.) Grout
G5	S4S5	<i>Leptobryum pyriforme</i> (Hedw.) Wils.
G5	S5	<i>Leptodictyum riparium</i> (Hedw.) Warnst.
		<i>Amblystegium riparium</i>
		<i>Leptodictyum brevipes</i>
		<i>Leptodictyum laxirete</i>
		<i>Leptodictyum siphon</i>
		<i>Leptodictyum vacillans</i>

G4G5	SH	<i>Lescuraea saxicola</i> (Schimp.) Milde
G5	S2	<i>Leskea gracilescens</i> Hedw.
G5	S2	<i>Leskea obscura</i> Hedw.
G5	S5	<i>Leskea polycarpa</i> Hedw.
		<i>Leskea arenicola</i> Best
		<i>Leskea polycarpa</i> Hedw. var. <i>paludosa</i> (Hedw.) Schimp.
G5	S3	<i>Leucobryum albidum</i> (Brid. ex P. Beauv.) Lindb.
G5	S5	<i>Leucobryum glaucum</i> (Hedw.) Angstr. in Fries
G5	S1	<i>Leucodon brachypus</i> Brid.
		<i>Leucodon brachypus</i> Brid. var. <i>brachypus</i>
G5	SH	<i>Leucodon julaceus</i> (Hedw.) Sull.
G5	S4S5	<i>Leucodon sciuroides</i> (Hedw.) Schwaegr.
		<i>Leucodon andrewsianus</i> (Crum & Anderson) Reese & Anderson
		<i>Leucodon brachypus</i> Brid var. <i>andrewsianus</i> Crum & Anderson
G5	S1	<i>Lindbergia brachyptera</i> (Mitt.) Kindb.
G5	S1	<i>Lewinskya elegans</i> (Schwägr. ex Hook. & Grev.) F. Lara et al.
		<i>Orthotrichum elegans</i> Schwaegr. ex Hook. & Grev.
G5	S5	<i>Lewinskya sordida</i> (Sull. & Lesq.) F. Lara, Garilleti & Goffinet
		<i>Orthotrichum sordidum</i> Sull & Lesq. in Aust.
G5	S3	<i>Lewinskya speciosa</i> (Nees) F. Lara, Garilleti & Goffinet
		<i>Orthotrichum speciosum</i> Nees in Sturm s.l.
G5	S1	<i>Loeskeobryum brevirostre</i> (Brid.) Fleisch. in Broth.
		<i>Hylocomium brevirostre</i>
G4G5	S2S3	<i>Longiella distichacea</i> (Mitt.) J. T. Wynns
		<i>Pseudotaxiphyllum distichaceum</i> (Mitt.) Iwats.
		<i>Isopterygium distichaceum</i>
G5	S2	<i>Meesia triquetra</i> (Richt.) Angstr.
G5	SH	<i>Meesia uliginosa</i> Hedw.
G5TNR	S1	<i>Microbryum davallianum</i> (Sm.) R. H. Zand. var. <i>davallianum</i>
		<i>Pottia davalliana</i> (Sm. Ex Drake) C. Jens.
G4G5	S1	<i>Micromitrium tenerum</i> (Bruch. & Schimp.) Crosby
G5	S4S5	<i>Mnium hornum</i> Hedw.
G5	S3	<i>Mnium lycopodioides</i> Schwaegr.
		<i>Mnium ambiguum</i> H. Mull.
G5	S4	<i>Mnium marginatum</i> (With.) Brid. ex P. Beauv.
G5	S4	<i>Mnium spinulosum</i> Bruch & Schimp.
G5	S4	<i>Mnium stellare</i> Hedw.
G5	S2	<i>Mnium thomsonii</i> Schimp.
		<i>Mnium orthorhynchum</i>
G5	S2	<i>Myurella julacea</i> (Schwaegr.) Schimp.
G5	S5	<i>Myurella sibirica</i> (C. Mull.) Reim.
G5	S5	<i>Neckera pennata</i> Hedw.
G5T5	S3	<i>Niphotrichum canescens</i> (Hedwig) Bednarek-Ochyra & Ochyra subsp. <i>canescens</i>
		<i>Racomitrium canescens</i> (Hedw.) Brid. var. <i>canescens</i>
G5	S2S3	<i>Nyholmiella obtusifolia</i> (Brid.) Holmen & E. Warncke
		<i>Orthotrichum obtusifolium</i> Brid.
G5	SH	<i>Oncophorus virens</i> (Hedw.) Brid.
G5	S5	<i>Orthodicranum flagellare</i> (Hedw.) Loeske
		<i>Dicranum flagellare</i> Hedw.
G5	S5	<i>Orthodicranum fulvum</i> (Hook.) G. Roth
		<i>Dicranum fulvum</i> Hook.
G5	S5	<i>Orthodicranum montanum</i> (Hedw.) Loeske
		<i>Dicranum montanum</i> Hedw.
G5	S5	<i>Orthotrichum anomalum</i> Hedw.
GNR	S1	<i>Orthotrichum lescurii</i> Austin
G4	S2	<i>Orthotrichum ohioense</i> Sull & Lesq. in Aust.
G5	S1	<i>Orthotrichum pumilum</i> Sw.
G5	S5	<i>Orthotrichum stellatum</i> Brid.
G4	S2	<i>Orthotrichum strangulatum</i> P. Beauv.
G5	S2	<i>Oxyrrhynchium hians</i> (Hedw.) Loeske
		<i>Eurhynchium hians</i> (Hedw.) Sande Lac.
G5	S2	<i>Paludella squarrosa</i> (Hedw.) Brid.
G5	S1	<i>Palustriella falcata</i> (Brid.) Hedenäs
		<i>Cratoneuron commutatum</i> var. <i>falcatum</i> (Brid.) Mönk.
G5	S5	<i>Paraleucobryum longifolium</i> (Hedw.) Loeske

G5	SH	Pelekium minutulum (Hedw.) Touw Cyrtio-hypnum minutulum (Hedw.) W.R. Buck & H.A. Crum Thuidium minutulum (Hedw.) Schimp.
G4G5	S1	Pelekium pygmaeum (Schimp.) Touw Cyrtio-hypnum pygmaeum (Schimp.) W.R. Buck & H.A. Crum Thuidium pygmaeum Schimp.
G5T4?	SU	Philonotis caespitosa Jur. Philonotis fontana (Hedw.) Brid. var. caespitosa (Jur.) Schimp.
G5	S5	Philonotis fontana (Hedw.) Brid.
G5	S3	Philonotis marchica (Hedw.) Brid. Philonotis muhlenbergii (Schwaegr.) Brid.
GNR	SU	Philonotis tomentella Molendo Philonotis fontana (Hedw.) Brid. var. pumila (Turn.) Brid.
G3	SH	Philonotis yezoana Besch. & Card. in Card.
G2G4	S1	Physcomitrium collenchymatum Gier
G4	S1	Physcomitrium immersum Sull.
G5	S4	Physcomitrium pyriforme (Hedw.) Hampe
G4G5	S2S3	Physcomitrium serratum (Wilson & Hook.) Müll. Hal. Aphanorrhegma serratum (Hook. f. & Wills. in Drumm.) Sull. in Gra
G5	S1	Plagiobryum zieri (Hedw.) Lindb.
G5	S5	Plagiomnium ciliare (C. Mull.) T. Kop. Mnium affine var. ciliare Mnium ciliare
G5	S5	Plagiomnium cuspidatum (Hedw.) T. Kop Mnium cuspidatum
G5	S2	Plagiomnium drummondii (Bruch. & Schimp.) T. Kop Mnium drummondii
G5	S3S4	Plagiomnium ellipticum (Brid.) T. Kop. Mnium affine Mnium affine var. rugicum Mnium rugicum
G5	S4	Plagiomnium medium (Bruch. & Schimp.) T. Kop. s.l. Mnium medium
G5	S2	Plagiomnium rostratum (Schrad.) T. Kop. Mnium longirostrum
G5	S4	Plagiopus oederianus (Sw.) H.A. Crum & L.E. Anderson
GNR	S5	Plagiothecium cavifolium (Brid.) Iwats.
GNR	S5	Plagiothecium denticulatum (Hedw.) Schimp.
G5	S5	Plagiothecium laetum Schimp.
G3G4	SH	Plagiothecium latebricola Schimp.
GNRQ	SU	Plagiothecium nemorale (Mitt.) A. Jaeger
GNR	SU	Plagiothecium succulentum (Wilson) Lindb.
G5	S1	Platydictya jungermannioides (Brid.) Crum
G5	S5	Platygyrium repens (Brid.) Schimp.
G5	S2	Platyhypnum duriusculum (De Not.) Ochyra Hygrohypnum duriusculum (De Not.) Jamieson
G5	SH	Platylomella lescurii (Sull. in Gray) Andrews Sciaromium lescurii
G5	S2S3	Pleuridium subulatum (Hedw.) Rabenh.
G5	S5	Pleurozium schreberi (Brid.) Mitt.
G5	S2	Pogonatum dentatum (Brid.) Brid.
G5	S5	Pogonatum pensilvanicum (Hedw.) P. Beauv.
G5	S3	Pogonatum urnigerum (Hedw.) P. Beauv.
G4G5	S1	Pohlia andalusica (Höhn.) Broth.
G4G5	S2	Pohlia annotina (Hedw.) Lindb.
G5	S2	Pohlia bulbifera (Warnst.) Warnst.
G5	S4	Pohlia cruda (Hedw.) Lindb.
G4	SH	Pohlia drummondii (C. Mull.) Andrews
G4G5TNR	S1	Pohlia elongata Hedw. var. elongata
G4G5	SH	Pohlia longicolla (Hedw.) Lindb.
G4?	S1	Pohlia melanodon (Brid.) A.J. Shaw
G5	S5	Pohlia nutans (Hedw.) Lindb. Pohlia sphagnicola (Bruch & Schimp.) Broth.
G5	S1S3	Pohlia proligera (Kindb. ex Breidl.) Lindb. ex Arnell
G5	S3	Pohlia wahlenbergii (Web. & Mohr) Andrews

		Mniobryum wahlenbergii (Web. & Mohr.) Jenn.
G5TNR	S5	Polytrichastrum alpinum (Hedw.) G.L. Sm. var. alpinum Pogonatum alpinum
G5	S1	Polytrichastrum longisetum (Brid.) G. L. Smith Polytrichum longisetum Brid.
G5	S5	Polytrichum commune Hedw. s.l.
G5T5	S5	Polytrichum commune Hedw. var. commune
G5T5	SH	Polytrichum commune Hedw. var. perigoniale (Michx.) Hampe
G5	S2	Polytrichum densifolium Wilson ex Mitt. Polytrichastrum formosum Hedw. var. densifolium (Mitten) Z. Iwatsuki & A. Noguchi
G5	S5	Polytrichum juniperinum Hedw.
G5	S5	Polytrichum ohioense Renauld & Card. Polytrichastrum ohioense (Ren. & Card.) G. L. Smith
G4	S5	Polytrichum pallidisetum Funck Polytrichastrum pallidisetum (Funck) G. L. Smith Polytrichum smithiae Grout
G5	S5	Polytrichum piliferum Hedw.
G5	S3	Polytrichum strictum Brid. Polytrichum juniperinum var. affine
G5	S5	Pseudanomodon attenuatus (Hedw.) Ignatov & Fedosov Anomodon attenuatus (Hedw.) Hub.
G5	S2	Pseudoamblystegium subtile (Hedw.) Vanderp. & Hedenäs Serpoleskea subtilis (Hew.) Loeske Platydictya subtilis (Hedw.) Crum
G5	S2S3	Pseudobryum cinclidioides (Hub.) T. Kop. Mnium cinclidioides
G3G5	SU	Pseudocalliergon turgescens (T. Jensen) Loeske
G3G5	S2	Pseudocampylium radicale (P. Beauv.) Vanderpoorten & Hedenäs Campylium radicale (P. Beauv.) Grout Amblystegium radicale (P. Beauv.) Schimp.
GNR	S4?	Pseudohygrohypnum appalachianum Brinda, Fedosov & Ignatova
G5	S1S3	Pseudohygrohypnum fauriei (Card.) Kučera & Ignatov Hypnum fauriei Card.
G3	S1	Pseudohygrohypnum subeugyrium (Ren. & Card.) Ignatov & Ignatova Hygrohypnum subeugyrium (Ren. & Card.) Broth.
G5	S5	Pseudoleskeella nervosa (Brid.) Nyholm Leskeella nervosa (Brid.) Loeske
G5	S1	Pseudoleskeella tectorum (Funck ex Brid.) Kindb. ex Broth.
G5	S2S4	Pseudotaxiphyllum elegans (Brid.) Iwats. Isopterygium elegans
G5	S3	Pterigynandrum filiforme Hedw.
G5	S5	Ptilium crista-castrensis (Hedw.) De Not.
G4	S1	Ptychomitrium incurvum (Schwaegr.) Spruce
G5	SU	Ptychostomum bimum (Schreb.) J.R. Spence Bryum pseudotriquetrum var. bimum
G3G5	SH	Ptychostomum cernuum (Hedw.) Hornsch.
G5	SH	Ptychostomum compactum Hornsch. Ptychostomum pendulum Hornsch. Bryum algovicum Sendt. ex Mull.
G5	S5	Ptychostomum creberrimum (Taylor) J.R. Spence & H.P. Ramsay Bryum lisae De Not. var. cuspidatum (Bruch & Schimp.) Marg. Bryum creberrimum
G5	S2	Ptychostomum pallens (Swartz) J. R. Spence Bryum pallens (Brid.) Sw. in Rohl.
G5	S1	Ptychostomum pallescens (Schleich. ex Schwägr.) J.R. Spence Bryum pallescens Schleich. ex Schwägr.
G5	S5	Ptychostomum pseudotriquetrum (Hedw.) J.R. Spence & H.P. Ramsay ex Holyoak & N. Pedersen Bryum pseudotriquetrum
G5	S2	Ptychostomum weigeli (Spreng.) J.R. Spence Bryum weigeli Spreng. in Biehler
G5	S5	Pylaisia intricata (Hartm.) Venturi & Bott.
G5	S2S4	Pylaisia polyantha (Hedw.) Schimp.
G5	S5	Pylaisia selwynii Kindb. Pylaisiella selwynii (Kindb.) H. A. Crum, Steere & L. E. Anderson
G5?	S1	Pylaisiadelpha tenuirostris (Bruch & Schimp. ex Sull.) W.R. Buck

		<i>Pylaisia tenuirostris</i> (Bruch & Schimp. ex Sull.) A. Jaeger
G3G5	S3	<i>Raiiella scita</i> (P. Beauv.) Reim.
		<i>Raiiella scita</i> (P. Beauv.) Reim. var. <i>aestivalis</i> (Aust.) Wijk & Morgad.
		<i>Thuidium scitum</i>
G5	S3	<i>Rhabdoweisia crispata</i> (With.) Lindb.
G5	S5	<i>Rhizomnium appalachianum</i> T. Kop.
		<i>Mnium punctatum</i> var. <i>appalachianum</i>
		<i>Mnium punctatum</i> var. <i>elatum</i>
G5	SU	<i>Rhizomnium magnifolium</i> (Horik.) T. Kop.
		<i>Mnium punctatum</i> var. <i>elatum</i>
G5	S2	<i>Rhizomnium pseudopunctatum</i> (Bruch. & Schimp.) T. Kop.
		<i>Mnium pseudopunctatum</i>
G5	S5	<i>Rhizomnium punctatum</i> (Hedw.) T. Kop.
		<i>Mnium punctatum</i>
G5	S5	<i>Rhodobryum ontariense</i> (Kindb.) Kindb.
		<i>Rhodobryum roseum</i> (Hedw.) Limpr.
G4	S5	<i>Rhynchostegium riparioides</i> (Hedw.) Cardot
		<i>Torrentaria riparioides</i> (Hedw.) Ochyra
		<i>Platyhypnidium riparioides</i> (Hedw.) Dix.
		<i>Eurhynchium riparioides</i>
G5	S3S5	<i>Rhynchostegium serrulatum</i> (Hedw.) A. Jaeger
		<i>Steerecleus serrulatus</i> (Hedw.) Robbins
G5	S5	<i>Rhytidiadelphus subpinnatus</i> (Lindb.) T.J. Kop.
G5	S3	<i>Rhytidium rugosum</i> (Hedw.) Kindb.
G5	S4	<i>Rosulabryum capillare</i> (Hedw.) J.R. Spence
		<i>Bryum capillare</i> Hedw. s. l.
GNR	SU	<i>Rosulabryum moravicum</i> (Podp.) Ochyra & Stebel
		<i>Rosulabryum laevifilum</i> (Syed) Ochyra
		<i>Bryum laevifilum</i> Syed
G5?	S2S3	<i>Ruficaulis rufescens</i> (Dicks.) Bonfim Santos & Fedosov
		<i>Dicranella rufescens</i> (With.) Schimp.
G5	S2	<i>Saelania glaucescens</i> (Hedw.) Broth. in Bomanss. & Broth.
G5	S5	<i>Sanionia uncinata</i> (Hedw.) Warnst.
		<i>Drepanocladus uncinatus</i>
G5	S3	<i>Schistidium agassizii</i> Sull. & Lesq. in Sull.
		<i>Grimmia agassizii</i>
		<i>Grimmia alpicola</i>
		<i>Schistidium alpicola</i> (Hedw.) Limpr.
G5	SU	<i>Schistidium apocarpum</i> (Hedw.) Bruch. & Schimp. s.s.
G4	S1	<i>Schistidium boreale</i> Poelt
G5	SU	<i>Schistidium canadense</i> (Dupr.) Ignatova & H.H. Blom
		<i>Schistidium apocarpum</i> (Hedw.) Bruch. & Schimp. subsp. <i>canadense</i> (Dupr.) H. H. Blom
GNR	S1	<i>Schistidium crassithecium</i> H.H. Blom ex B.H. Allen
GNR	S1	<i>Schistidium dupretii</i> (Thér.) W.A. Weber
GNR	SH	<i>Schistidium lancifolium</i> (Kindb.) H. H. Blom
GNR	S3	<i>Schistidium liliputanum</i> (Mull. Hal.) Deguchi
G5	S1	<i>Schistidium papillosum</i> Culm.
G5	S4	<i>Schistidium rivulare</i> (Brid.) Podp.
		<i>Grimmia alpicola</i> var. <i>rivularis</i>
		<i>Grimmia rivularis</i>
GNR	S1	<i>Schistidium viride</i> H. H. Blom
G4	S3	<i>Schistostega pennata</i> (Hedw.) Web. & Mohr.
G5	S1	<i>Schwetschkeopsis fabronia</i> (Schwaegr.) Broth.
G5	S5	<i>Sciuro-hypnum curtum</i> (Lindb.) Ignatov
		<i>Brachythecium curtum</i> (Lindb.) Limpr.
		<i>Brachythecium oedipodium</i> (Mitt.) Jaeg. (misapplied)
G5	S5	<i>Sciuro-hypnum plumosum</i> (Hedw.) Ignatov & Huttunen
		<i>Brachythecium plumosum</i> (Hedw.) Schimp.
G5	S5	<i>Sciuro-hypnum populeum</i> (Hedw.) Ignatov & Huttunen
		<i>Brachythecium populeum</i> (Hedw.) Schimp.
G5	S5	<i>Sciuro-hypnum reflexum</i> (Starke) Ignatov & Huttunen
		<i>Brachythecium reflexum</i> (Starke in Web. & Mohr.) Schimp. var. <i>reflexum</i>
G5	S1	<i>Sciuro-hypnum starkei</i> (Brid.) Ignatov & Huttunen
		<i>Brachythecium starkei</i> (Brid.) Schimp.
G5	S3	<i>Scorpidium cossonii</i> (Schimp.) Hedenäs

		<i>Limprichtia cossonii</i> (Schimp.) Anderson et al.
G5	S1S3	<i>Scorpidium revolvens</i> (Sw.) Rubers <i>Limprichtia revolvens</i> (Sw.) Loeske <i>Drepanocladus revolvens</i>
G5	S2	<i>Scorpidium scorpioides</i> (Hedw.) Limpr.
G4?	S1	<i>Seligeria calcarea</i> (Hedw.) Bruch. & Schimp.
G4G5	S1	<i>Seligeria donniana</i> (Sm.) C. Mull.
G3G5	S1	<i>Seligeria pusilla</i> (Hedw.) Bruch & Schimp.
G4	SH	<i>Seligeria tristichoides</i> Kindb.
G5	S1	<i>Sematophyllum adnatum</i> (Michx.) Britt.
G5	S1	<i>Sematophyllum demissum</i> (Wils.) Mitt.
G5	S1	<i>Sematophyllum marylandicum</i> (C. Mull.) Britt.
G4G5	S2S4	<i>Serpoleskea confervoides</i> (Brid.) Loeske <i>Platydictya confervoides</i> (Brid.) Crum
G5	S1	<i>Sphagnum affine</i> Ren. & Card.
G5	S1	<i>Sphagnum angermanicum</i> Melin
G5	S5	<i>Sphagnum angustifolium</i> (C. Jens. ex Russ.) C. Jens. in Tolf <i>Sphagnum recurvum</i> var. <i>tenue</i>
G5	S1	<i>Sphagnum austinii</i> Sull. in Aust.
G5	S5	<i>Sphagnum capillifolium</i> (Ehrh.) Hedw. <i>Sphagnum nemoreum</i> <i>Sphagnum subtile</i> (Russ.) Warnst.
G5	S5	<i>Sphagnum centrale</i> C. Jens. in Arnell & C. Jens.
G5	S1	<i>Sphagnum compactum</i> DC. in Lam. & DC.
G5	S2	<i>Sphagnum contortum</i> Schultz <i>Sphagnum subsecundum</i> var. <i>contortum</i>
G5	S3S4	<i>Sphagnum cuspidatum</i> Ehrh. ex Hoffm. <i>Sphagnum viride</i> Flatb.
GNR	SU	<i>Sphagnum divinum</i> Flatberg & Hassel One of several species formerly identified as <i>Sphagnum magellanicum</i>
G5	S5	<i>Sphagnum fallax</i> (Klinggr.) Klinggr. <i>Sphagnum recurvum</i> var. <i>brevifolium</i> <i>Sphagnum brevifolium</i> (Lindb. ex Braithw.) Röll. <i>Sphagnum isoviitae</i> Flatberg
G5	S5	<i>Sphagnum fimbriatum</i> Wils. in Wils. & Hook. f. in Hook. f. <i>Sphagnum fimbriatum</i> Wils. in Wils. & Hook. f. in Hook. f. subsp. <i>fimbriatum</i>
G5	S2	<i>Sphagnum flexuosum</i> Dozy & Molk. <i>Sphagnum recurvum</i> var. <i>amblyphyllum</i>
G5	S5	<i>Sphagnum fuscum</i> (Schimp.) Klinggr.
G5	S5	<i>Sphagnum girgensohnii</i> Russ.
G5	S2	<i>Sphagnum lescurii</i> Sull. in Gray <i>Sphagnum inundatum</i> Russ. (eastern North American collections) <i>Sphagnum subsecundum</i> var. <i>rufescens</i>
G5?	S1	<i>Sphagnum lindbergii</i> Schimp. in Lindb.
G5	S2	<i>Sphagnum majus</i> (Russ.) C. Jens. <i>Sphagnum majus</i> subsp. <i>majus</i> (Russ.) C. Jens. <i>Sphagnum majus</i> subsp. <i>norvegicum</i> Flatberg
GNR	SU	<i>Sphagnum medium</i> Limpr. One of several species formerly identified as <i>Sphagnum magellanicum</i>
G5	S5	<i>Sphagnum palustre</i> L. <i>Sphagnum henryense</i> Warnst.
G5	S3	<i>Sphagnum papillosum</i> Lindb.
G5	S1	<i>Sphagnum platyphyllum</i> (Lindb. ex Braithw.) Sull. ex Warnst.
G5	S1	<i>Sphagnum pulchrum</i> (Lindb. ex Braithw.) Warnst.
G5	S3	<i>Sphagnum quinquefarium</i> (Lindb. ex Braithw.) Warnst.
G5	S1	<i>Sphagnum recurvum</i> P. Beauv.
G5	S1	<i>Sphagnum riparium</i> Angstr.
G5	S5	<i>Sphagnum rubellum</i> Wils. <i>Sphagnum capillifolium</i> var. <i>tenellum</i> <i>Sphagnum andersonianum</i> Andrus <i>Sphagnum bartlettianum</i> Warnst.
G5	S5	<i>Sphagnum russowii</i> Warnst. <i>Sphagnum robustum</i> (Warnst.) Röll
G5	S5	<i>Sphagnum squarrosum</i> Crome
G5	S2	<i>Sphagnum subfulvum</i> Sjors

		<i>Sphagnum nitidum</i> Warnst.
G5	S4	<i>Sphagnum subsecundum</i> Nees in Sturm
G5	S1	<i>Sphagnum tenellum</i> (Brid.) Bory
G5	S4	<i>Sphagnum teres</i> (Schimp.) Angstr. in Hartm.
G5	SU	<i>Sphagnum torreyanum</i> Sull.
		<i>Sphagnum atlanticum</i> Andrus
G5	S5	<i>Sphagnum warnstorffii</i> Russ.
G5	S3	<i>Sphagnum wulfianum</i> Girg.
G5	S3	<i>Splachnum ampullaceum</i> Hedw.
G4?	S1	<i>Splachnum pensylvanicum</i> (Brid.) Grout ex Crum
G5	S3	<i>Stereodon pratensis</i> (W.D.J. Koch ex Spruce) Warnst.
		<i>Hypnum pratense</i> (Rabenh.) W. Koch ex Spruce
G5	S2S3	<i>Streblotrichum convolutum</i> (Hedw.) P.-Beauv.
		<i>Barbula convoluta</i> Hedw. var. <i>convolute</i>
G5	S1	<i>Syntrichia papillosa</i> (Wils. ex Spruce) Spruce
G5	S2	<i>Syntrichia ruralis</i> (Hedw.) Web. & Mohr
		<i>Tortula ruralis</i> (Hedw.) Gaertn. et al.
G4G5	S3	<i>Taxiphyllum deplanatum</i> (Bruch. & Schimp. ex Sull.) Fleisch.
G4	SH	<i>Tayloria serrata</i> (Hedw.) Bruch. & Schimp.
G5T5	S5	<i>Tetraphis pellucida</i> Hedw. var. <i>pellucida</i>
G5	S1	<i>Tetraplodon angustatus</i> (Hedw.) Bruch & Schimp.
G4	S1	<i>Tetraplodon mnioides</i> (Hedw.) Bruch. & Schimp.
GNR	S2	<i>Tetradontium brownianum</i> (Dicks.) Schwägr.
GNR	S1	<i>Tetradontium ovatum</i> (Funck) Schwägr.
G5?	S3	<i>Thamnobryum subserratum</i> (Hook. ex Harv.) Nog. & Z. Iwats.
		<i>Thamnobryum alleghaniense</i> (C. Mull.) Nieuwl.
G5	S2	<i>Thelia asprella</i> Sull. in Sull. & Lesq.
G5	SH	<i>Thelia hirtella</i> (Hedw.) Sull. in Sull. & Lesq.
G5	SU	<i>Thuidium assimile</i> (Mitt.) A. Jaeger
		<i>Thuidium delicatulum</i> (Hedw.) Schimp. var. <i>radicans</i> (Kindb.) H. A. Crum
		<i>Thuidium philibertii</i> Limpr.
G5	S5	<i>Thuidium delicatulum</i> (Hedw.) Schimp.
		<i>Thuidium delicatulum</i> (Hedw.) Schimp. var. <i>delicatulum</i>
G5	S5	<i>Thuidium recognitum</i> (Hedw.) Lindb.
G5	S1	<i>Timmia comata</i> Lindb. & Arnell
		<i>Timmia norvegica</i> var. <i>excurrens</i> Bryhn
G5	S2	<i>Timmia megapolitana</i> Hedw.
		<i>Timmia megapolitana</i> Hedw. subsp. <i>megapolitana</i>
G3G5	S1	<i>Tomentypnum falcifolium</i> (Ren. ex Nichols) Tuom. in Ahti & Fagers.
		<i>Tomentypnum nitens</i> var. <i>falcifolium</i>
G5	S3	<i>Tomentypnum nitens</i> (Hedw.) Loeske
G4G5	S1	<i>Tortella densa</i> (Lorentz & Molendo) Limpr.
		<i>Tortella inclinata</i> var. <i>densa</i> (Lorentz & Molendo) Limpr.
G5	S1	<i>Tortella fragilis</i> (Drumm.) Limpr.
G5	S3	<i>Tortella humilis</i> (Hedw.) Jenn.
G4G5	S1	<i>Tortella inclinata</i> (Hedw.) Limpr.
G5TNR	SH	<i>Tortella nítida</i> var. <i>fragilifolia</i> (Jur.) Köckinger & Hedenäs
		<i>Tortella tortuosa</i> (Hedw.) Limpr. var. <i>fragilifolia</i> (Juratz.) Limpr.
G5	S5	<i>Tortella tortuosa</i> (Hedw.) Limpr.
		<i>Tortella tortuosa</i> (Hedw.) Limpr. var. <i>tortuosa</i>
G5	S2	<i>Tortula mucronifolia</i> Schwaegr.
G5	S1	<i>Tortula obtusifolia</i> (Schwaegr.) Mathieu
		<i>Desmatodon obtusifolius</i> (Schwaegr.) Schimp.
G3?	SH	<i>Tortula porteri</i> (James) Broth.
		<i>Desmatodon porteri</i> James in Aust.
G3G5	S3	<i>Tortula truncata</i> (Hedw.) Mitt.
		<i>Pottia truncata</i> (Hedw.) Bruch & Schimp.
G5	S2S3	<i>Trematodon ambiguus</i> (Hedw.) Hornsch.
G5	S1	<i>Trematodon longicollis</i> Michx.
G4G5	S1	<i>Trichostomum crispulum</i> Bruch in F. Muell.
G5	S5	<i>Ulota coarctata</i> (P. Beauv.) Hammar
G5	S5	<i>Ulota crispula</i> Bruch
G4G5	S1	<i>Ulota curvifolia</i> (Wahl.) Lilj.
G5T5	S5	<i>Ulota hutchinsiae</i> (Sm.) Hammar var. <i>hutchinsiae</i>
G5	S2S3	<i>Warnstorffia exannulata</i> (Schimp.) Loeske

		Sarmentypnum exannulatum (Schimp.) Hedenäs
		Drepanocladus exannulatus
G5	S4	Warnstorfia fluitans (Hedw.) Loeske
		Drepanocladus fluitans
G3G4	S1	Warnstorfia pseudostraminea (Müll. Hal.) Tuom. & T.J. Kop.
G5	S3	Warnstorfia straminea (Dicks. ex Brid.) W.R. Buck & Goffinet
		Straminergon stramineum (Dicks. ex Brid.) Hedenäs
		Calliergon stramineum (Brid.) Kindb
G5	S4	Weissia controversa Hedw.
G5	S1S3	Weissia muhlenbergiana (Sw.) W. D. Reese & B. A. E. Lemmon
		Astomum muhlenbergianum (Sw.) Grout
G3G5	S1	Zygodon conoideus (Dicks.) Hook. & Tayl.

Global Rank	State Rank	Species
Liverworts		
G5	S2	Anastrophyllum michauxii (F. Weber) H. Buch
G5T5	S5	Aneura pinguis (L.) Dum. var. pinguis
		Riccardia pinguis (L.) Gray
GNR	S1	Aneura sharpii Inoue & N.G. Mill.
G5	SU	Apopellia endiviifolia (Dicks.) Nebel & D. Quandt
		Pellia endiviifolia (Dicks.) Dumort.
GNR	S1	Apopellia megaspora (R. M. Schust.) Nebel & D. Quandt
		Pellia megaspora Schust.
G5	S3	Asterella tenella (L.) P. Beauv.
G5	S5	Barbilophozia barbata (Schmid. ex Schreb.) Loeske
		Lophozia barbata (Schmid.) Dum.
G5	S1	Barbilophozia hatcheri (Evans) Loeske
		Lophozia hatcheri (Evans) Steph.
G5	S1	Barbilophozia lycopodioides (Wallr.) Loeske
G4G5	S1	Barbilophozia sudetica (Nees ex Huebener) L. Soderstr., De Roo & Hedd.
		Lophozia sudetica (Nees) Grolle
		Pseudolophozia sudetica (Nees ex Huebener) Konstant. & Vilnet
G4G5	S4	Bazzania denudata (Torrey ex Gott. et al.) Trev.
G4T4	S3	Bazzania tricrenata (Wahlenb.) Lindb. var. tricrenata
G5T5	S5	Bazzania trilobata (L.) Gray var. trilobata
G5	S5	Blasia pusilla L.
G5T5	S5	Blepharostoma trichophyllum (L.) Dumort. subsp. trichophyllum
G5	SH	Calypogeia azurea Stotler & Crotz
G5	S4	Calypogeia integristipula Steph.
G5T5	S4	Calypogeia muelleriana (Schiffn.) Müll.Frib. subsp. muelleriana
G5	S4	Calypogeia neesiana (Mass. & Carest.) K. Mull.
G4	S5	Calypogeia neogaea (Schust.) Bakalin
		Calypogeia fissa (L.) Raddi subsp. neogaea Schust.
G4G5	S3	Calypogeia sphagnicola (Arnell & J. Perss.) Warnst. & Loeske
G5	SH	Calypogeia suecica (H. Arnell & J. Perss.) K. Mull.
G3G4	S1	Cephalozia ambigua C. Massal.
G5	S4	Cephalozia bicuspidata (L.) Dum.
G5T5	S3	Cephaloziella divaricata (Sm.) Schiffn. var. divaricata
		Cephaloziella byssacea (Roth) Warnst.
		Cephaloziella starkei (Funk.) Schiffn.
G4	S2	Cephaloziella elachista (Jack) Schiffn.
G3?	S1	Cephaloziella elegans (Heeg) Schiffn.
G5	S3	Cephaloziella hampeana (Nees) Schiffn.
G3G5	S1	Cephaloziella massalongoi (Spruce) K. Mull.
GNR	S2	Cephaloziella rubella (Nees) Warnst.
		Cephaloziella rubella (Nees) Warnst. var. bifida (Schmid. ex Hoffm.) Douin
G2G4	S1	Cephaloziella stellulifera (Tayl.) Schiffn.
G5	S1	Cephaloziella varians (Gott.) Steph.
G5T4	SH	Chiloscyphus pallescens (Ehrh. ex Hoffm.) Dum. var. fragilis (Roth) K. Mull.
G5T5	S2	Chiloscyphus pallescens (Ehrh. ex Hoffm.) Dum. var. pallescens

G5T4	S1	<i>Chiloscyphus polyanthos</i> (L.) Corda var. <i>polyanthos</i>
G5T4	SH	<i>Chiloscyphus polyanthos</i> (L.) Corda var. <i>rivularis</i> (Schrad.) Nees
G5	SH	<i>Clevea hyalina</i> (Sommert.) Lindb. <i>Athalamia hyalina</i> (Sommert.) Hatt.
G5	S4	<i>Cololejeunea biddlecomiae</i> (Aust.) Evans
G5	S5	<i>Conocephalum salebrosum</i> Szweyk., Buczk. & Odrzyk.
G5	S2	<i>Crossocalyx hellerianus</i> (Nees ex Lindenb.) Meyl. <i>Anastrophyllum hellerianum</i> (Nees) Schust.
G5	S4	<i>Diplophyllum apiculatum</i> (Evans) Steph.
G2	SH	<i>Diplophyllum obtusatum</i> (R.M. Schust.) R.M. Schust.
G5T5	S3	<i>Diplophyllum taxifolium</i> (Wahlenb.) Dumort. var. <i>taxifolium</i>
G4	S1	<i>Endogemma caespiticia</i> (Lindenb.) Konstant., Vilnet & A.V. Troitsky <i>Jungermannia caespiticia</i> Lindenb. <i>Solenostoma caespiticium</i> (Lindb.) Steph
G5	S2	<i>Fossombronia foveolata</i> Lindb.
G4G5	SH	<i>Fossombronia wondraczekii</i> (Corda) Dumort. ex Lindb.
G5	S5	<i>Frullania asagrayana</i> Mont. <i>Frullania tamarisci</i> (L.) Dum. subsp. <i>asagrayana</i> (Mont.) Hatt.
GNR	S1	<i>Frullania austinii</i> J.J. Atwood, Vilnet, Mamontov, & Konstant.
G4	S1	<i>Frullania brittoniae</i> Evans
G5	S5	<i>Frullania eboracensis</i> Gott.
G5	S2	<i>Frullania inflata</i> Gott.
G5	S2	<i>Frullania oakesiana</i> Aust.
G4	S1	<i>Frullania plana</i> Sull.
G4G5	S2	<i>Frullania riparia</i> Hampe ex Lehm.
G3	S1	<i>Frullania selwyniana</i> Pears.
G5	SH	<i>Fuscocephaloziopsis catenulata</i> (Huebener) Váňa & L. Söderstr. <i>Cephalozia catenulata</i> (Hub.) Lindb.
G5	S2	<i>Fuscocephaloziopsis connivens</i> (Dicks.) Váňa & L. Söderstr. <i>Cephalozia connivens</i> (Dicks.) Lindb. s.l.
G4	SH	<i>Fuscocephaloziopsis leucantha</i> (Spruce) Váňa & L. Söderstr. <i>Cephalozia leucantha</i> Spruce
G5	S5	<i>Fuscocephaloziopsis lunulifolia</i> (Dumort.) Váňa & L. Söderstr. <i>Cephalozia lunulifolia</i> (Dum.) Dum. <i>Cephalozia media</i> Lindb.
G4	SH	<i>Fuscocephaloziopsis macrostachya</i> (Kaal.) Váňa & L. Söderstr. <i>Cephalozia macrostachya</i> Kaal. subsp. <i>macrostachya</i>
G5	S2	<i>Fuscocephaloziopsis pleniceps</i> (Austin) Váňa & L. Söderstr. <i>Cephalozia pleniceps</i> (Aust.) Lindb. var. <i>pleniceps</i>
G5	S5	<i>Geocalyx graveolens</i> (Schrad.) Nees
G5T5	S2	<i>Gymnocolea inflata</i> (Huds.) Dum. var. <i>inflata</i>
G5T3Q	SH	<i>Gymnocolea inflata</i> (Huds.) Dum. subsp. <i>acutiloba</i> (Schiffn.) R.M. Schust. & Damsh. ex L. Söderstr. & Váňa
G5	SH	<i>Gymnomitrium concinnatum</i> (Lightf.) Corda
G4?	S2	<i>Harpanthus drummondii</i> (Tayl.) Grolle
G4G5	S1	<i>Harpanthus scutatus</i> (Web & Mohr) Spruce
G4	SH	<i>Heterogemma capitata</i> (Hook.) Konstant. & Vilnet <i>Lophozia capitata</i> (Hook.) Macoun
G4	S2	<i>Heterogemma laxa</i> (Lindb.) Konstant. & Vilnet <i>Lophozia laxa</i> (Lindb.) Grolle <i>Lophozia marchica</i> (Nees) Steph.
G5	S3	<i>Isopaches bicrenatus</i> (Schmid.) Buch <i>Lophozia bicrenata</i> (Schmid. ex Hoffm.) Dum.
G5T5	S2	<i>Jubula hutchinsiae</i> (Hook.) Dumort. subsp. <i>pennsylvanica</i> (Steph.) Verd. <i>Jubula pennsylvanica</i> (Steph.) Evans subsp. <i>pennsylvanica</i>
G5	SH	<i>Jungermannia eucordifolia</i> Schljakov <i>Jungermannia exsertifolia</i> Steph. subsp. <i>cordifolia</i> (Dumort.) Váňa <i>Solenostoma cordifolium</i> (Hook.) Steph.
G5	S3	<i>Jungermannia pumila</i> With. <i>Solenostoma pumilum</i> (With.) K. Mull.
G5	S1	<i>Kurzia pauciflora</i> (Dicks.) Grolle
G5	S5	<i>Lejeunea cavifolia</i> (Ehrh.) Lindb. emend. Buch
G5T4	S1	<i>Lejeunea lamacerina</i> (Steph.) Schiffn. subsp. <i>gemminata</i> Schust.
G5	S5	<i>Lepidozia reptans</i> (L.) Dum.
G5	S4	<i>Liochlaena lanceolata</i> Nees <i>Jungermannia leiantha</i> Grolle

		<i>Jungermannia lanceolata</i> L. amend. Schrad.
G5	S1	<i>Lophocolea bidentata</i> (L.) Dum.
		<i>Lophocolea cuspidata</i> (Nees) Limpr. var. <i>alata</i> K. Mull.
G5	S5	<i>Lophocolea heterophylla</i> (Schrad.) Dum.
		<i>Chiloscyphus profundus</i> (Nees) Engel & Schust.
G5	S2	<i>Lophocolea minor</i> Nees
		<i>Chiloscyphus minor</i> (Nees) Eng. & Schust.
G4	S2	<i>Lophozia ascendens</i> (Warnst.) Schust.
	S2	<i>Lophozia guttulata</i> (Lindb. & H. Arnell) Evans
G5	S3	<i>Lophozia longiflora</i> (Nees) Schiffn.
		<i>Lophozia porphyroleuca</i> (Nees) Schiffn.
		<i>Lophozia ventricosa</i> (Dicks.) Dum. var. <i>longiflora</i> (Nees) Macoun
G5	S1	<i>Lophozia silvicola</i> H. Buch
G5T4T5	S4	<i>Lophozia ventricosa</i> (Dicks.) Dum. var. <i>ventricosa</i>
G4G5T4	S1	<i>Lophozia wenzelii</i> (Nees) Steph. var. <i>wenzelii</i>
		<i>Lophocolea confertifolia</i> Schiffn.
G5	S1	<i>Lophozopsis excisa</i> (Dicks.) Konstant. & Vilnet
		<i>Lophozia excisa</i> (Dicks.) Dum. s.l.
G5?	S3	<i>Lophozopsis longidens</i> (Lindb.) Konstant. & Vilnet
		<i>Lophozia longidens</i> (Lindb.) Macoun subsp. <i>longidens</i>
G5	SH	<i>Lunularia cruciata</i> (L.) Dum.
G5	S1	<i>Mannia fragrans</i> (Balbis) Frye & Clark
G4?	SH	<i>Mannia pilosa</i> (Hornem.) Frye & Clark
G4?	SH	<i>Mannia sibirica</i> (Müll. Frib.) Frye & L. Clark
G3G4	SH	<i>Mannia triandra</i> (Scop.) Grolle
		<i>Mannia rupestris</i> (Nees) Frye & L. Clark
G5T3T5	S1	<i>Marchantia polymorpha</i> subsp. <i>montivagans</i> Bischl. & Boissel.-Dub.
		<i>Marchantia alpestris</i> (Nees) Burgeff
G5TNR	S2	<i>Marchantia polymorpha</i> L. subsp. <i>polymorpha</i>
		<i>Marchantia aquatica</i> (Nees) Burgeff
G5TNR	S5	<i>Marchantia polymorpha</i> subsp. <i>ruderalis</i> Bischl. & Boissel.-Dub.
G5T5	S5	<i>Marchantia quadrata</i> Scop. subsp. <i>quadrata</i>
		<i>Preissia quadrata</i> (Scop.) Nees subsp. <i>quadrata</i>
G5TNR	S1	<i>Marchantia quadrata</i> Scop. subsp. <i>hyperborea</i> (Schust.) Borovich.
		<i>Preissia quadrata</i> (Scop.) Nees subsp. <i>hyperborea</i> Schust
G5	S3	<i>Marsupella emarginata</i> (Ehrh.) Dum.
		<i>Marsupella ustulata</i> (Hub.) Spruce var. <i>ustulata</i>
G5	S1	<i>Marsupella sphacelata</i> (Gieseke) Dum.
G5?	S2	<i>Mesoptychia badensis</i> (Gottsche) L. Söderstr. & Váňa
		<i>Lophozia badensis</i> (Gott. ex Rabenh.) Schiffn. var. <i>badensis</i>
G5	S1	<i>Mesoptychia collaris</i> (Nees) L. Söderstr. & Váňa
G5	S3	<i>Mesoptychia gillmanii</i> (Austin) L. Söderstr. & Váňa
		<i>Lophozia gillmanii</i> (Aust.) Schust. s.l.
		<i>Leiocolea gillmanii</i> (Aust.) Evans
G5TU	S1	<i>Mesoptychia heterocolpos</i> (Thed.) L. Söderstr. & Váňa var. <i>heterocolpos</i>
		<i>Lophozia heterocolpos</i> (Thed.) M.A. Howe var. <i>heterocolpos</i>
		<i>Leiocolea heterocolpa</i> (Thed.) ex Hartm.) Buch.
GNR	SH	<i>Mesoptychia rutheana</i> (Limpr.) L. Söderstr. & Váňa
		<i>Lophozia rutheana</i> (Limpr.) M.A. Howe
G5	S5	<i>Metzgeria conjugata</i> Lindb.
G4G5	S2	<i>Metzgeria crassipilis</i> (Lindb.) Evans
G5T5	S5	<i>Metzgeria furcata</i> (L.) Dum. var. <i>ulvula</i> Nees
G5	SH	<i>Metzgeria pubescens</i> (Schränk) Raddi
		<i>Apometzgeria pubescens</i> (Schränk) Kuwah.
GNR	S2	<i>Moerkia flotoviana</i> (Nees) Schiffn.
G4?	S3	<i>Moerkia hibernica</i> (Hook.) Gott.
G5	S4	<i>Mylia anomala</i> (Hook.) S. Gray
G5	S1	<i>Mylia taylorii</i> (Hook.) S. Gray
G5T5	S1	<i>Nardia scalaris</i> S. Gray subsp. <i>scalaris</i>
G5	S4	<i>Neoorthocaulis attenuatus</i> (Mart.) L. Söderstr., De Roo, Hedd. & Mart.
		<i>Barbilophozia attenuata</i> (Mart.) Loeske
		<i>Lophozia attenuata</i> (Mart.) Dum.
G5	SH	<i>Neoorthocaulis floerkei</i> (F. Weber & D. Mohr) L. Söderstr., De Roo & Hedd.
		<i>Barbilophozia floerkei</i> (Web. & Mohr) var. <i>floerkei</i>
		<i>Lophozia floerkei</i> (Web. & Mohr.) Schiffn.

G5	S5	<i>Nowellia curvifolia</i> (Dicks.) Mitt.
G5T5	S3	<i>Odontoschisma denudatum</i> (Nees ex Mart.) Dum. subsp. <i>denudatum</i>
G5	S4	<i>Odontoschisma fluitans</i> (Nees) L. Söderstr. & Vána <i>Cladopodiella fluitans</i> (Nees) Joerg. <i>Cephalozia fluitans</i> (Nees) Spruce
G5	SH	<i>Odontoschisma sphagni</i> (Dicks.) Dumort. <i>Odontoschisma prostratum</i> (Sw.) Trev.
G5	S4	<i>Pallavicinia lyellii</i> (Hook.) Carruth.
G5T5	S5	<i>Pellia epiphylla</i> (L.) Corda var. <i>epiphylla</i>
GNR	S5	<i>Pellia neesiana</i> (Gott.) Limpr.
G3	S1	<i>Plagiochila austinii</i> Evans
G5	S5	<i>Plagiochila porelloides</i> (Torrey ex Nees) Lindenb. <i>Plagiochila asplenioides</i> (L.) Dum. subsp. <i>porelloides</i> (Torrey ex nees) Schust.
G5	S2	<i>Porella pinnata</i> L.
G5	S5	<i>Porella platyphylla</i> (L.) Pfeiff. <i>Porella platyphylloidea</i> (Schwein.) Lindb.
G5	S5	<i>Ptilidium ciliare</i> (L.) Hampe
G5	S5	<i>Ptilidium pulcherrimum</i> (G. Web.) Hampe
G5	S5	<i>Radula complanata</i> (L.) Dum.
G5	S2	<i>Radula obconica</i> Sull.
G3G4	SH	<i>Radula tenax</i> Lindb.
G5	S3	<i>Reboulia hemisphaerica</i> (L.) Raddi
G5	S4	<i>Riccardia latifrons</i> Lindb.
G5TNR	S4	<i>Riccardia multifida</i> (L.) S. Gray var. <i>multifida</i>
G5	S3	<i>Riccardia palmata</i> (Hedw.) Carruth.
G5	S1	<i>Riccia bifurca</i> Hoffm.
G5	S1	<i>Riccia cavernosa</i> Hoffm. <i>Riccia crystallina</i> auct. pro parte non L.
G5	S4	<i>Riccia fluitans</i> L. <i>Cladopodiella fluitans</i>
G5	SH	<i>Riccia frostii</i> Aust.
G4G5T4T5QS2		<i>Riccia huebeneriana</i> Lindenb. subsp. <i>sullivantii</i> (Aust.) Schust.
G5	S1	<i>Riccia sorocarpa</i> Bisch.
G5	S4	<i>Ricciocarpos natans</i> (L.) Corda
G3?	S1	<i>Scapania carinthiaca</i> J.B. Jack ex Lindb.
G5T5	SH	<i>Scapania curta</i> (Mart.) Dum. var. <i>curta</i>
G5T5	S1	<i>Scapania cuspiduligera</i> (Nees) K. Mull. var. <i>cuspiduligera</i>
G4G5	SH	<i>Scapania glaucocephala</i> (Tayl.) Aust.
G4	S2	<i>Scapania gymnostomophila</i> Kaal.
G5T5?	S2	<i>Scapania irrigua</i> (Nees) Gott. et al. subsp. <i>irrigua</i>
G2G4TU	S1	<i>Scapania lingulata</i> Buch var. <i>lingulata</i>
G5	S1	<i>Scapania mucronata</i> Buch
G5	S5	<i>Scapania nemorea</i> (L.) Grolle <i>Scapania nemorosa</i> (L.) Dum.
G5T3T5	S2	<i>Scapania paludicola</i> Loeske & K. Mull. var. <i>paludicola</i>
G5	SH	<i>Scapania paludosa</i> (K. Mull.) K. Mull.
G4G5	S1	<i>Scapania umbrosa</i> (Schrad.) Dum.
G5	S5	<i>Scapania undulata</i> (L.) Dum.
GNR	SH	<i>Schistochilopsis grandiretis</i> (Lindb. ex Kaal.) Konstant. <i>Lophozia grandiretis</i> (Lindb.) Schiffn. var. <i>grandiretis</i>
G5T5	S4	<i>Schistochilopsis incisa</i> (Schrad.) Konstant. var. <i>incisa</i> <i>Lophozia incisa</i> (Schrad.) Dum. var. <i>incisa</i>
G5	S1	<i>Schljakovia kunzeana</i> (Huebener) Konstant. & Vilnet <i>Barbilophozia kunzeana</i> (Hüb.) Gams <i>Lophozia kunzeana</i> (Hüb.) Evans
G5	S4	<i>Solenostoma gracillimum</i> (Smith) Schust. <i>Jungermannia gracillima</i> Sm.
G5	S1	<i>Solenostoma hyalinum</i> (Lyell) Mitt. <i>Jungermannia hyalina</i> Lyell
GNR	SH	<i>Solenostoma obovatum</i> (Nees) Schust. <i>Jungermannia obovata</i> Nees
G2G4	S2	<i>Solenostoma obscurum</i> (Evans) Schust. <i>Jungermannia evansii</i> Vana
G5	S1	<i>Solenostoma sphaerocarpum</i> (Hook.) Steph. <i>Jungermannia sphaerocarpa</i> Hook.

G5	S3	Sphenolobus minutus (Schreb.) Berggr. Anastrophyllum minutum (Schreb.) Schust. var. minutum Eremonotus minutus (Schreb.) Schust.
G3G4	S1	Sphenolobus saxicola (Schrad.) Steph. Anastrophyllum saxicola (Schrad.) Schust.
G5	S5	Syzygiella autumnalis (DC.) K. Feldberg, Váňa, Hentschel & Heinrichs Jamesoniella autumnalis (DC.) Steph. var. autumnalis
G5	S1	Tetralophozia setiformis (Ehrh.) Schljak. Chandonanthus setiformis (Ehrh.) Lindb.
G5	S5	Trichocolea tomentella (Ehrh.) Dum.
G5	S3	Tritomaria exsecta (Schrad.) Loeske
G5T5	S1	Tritomaria exsectiformis (Breidl.) Loeske subsp. exsectiformis
G5T5	S2	Tritomaria quinquedentata (Huds.) Buch. var. quinquedentata

Global	State	Species
Rank	Rank	

Hornworts

G4G5	S1	Anthoceros agrestis Paton
G3G4	S1	Anthoceros macounii M.A. Howe
G5	S2	Notothylas orbicularis (Schwein.) Sull.
G5	S3	Phaeoceros carolinianus (Michx.) Prosk