

Global Rank	State Rank	Species
Mosses		
G5	S5	<i>Abietinella abietina</i> (Hedw.) Fleisch <i>Thuidium abietinum</i> (Hedw.) Schimp.
G4G5	S1	<i>Acaulon rufescens</i> A. Jaeger <i>Acaulon muticum</i> var. <i>rufescens</i> (A. Jaeger) H.A. Crum
G4G5	S1	<i>Alleniella besseri</i> (Lobarz.) S. Olsson, Enroth & D. Quandt <i>Neckera besseri</i> (Lobarz.) Jur. <i>Homalia trichomanoides</i> (Hedw.) Schimp. fo. <i>gracilis</i>
G5	SH	<i>Alleniella complanata</i> (Hedw.) S. Olsson, Enroth & D. Quandt <i>Neckera complanata</i> (Hedw.) Hub.
G5	S5	<i>Amblystegium serpens</i> (Hedw.) Schimp. <i>Amblystegium serpens</i> (Hedw.) Schimp. var. <i>juratzkanum</i> (Schimp.) Rau & Herv.
G5	S2	<i>Amphidium lapponicum</i> (Hedw.) Schimp.
G5	S2	<i>Amphidium mougeotii</i> (Bruch & Schimp. in B.S.G.) Schimp.
G3G5	S3	<i>Anacamptodon splachnoides</i> (Frol. ex Brid.) Brid.
G5?	S1	<i>Andreaea crassinervia</i> Bruch
G5	S3	<i>Andreaea rothii</i> Web. & Mohr.
G5	S5	<i>Andreaea rupestris</i> Hedw.
GU	S1	<i>Anomobryum concinnum</i> (Spruce) Lindb.
G5	S3	<i>Anomodon minor</i> (Hedw.) Lindb.
G5	S5	<i>Anomodon rugelii</i> (Müll. Hal.) Keissl. <i>Anomodontopsis rugelii</i> (Müll. Hal.) Ignatov & Fedosov
G5	S2	<i>Anomodon tristis</i> (Ces.) Sull. & Lesq. <i>Haplohymenium triste</i> (Ces. in De Not.) Kindb.
G5	S4	<i>Anomodon viticulosus</i> (Hedw.) Hook. & Tayl.
GNR	S3	<i>Aongstroemia canadensis</i> (Mitt.) Siebel & Fedosov <i>Dicranella schreberiana</i> (Hedw.) Hilf. ex Crum & Anderson <i>Dicranella schreberiana</i> var. <i>robusta</i> (Schimp. ex Braithw.) H.A. Crum & L.E. Anderson
G5	S1	<i>Aquilonium plicatum</i> (Lindb.) Hedenäs <i>Hypnum plicatum</i> (Lindb.) Jaeg.
G4G5	SH	<i>Archidium alternifolium</i> (Hedw.) Schimp.
G5	S1	<i>Arctoa fulvella</i> (Dicks.) Bruch & Schimp.
G5	S1	<i>Arctoa starkei</i> (F. Weber & D. Mohr.) Loeske <i>Kiaeria starkei</i> (F. Weber & D. Mohr.) I. Hagen
G5	S5	<i>Atrichum altecristatum</i> (Ren. & Card.) Smyth & Smyth
G5	S5	<i>Atrichum angustatum</i> (Brid.) Bruch. & Schimp.
G5	S5	<i>Atrichum crispulum</i> Beschereille
G5	S2S3	<i>Atrichum crispum</i> (James) Sull.
G4G5	S1	<i>Atrichum tenellum</i> (Rohl.) Bruch & Schimp.
G5	S1	<i>Aulacomnium androgynum</i> (Hedw.) Schwaegr.
G5	S3	<i>Aulacomnium heterostichum</i> (Hedw.) Bruch & Schimp. <i>Arrhenopterum heterostichum</i> Hedw.
G5	S5	<i>Aulacomnium palustre</i> (Hedw.) Schwaegr.
G5	S5	<i>Barbula unguiculata</i> Hedw. <i>Barbula unguiculata</i> fo. <i>apiculata</i>
G5	S5	<i>Bartramia pomiformis</i> Hedw.
G5	S3	<i>Blindia acuta</i> Bruch. & Schimp.
G4	S1	<i>Blindiadelphus campylopodus</i> (Kindb.) Fedosov & Ignatov <i>Seligeria campylopoda</i> Kindb.
G5	S4	<i>Brachytheciastrum velutinum</i> (Hedw.) Ignatov & Huttunen <i>Brachythecium velutinum</i> (Hedw.) Schimp.
G5	SU	<i>Brachythecium acuminatum</i> (Hedw.) Aust.
G5	S2	<i>Brachythecium acutum</i> (Mitt.) Sull.
G5	SH	<i>Brachythecium albicans</i> (Hedw.) Schimp.
G4G5Q	S5	<i>Brachythecium campestre</i> (C. Mull.) Schimp. <i>Brachythecium calcareum</i> Kindb.
G5	S3	<i>Brachythecium capillaceum</i> (F. Weber & D. Mohr) Giacom. <i>Brachythecium rotaceum</i> De Not.
G5	S1	<i>Brachythecium erythrorrhizon</i> Schimp.
GNR	S1	<i>Brachythecium falcatum</i> (Grout) H.A. Crum
G5	S5	<i>Brachythecium laetum</i> (Brid.) Schimp.

		Brachythecium digastrum C. Mull. & Kindb. in Mac. & Kindb.
		Brachythecium oxycladon (Brid.) Jaeg (misapplied)
G5	S5	Brachythecium novae-angliae (Sull. & Lesq.) A. Jaegr.
		Bryhnia novae-angliae (Sull. & Lesq. in Sull.) Grout
G5	S5	Brachythecium rivulare Schimp.
G5	S5	Brachythecium rutabulum (Hedw.) Schimp.
G5	S5	Brideliella wahlenbergii (Brid.) Fedosov, M. Stech & Ignatov
		Oncophorus wahlenbergii Brid.
G5	S5	Brotherella recurvans (Michx.) Fleisch.
G5	S1	Bryoandersonia illecebra (Hedw.) Robins.
G5	S4	Bryoerythrophyllum recurvirostrum (Hedw.) Chen.
G5T5	S5	Bryum argenteum Hedw. var. argenteum
G3G5	SU	Bryum gemmiparum DeNot.
		Imbriobryum gemmiparum (De Not.) J.R. Spence
GNR	S1	Bryum veronense De Not.
G5	S2	Bucklandiella microcarpos (Hedw.) Bednarek-Ochyra & Ochyra.
		Racomitrium microcarpon (Hedw.) Brid.
		Racomitrium heterostichum (Hedw.) Brid var. microcarpon (Hedw.) Boulay
G5	S1	Bucklandiella sudetica (Funck) Bednarek-Ochyra & Ochyra
		Racomitrium sudeticum (Funck) Bruch & Schimp.
GU	S2	Bucklandiella venusta (Frisvoll) Bednarek-Ochyra & Ochyra
		Racomitrium venustum Frisvoll
G5	S2	Buxbaumia aphylla Hedw.
G2G4	S1	Buxbaumia minakatae Okam.
G5	SH	Buxbaumia viridis (Moug. Ex DC.) Brid. Ex Moug. & Nestl.
G5	S2S3	Calcidicranella varia (Hedw.) Bonfim Santos, Fedosov & Kučera
		Dicranella varia (Hedw.) Schimp
G5	S5	Callicladium haldaneanum (Grev.) Crum
G5	S5	Callicladium imponens (Hedw.) Hedenäs
		Hypnum imponens Hedw.
G5	S5	Calliergon cordifolium (Hedw.) Kindb.
G5	S5	Calliergon giganteum (Schimp.) Kindb.
G5	S3	Calliergon richardsonii (Mitt.) Kindb. in Warnst.
		Calliergon obtusifolium Karsz.
G5	S5	Calliergonella curvifolia (Hedw.) B.H. Allen
		Hypnum curvifolium Hedw.
G5	S4S5	Calliergonella cuspidata (Hedw.) Loeske
G5	S5	Calliergonella lindbergii (Mitt.) Hedenäs
		Hypnum lindbergii Mitt.
G5	S5	Campylium chrysophyllum (Brid.) J. Lange
		Campyliadelphus chrysophyllus (Brid.) Kanda
G5	S5	Campylium stellatum (Hedw.) C. Jens.
G5	S5	Campylophyllopsis hispidula (Brid.) Ochyra
		Campylium hispidulum (Brid.) Mitt.
		Campylophyllum hispidulum (Brid.) Hedenäs
GNR	SH	Campylophyllopsis sommerfeltii (Myrin) Ochyra
		Campylophyllum sommerfeltii (Myrin) Hedenäs
G3G5	S1	Campylophyllum montanum (Lindb.) B.H. Allen
		Hygrohypnum montanum (Lindb.) Broth.
		Hygrohypnum eumontanum H.A. Crum, Steere & L.E. Anderson
G3G5	S1	Campylostelium saxicola (Web. & Mohr.) Bruch & Schimp.
G5T5	S5	Ceratodon purpureus (Hedw.) Brid. subsp. purpureus
G5	S2S3	Chionoloma tenuirostre (Hook & Taylor) M. Alons., M.J. Cano & J.A. Jiménez
		Trichostomum tenuirostre (Hook. & Tayl.) Lindb. var. tenuirostre
		Oxystegus tenuirostris (Hook & Tayl.) A.J.E. Sm.
		Oxystegus cylindricus (Bruch ex Brid.) Hilp.
G5	S1	Cinclidium stygium Sw. in Schrad.
G5	S2	Cirriphyllum piliferum (Hedw.) Grout
G5	S5	Claopodium rostratum (Hedw.) Ignatov
		Anomodon rostratus (Hedw.) Schimp.
G5	S3	Climacium americanum Brid.
		Climacium kindbergii (Ren. & Card.) Grout
G5	S5	Climacium dendroides (Hedw.) Web. & Mohr.
G3G5	S1	Cnestrum alpestre (Wahl.) Nyholm
		Cynodontium alpestre (Wahl.) Milde

		<i>Cynodontium torquescens</i> Limpr.
G5	S4	<i>Codriophorus acicularis</i> (Hedw.) P. Beauv. <i>Racomitrium aciculare</i> (Hedw.) Brid.
GNR	S2	<i>Codriophorus aduncoides</i> (Bednarek-Ochyra) Bedn.-Ochyra & Ochyra <i>Racomitrium aduncoides</i> Bedn.-Ochyra
G5	SH	<i>Conardia compacta</i> (Müll. Hal.) H. Rob. <i>Rhynchostegiella compacta</i> (Müll. Hal.) Loeske
G5	S4	<i>Cratoneuron filicinum</i> (Hedw.) Spruce
GNR	S1	<i>Ctenidium subrectifolium</i> (Brid.) G. Pedano ex W.R. Buck & B.H. Allen
G5	S1	<i>Cynodontium strumiferum</i> (Hedw.) Lindb.
G5	S1	<i>Cynodontium tenellum</i> (Bruch. & Schimp.) Limpr.
G5?	S2	<i>Cyrtomnium hymenophylloides</i> (Hub.) Nyh. ex T. Kop. <i>Mnium hymenophylloides</i> Huebener
G5	S2	<i>Dichelyma capillaceum</i> (With.) Myr.
G5	SH	<i>Dichelyma falcatum</i> (Hedw.) Myr.
G5	S2	<i>Dichelyma pallescens</i> Schimp.
G5	S2S3	<i>Dichodontium pellucidum</i> (Hedw.) Schimp.
G5	S1	<i>Dicranella cerviculata</i> (Hedw.) Schimp.
G5	S5	<i>Dicranella heteromalla</i> (Hedw.) Schimp.
G5	SH	<i>Dicranellopsis subulata</i> (Hedw.) Bonfim Santos, Siebel & Fedosov <i>Dicranella subulata</i> (Hedw.) Schimp.
G4G5	S2	<i>Dicranodontium denudatum</i> (Brid.) Britt. in Williams
G5	S1	<i>Dicranum acutifolium</i> (Lindb. & Arnell) C.E.O. Jensen
G5	S1	<i>Dicranum bonjeanii</i> De Not. in Lisa
G5	S1	<i>Dicranum condensatum</i> Hedw.
G5T5	S4	<i>Dicranum fuscescens</i> Turn. var. <i>fuscescens</i>
G3G5	S1	<i>Dicranum muehlenbeckii</i> Bruch & Schimp.
G4G5	S2	<i>Dicranum ontariense</i> Peters. <i>Dicranum drummondii</i> Sull. ex Lindb.
G5	S5	<i>Dicranum polysetum</i> Sw. <i>Dicranum rugosum</i> Hoffm. ex Brid.
G5	S5	<i>Dicranum scoparium</i> Hedw.
G5	S1	<i>Dicranum spurium</i> Hedw.
G5	S4	<i>Dicranum undulatum</i> Brid.
G5	S5	<i>Dicranum viride</i> (Sull. & Lesq. in Sull.) Lindb. <i>Campylopus viridis</i> Sull. & Lesq.
G5	S1	<i>Didymodon rigidulus</i> Hedw.
G5	S1	<i>Dilutineuron fasciculare</i> (Schr. ex Hedw.) Bedn.-Ochyra, Sawicki, Ochyra, Szczecińska & Plášek <i>Codriophorus fascicularis</i> (Hedwig) Bedn.-Ochyra & Ochyra <i>Racomitrium fasciculare</i> (Hedw.) Brid.
G5	S5	<i>Diphyscium foliosum</i> (Hedw.) Mohr.
G5	S2	<i>Distichium capillaceum</i> (Hedw.) Bruch. & Schimp.
G5	S3S4	<i>Ditrichum lineare</i> (Sw.) Lindb.
G5	S3S4	<i>Ditrichum pusillum</i> (Hedw.) Hampe <i>Ditrichum tortile</i> (Schr.) Brockm.
GNR	S1	<i>Ditrichum tortuloides</i> Grout
G3G5	S1	<i>Drepanium fastigiatum</i> (Brid.) Lange & G.E.O. Jensen <i>Hypnum recurvatum</i> (Lindb. & Arnell) Kindb.
G5	S5	<i>Drepanocladus aduncus</i> (Hedw.) Warnst.
GNR	S1	<i>Drepanocladus capillifolius</i> (Warnst.) Warnst. <i>Drepanocladus longifolius</i> (Mitt.) Broth. ex Paris
GNR	S1	<i>Drepanocladus polycarpus</i> (Blandow ex Voit) Warnst.
G5	S2S3	<i>Drepanocladus polygamus</i> (Schimp.) Hedenäs <i>Campylium polygamum</i> (Schimp.) C. Jens.
G5	S1	<i>Drepanocladus trifarius</i> (Web. & Mohr.) Broth. <i>Pseudocalliergon trifarium</i> (Web. & Mohr.) Loeske <i>Calliergon trifarium</i> (Web. & Mohr.) Kindb.
G3G5	SU	<i>Drepanocladus turgescens</i> (T. Jensen) Broth. <i>Pseudocalliergon turgescens</i> (T. Jensen) Loeske
G5	S2	<i>Drummondia prorepens</i> (Hedw.) Britt.
G3G5	S2	<i>Elodium paludosum</i> Aust.
G5	S3	<i>Encalypta ciliata</i> Hedw.
G5	S5	<i>Encalypta procera</i> Bruch
G5	SH	<i>Encalypta raptocarpa</i> Schwaegr.
G4?	S1	<i>Entodon brevisetus</i> (Hook & Wils. in Wils.) Lindb.

G5	S5	Entodon cladorrhizans (Hedw.) C. Mull.
G5	S4	Entodon seductrix (Hedw.) C. Mull.
G4G5	S1S3	Ephemerum cohaerens (Hedw.) Hampe
G4TNR	S1	Ephemerum crassinervium (Schwägr.) Hampe
G4G5	S1S3	Ephemerum spinulosum Bruch. & Schimp. in Schimp.
G5	S4	Eurhynchiastrum pulchellum (Hedw.) Ignatov & Huttunen var. pulchellum Eurhynchium pulchellum (Hedw.) Jenn. var. pulchellum
G5	S5	Fissidens adianthoides Hedw.
G5	S4	Fissidens bryoides Hedw.
G5	S5	Fissidens bushii (Card & Ther.) Card & Ther.
G5	S5	Fissidens dubius P. Beauv. Fissidens cristatus Wils. ex Mitt.
GNR	SH	Fissidens exiguus Sull.
G3G4	S1	Fissidens exilis Hedw.
G5	SH	Fissidens fontanus (B. Pyl.) Steud.
GNR	SU	Fissidens minutulus Sull.
G5	S5	Fissidens osmundioides Hedw.
G4G5	S2	Fissidens subbasilaris Hedw.
G5	S5	Fissidens taxifolius Hedw.
GNR	SH	Fissidens viridulus (Sw.) Wahlenb.
G5	S1	Flexitrichum flexicaule (Schwaeagr.) Ignatov & Fedosov Ditrichum flexicaule (Schwaeagr.) Hampe
G5	S4S5	Fontinalis antipyretica Hedw. Fontinalis patula
G5	S4S5	Fontinalis dalecarlica Schimp.
G5TNR	S1	Fontinalis hypnoides Hartm. var. duriaei (Schimp.) Husn.
G5	S5	Fontinalis novae-angliae Sull. s.l.
G3G5	S2	Fontinalis sphagnifolia (C. Mull.) Wijk & Marg.
GNR	SH	Fontinalis sullivantii Lindb. Fontinalis disticha
G5	S2	Forsstroemia trichomitria (Hedw.) Lindb.
G5T5	S5	Funaria hygrometrica Hedw. var. hygrometrica
G5	S2	Geheebia fallax (Hedw.) Zand. Didymodon fallax (Hedw.) Zand.
G5	S1	Geheebia ferruginea (Schimp. ex Besch.) Zand. Didymodon ferrugineus (Schimp. ex Besch.) M. O. Hill Barbula reflexa (Brid.) Brid. Didymodon fallax (Hedw.) Zand. var. reflexus (Brid.) Zand.
G5	S1	Geheebia tophacea (Brid.) Zand. Didymodon tophaceus (Brid.) Lisa
G3G5	SU	Gemmabryum dichotomum (Hedw.) J.R. Spence & H.P. Ramsay Bryum bicolor Dicks.
G4G5	S1	Gemmabryum klinggraeffii (Schimp.) J.R. Spence
G4G5	S1	Grimmia donniana Sm.
G4G5	S1	Grimmia hartmanii Schimp.
G5	SH	Grimmia laevigata (Brid.) Brid.
G5	S1	Grimmia longirostris Hooker Grimmia affinis Hoppe & Hornsch.
GNR	S1	Grimmia milleri Hastings & Greven
G3G5	S2	Grimmia muehlenbeckii Schimp.
G3G5	S1	Grimmia olneyi Sull.
G4G5	S2	Grimmia pilifera P. Beauv.
G3G5	SH	Grimmia torquata Hornsch. in Grev.
G5?	SH	Grimmia trichophylla Grev.
G4G5	S1	Grimmia unicolor Hook. in Grev.
G5	S5	Gymnostomum aeruginosum Sm.
G3G5	S1	Hageniella micans (Mitt.) B.C. Tan & Y. Jia Hygrohypnum micans (Mitt.) Broth.
G5	S2	Hamatocaulis vernicosus (Mitt.) Hedenäs Drepanocladus vernicosus
G5	S2	Haplocladium microphyllum (Hedw.) Broth. Bryohaplocladium microphyllum (Hedw.) Wat. & Iwats.
G5	SH	Haplocladium virginianum (Brid.) Broth. Bryohaplocladium virginianum (Brid.) Wat. & Iwats.
G5	S5	Hedwigia ciliata (Hedw.) P. Beauv.

GNR	SU	Hedwigia filiformis (Michx.) P. Beauv. Hedwigia integrifolia P. Beauv.
G5	S3	Helodium blandovii (Web. & Mohr.) Warnst. Elodium blandovii (Web. & Mohr.) Eckel
G3	S1	Helodium elodioides (Ren. & Card.) B.H. Allen Elodium elodioides (Ren. & Card. ex Roll.) Eckel
G5	S5	Herzogiella striatella (Brid.) Iwats.
G5	S2S3	Herzogiella turfacea (Lindb.) Iwats.
G5	S1	Heterocradiella dimorpha (Brid.) Ignatov & Fedosov Heterocladium dimorphum (Brid.) Schimp.
G5T5	S3S4	Homalia trichomanoides (Hedw.) Schimp. var. trichomanoides
G5?	SH	Homalotheciella subcapillata (Hedw.) Broth.
G3G5	S5	Homomallium adnatum (Hedw.) Broth.
G5?	S1	Hydrogonium orientale (F. Weber) Jan Kůčera Barbula indica (Hook.) Spreng. var. indica
G5	S5	Hygroamblystegium fluviatile (Hedw.) Loeske Amblystegium fluviatile (Hedw.) Schimp
G5	S2	Hygroamblystegium humile (P. Beauv.) Vanderp., Hedenäs & Goffinet Hygroamblystegium varium var. humile (P. Beauv.) Vanderp. & Hedenäs Leptodictyum humile (P. Beauv.) Ochyra Leptodictyum trichopodium (Schultz) Warnst. Amblystegium trichopodium (Schultz) C. Hartm.
G5	S5	Hygroamblystegium tenax (Hedw.) Jenn. Amblystegium tenax (Hedw.) C.E.O. Jensen
G5	S5	Hygroamblystegium varium (Hedw.) Mönk. Amblystegium varium (Hedw.) Lindb.
G5	S5	Hygrohypnella ochracea (Turner ex Wils.) Ignatov & Ignatova Hygrohypnum ochraceum (Turn. ex Wils.) Loeske
G3	S1	Hygrohypnum closteri (Aust.) Grout
G5	S2S3	Hygrohypnum luridum (Hedw.) Jenn.
G5	S5	Hylocomiadelphus triquetrus (Hedw.) Ochyra & Stebel Rhytidiadelphus triquetrus (Hedw.) Warnst.
G5	S2	Hylocomiastrum pyrenaicum (Spruce) Fleisch. in Broth. Hylocomium pyrenaicum (Spruce) Lindb.
G5	S4	Hylocomiastrum umbratum (Hedw.) Fleisch. in Broth. Hylocomium umbratum
G5	S5	Hylocomium splendens (Hedw.) Schimp.
G4G5	SH	Hymenoloma crispulum (Hedw.) Ochyra Dicranoweisia crispula (Hedw.) Lindb. ex Milde
G5	S3	Hymenostylium recurvirostrum (Hedw.) Dix. Gymnostomum recurvirostrum var. latifolium Gymnostomum recurvirostrum Gymnostomum recurvirostrum var. commutatum
G4G5	S3	Hyophila involuta (Hook.) Jaeg.
G4	SU	Hypnum andoi A.J.E. Sm.
G5	S3	Hypnum cupressiforme Hedw. s.l.
G5T5	SU	Hypnum cupressiforme Hedw. var. cupressiforme
G5TNR	S3	Hypnum cupressiforme Hedw. var. filiforme Brid.
G5TNR	S1	Hypnum cupressiforme Hedw. var. julaceum Brid.
G5	SH	Hypnum resupinatum Taylor Hypnum cupressiforme Hedw. var. resupinatum (Tayl. ex Spruce) Schimp.
GNR	S1	Imbricbryum mildeanum (Jur.) J.R. Spence
G5	S2	Isopterygiella pulchella (Hedw.) Ignatov & Ignatova Isopterygiopsis pulchella (Hedw.) Iwats.
GNR	SU	Isopterygiopsis catagonioides (Broth.) Ignatov & Ignatova
G5	SU	Isopterygiopsis muelleriana (Schimp.) Iwats. Isopterygium muellerianum
G4	SH	Isopterygium tenerum (Sw.) Mitt.
G5	S5	Jochenia pallescens (Hedw.) Hedenäs Hypnum pallescens (Hedw.) P. Beauv.
GNR	SH	Jochenia protuberans (Brid.) Kučera & Ignatov Hypnum protuberans Brid.
G5	S2S3	Koponeniella graminicolor (Brid.) Huttunen Bryhnia graminicolor (Brid.) Grout
G5	S4S5	Leptobryum pyriforme (Hedw.) Wils.

G5	S5	Leptodictyum riparium (Hedw.) Warnst. Amblystegium riparium Leptodictyum brevipes Leptodictyum laxirete Leptodictyum sipho Leptodictyum vacillans
G4G5	SH	Lescurea saxicola (Schimp.) Milde
G5	S2	Leskea gracilescens Hedw.
G5	S2	Leskea obscura Hedw.
G5	S5	Leskea polycarpa Hedw. Leskea arenicola Best Leskea polycarpa Hedw. var. paludosa (Hedw.) Schimp.
G5	S3	Leucobryum albidum (Brid. ex P. Beauv.) Lindb.
G5	S5	Leucobryum glaucum (Hedw.) Angstr. in Fries
G5	S1	Leucodon brachypus Brid. Leucodon brachypus Brid. var. brachypus
G5	SH	Leucodon julaceus (Hedw.) Sull.
G5	S4S5	Leucodon sciuroides (Hedw.) Schwaegr. Leucodon andrewsianus (Crum & Anderson) Reese & Anderson Leucodon brachypus Brid var. andrewsianus Crum & Anderson
G5	S1	Lewinskya elegans (Schwägr. ex Hook. & Grev.) F. Lara et al. Orthotrichum elegans Schwaegr. ex Hook. & Grev.
G5	S5	Lewinskya sordida (Sull. & Lesq.) F. Lara, Garilleti & Goffinet Orthotrichum sordidum Sull & Lesq. in Aust.
G5	S3	Lewinskya speciosa (Nees) F. Lara, Garilleti & Goffinet Orthotrichum speciosum Nees in Sturm s.l.
G5	S1	Lindbergia brachyptera (Mitt.) Kindb.
G5	S1	Loeskeobryum brevirostre (Brid.) Fleisch. in Broth. Hylocomium brevirostre
G5	S2	Meesia triquetra (Richt.) Angstr.
G5	SH	Meesia uliginosa Hedw.
G5TNR	S1	Microbryum davallianum (Sm.) R. H. Zand. var. davallianum Pottia davalliana (Sm. Ex Drake) C. Jens.
G5	S1	Microbryum floerkeanum (Web. & D. Mohr.) Schimp.
G4G5	S1	Micromitrium tenerum (Bruch. & Schimp.) Crosby
G5	S4S5	Mnium hornum Hedw.
G5	S3	Mnium lycopodioides Schwaegr. Mnium ambiguum H. Mull.
G5	S4	Mnium marginatum (With.) Brid. ex P. Beauv.
G5	S4	Mnium spinulosum Bruch & Schimp.
G5	S4	Mnium stellare Hedw.
G5	S2	Mnium thomsonii Schimp. Mnium orthorhynchum
G5	S2	Myurella julacea (Schwaegr.) Schimp.
G5	S5	Myurella sibirica (C. Mull.) Reim.
G5	S5	Neckera pennata Hedw. var. pennata
GNR	S1	Neckera oligocarpa Bruch. in Angstr.
G5T5	S3	Niphotrichum canescens (Hedwig) Bednarek-Ochyra & Ochyra subsp. canescens Racomitrium canescens (Hedw.) Brid. var. canescens
G5	S2S3	Nyholmiella obtusifolia (Brid.) Holmen & E. Warncke Orthotrichum obtusifolium Brid.
G5	SH	Oncophorus virens (Hedw.) Brid.
G5	S5	Orthodicranum flagellare (Hedw.) Loeske Dicranum flagellare Hedw.
G5	S5	Orthodicranum fulvum (Hook.) G. Roth Dicranum fulvum Hook.
G5	S5	Orthodicranum montanum (Hedw.) Loeske Dicranum montanum Hedw.
G5	S5	Orthotrichum anomalum Hedw.
GNR	S1	Orthotrichum lescurii Austin
G4	S2	Orthotrichum ohioense Sull & Lesq. in Aust.
G5	S1	Orthotrichum pumilum Sw.
G5	S5	Orthotrichum stellatum Brid.
G4	S2	Orthotrichum strangulatum P. Beauv.
G5	S2	Oxyrrhynchium hians (Hedw.) Loeske

		Eurhynchium hians (Hedw.) Sande Lac.
G5	S2	Paludella squarrosa (Hedw.) Brid.
G5	S1	Palustriella falcata (Brid.) Hedenäs
		Cratoneuron commutatum var. falcatum (Brid.) Mönk.
G5	S5	Paraleucobryum longifolium (Hedw.) Loeske
G5	SH	Pelekium minutulum (Hedw.) Touw
		Cyrto-hypnum minutulum (Hedw.) W.R. Buck & H.A. Crum
		Thuidium minutulum (Hedw.) Schimp.
G4G5	S1	Pelekium pygmaeum (Schimp.) Touw
		Cyrto-hypnum pygmaeum (Schimp.) W.R. Buck & H.A. Crum
		Thuidium pygmaeum Schimp.
G5T4?	SU	Philonotis caespitosa Jur.
		Philonotis fontana (Hedw.) Brid. var. caespitosa (Jur.) Schimp.
G5	S5	Philonotis fontana (Hedw.) Brid. var. fontana
G5	S3	Philonotis marchica (Hedw.) Brid.
		Philonotis muhlenbergii (Schwaegr.) Brid.
GNR	SU	Philonotis tomentella Molendo
		Philonotis fontana (Hedw.) Brid. var. pumila (Turn.) Brid.
G3	SH	Philonotis yezoana Besch. & Card. in Card.
G2G4	S1	Physcomitrium collenchymatum Gier
G4	S1	Physcomitrium immersum Sull.
G5	S4	Physcomitrium pyriforme (Hedw.) Hampe
G4G5	S2S3	Physcomitrium serratum (Wilson & Hook.) Müll. Hal.
		Aphanorrhegma serratum (Hook. f. & Wills. in Drumm.) Sull. in Gra
G5	S1	Plagiobryum zieri (Hedw.) Lindb.
G5	S5	Plagiomnium ciliare (Müll. Hal.) T. Kop.
		Mnium affine var. ciliare
		Mnium ciliare
G5	S5	Plagiomnium cuspidatum (Hedw.) T. Kop
		Mnium cuspidatum
G5	SH	Plagiomnium drummondii (Bruch. & Schimp.) T. Kop
		Mnium drummondii
G5	S3S4	Plagiomnium ellipticum (Brid.) T. Kop.
		Mnium affine
		Mnium affine var. rugicum
		Mnium rugicum
G5	S4	Plagiomnium medium (Bruch. & Schimp.) T. Kop. s.l.
		Mnium medium
G5	S2	Plagiomnium rostratum (Schrad.) T. Kop.
		Mnium longirostrum
G5	S4	Plagiopus oederianus (Sw.) H.A. Crum & L.E. Anderson
GNR	S5	Plagiothecium cavifolium (Brid.) Iwats.
GNR	S5	Plagiothecium denticulatum (Hedw.) Schimp.
G5	S5	Plagiothecium laetum Schimp.
G3G4	SH	Plagiothecium latebricola Schimp.
GNRQ	SU	Plagiothecium nemorale (Mitt.) A. Jaeger
GNR	SU	Plagiothecium succulentum (Wilson) Lindb.
G5	S1	Platydictya jungermannioides (Brid.) Crum
G5	S5	Platygyrium repens (Brid.) Schimp.
G5	S2	Platyhypnum duriusculum (De Not.) Ochyra
		Hygrohypnum duriusculum (De Not.) Jamieson
G5	SH	Platylomella lescurii (Sull. in Gray) Andrews
		Sciaromium lescurii
G5	S3S4	Pleuridium pallidum (Hedw.) Jan Kučera & Fedosov
		Ditrichum pallidum (Hedw.) Hampe
G3G5	S1	Pleuridium rhynchostegium (Kindb.) Fedosov & Jan Kučera
		Ditrichum rhynchostegium Kindb.
G5	S2S3	Pleuridium subulatum (Hedw.) Rabenh.
G5	S5	Pleurozium schreberi (Brid.) Mitt.
G5	S2	Pogonatum dentatum (Brid.) Brid.
G5	S5	Pogonatum pensilvanicum (Hedw.) P. Beauv.
G5	S3	Pogonatum urnigerum (Hedw.) P. Beauv.
G4G5	S1	Pohlia andalusica (Höhn.) Broth.
G4G5	S2	Pohlia annotina (Hedw.) Lindb.
G5	S2	Pohlia bulbifera (Warnst.) Warnst.

G5	S4	<i>Pohlia cruda</i> (Hedw.) Lindb.
G4	SH	<i>Pohlia drummondii</i> (C. Mull.) Andrews
G4G5TNR	S1	<i>Pohlia elongata</i> Hedw.
G4G5	SH	<i>Pohlia longicolla</i> (Hedw.) Lindb.
G4?	S1	<i>Pohlia melanodon</i> (Brid.) A.J. Shaw
G5	S5	<i>Pohlia nutans</i> (Hedw.) Lindb.
		<i>Pohlia sphagnicola</i> (Bruch & Schimp.) Broth.
G5	S1S3	<i>Pohlia prolifera</i> (Kindb. ex Breidl.) Lindb. ex Arnell
G5	S3	<i>Pohlia wahlenbergii</i> (Web. & Mohr) Andrews
		<i>Mniobryum wahlenbergii</i> (Web. & Mohr.) Jenn.
G5TNR	S5	<i>Polytrichastrum alpinum</i> (Hedw.) G.L. Sm. var. <i>alpinum</i>
		<i>Pogonatum alpinum</i>
G5	S5	<i>Polytrichum commune</i> Hedw.
G5	S2	<i>Polytrichum densifolium</i> Wilson ex Mitt.
		<i>Polytrichastrum formosum</i> Hedw. var. <i>densifolium</i> (Mitten) Z. Iwatsuki & A. Noguchi
G5	S5	<i>Polytrichum juniperinum</i> Hedw.
G5	S2	<i>Polytrichum longisetum</i> Sw. ex Brid.
		<i>Polytrichastrum longisetum</i> (Brid.) G. L. Smith
G5	S5	<i>Polytrichum ohioense</i> Renauld & Card.
		<i>Polytrichastrum ohioense</i> (Ren. & Card.) G. L. Smith
G4	S5	<i>Polytrichum pallidisetum</i> Funck
		<i>Polytrichastrum pallidisetum</i> (Funck) G. L. Smith
		<i>Polytrichum smithiae</i> Grout
G5T5	S2	<i>Polytrichum perigoniale</i> Michx.
G5	S5	<i>Polytrichum piliferum</i> Hedw.
G5	S3	<i>Polytrichum strictum</i> Brid.
		<i>Polytrichum juniperinum</i> var. <i>affine</i>
G5	S5	<i>Pseudanomodon attenuatus</i> (Hedw.) Ignatov & Fedosov
		<i>Anomodon attenuatus</i> (Hedw.) Hub.
G5	S2	<i>Pseudoamblystegium subtile</i> (Hedw.) Vanderp. & Hedenäs
		<i>Serpoleskea subtilis</i> (Hew.) Loeske
		<i>Platydictya subtilis</i> (Hedw.) Crum
G5	S2S3	<i>Pseudobryum cinclidioides</i> (Hub.) T. Kop.
		<i>Mnium cinclidioides</i>
G3G5	SH	<i>Pseudocampylium radicale</i> (P. Beauv.) Vanderpoorten & Hedenäs
		<i>Campylium radicale</i> (P. Beauv.) Grout
		<i>Amblystegium radicale</i> (P. Beauv.) Schimp.
GNR	S4?	<i>Pseudohygrohypnum appalachianum</i> Brinda, Fedosov & Ignatova
G5	S1S3	<i>Pseudohygrohypnum fauriei</i> (Card.) Kučera & Ignatov
		<i>Hypnum fauriei</i> Card.
G3	S1	<i>Pseudohygrohypnum subeugyrium</i> (Ren. & Card.) Ignatov & Ignatova
		<i>Hygrohypnum subeugyrium</i> (Ren. & Card.) Broth.
G5	S5	<i>Pseudoleskeella nervosa</i> (Brid.) Nyholm
		<i>Leskeella nervosa</i> (Brid.) Loeske
G5	S1	<i>Pseudoleskeella tectorum</i> (Funck ex Brid.) Kindb. ex Broth.
G5	S2S3	<i>Pseudotaxiphyllum elegans</i> (Brid.) Iwats.
		<i>Isopterygium elegans</i>
GNR	S2S3	<i>Pseudotaxiphyllum subfalcatum</i> (Austin) X.Q. Li, Q. Zuo & Y.F. Wang
G5	S3	<i>Pterigynandrum filiforme</i> Hedw.
G5	S5	<i>Ptilium crista-castrensis</i> (Hedw.) De Not.
G4	S1	<i>Ptychomitrium incurvum</i> (Schwaegr.) Spruce
G5	SU	<i>Ptychostomum bimum</i> (Schreb.) J.R. Spence
		<i>Bryum pseudotriquetrum</i> var. <i>bimum</i>
G3G5	SH	<i>Ptychostomum cernuum</i> (Hedw.) Hornsch.
G5	SH	<i>Ptychostomum compactum</i> Hornsch.
		<i>Bryum algovicum</i> Sendt. ex Mull.
		<i>Ptychostomum caespiticiu</i> Brid.
		<i>Ptychostomum pendulum</i> Hornsch.
G5	S5	<i>Ptychostomum creberrimum</i> (Taylor) J.R. Spence & H.P. Ramsay
		<i>Bryum lisae</i> De Not. var. <i>cuspidatum</i> (Bruch & Schimp.) Marg.
		<i>Bryum creberrimum</i>
G5	S4S5	<i>Ptychostomum imbricatum</i> (Müll. Hal.) Holyoak & N. Pedersen
		<i>Gemmabryum caespiticiu</i> (Hedw.) J.R. Spence
		<i>Bryum caespiticiu</i> Hedw.
G5	S2	<i>Ptychostomum pallens</i> (Swartz) J. R. Spence

		<i>Bryum pallens</i> (Brid.) Sw. in Rohl.
G5	S1	<i>Ptychostomum pallescens</i> (Schleich. ex Schwägr.) J.R. Spence <i>Bryum pallescens</i> Schleich. ex Schwägr.
G5	S5	<i>Ptychostomum pseudotriquetrum</i> (Hedw.) J.R. Spence & H.P. Ramsay ex Holyoak & N. Pedersen <i>Bryum pseudotriquetrum</i>
G5	S2	<i>Ptychostomum weigelii</i> (Spreng.) J.R. Spence <i>Bryum weigelii</i> Spreng. in Biehler
G5	S5	<i>Pylaisia intricata</i> (Hedw.) Schimp.
G5	S2S4	<i>Pylaisia polyantha</i> (Hedw.) Schimp.
G5	S5	<i>Pylaisia selwynii</i> Kindb. <i>Pylaisiella selwynii</i> (Kindb.) H. A. Crum, Steere & L. E. Anderson
G5?	S1	<i>Pylaisiadelpha tenuirostris</i> (Bruch & Schimp. ex Sull.) W.R. Buck <i>Pylaisia tenuirostris</i> (Bruch & Schimp. ex Sull.) A. Jaeger
G3G5	S3	<i>Rauiera scita</i> (P. Beauv.) Reim. <i>Rauiera scita</i> (P. Beauv.) Reim. var. <i>aestivalis</i> (Aust.) Wijk & Morgad. <i>Thuidium scitum</i>
G5	S3	<i>Rhabdoweisia crispata</i> (With.) Lindb.
G5	S5	<i>Rhizomnium appalachianum</i> T. Kop. <i>Mnium punctatum</i> var. <i>appalachianum</i> <i>Mnium punctatum</i> var. <i>elatum</i>
G5	S5	<i>Rhizomnium chlorophyllosum</i> (Kindb.) T. Kop. <i>Rhizomnium punctatum</i> (Hedw.) T. Kop. <i>Mnium punctatum</i>
G5	SU	<i>Rhizomnium magnifolium</i> (Horik.) T. Kop. <i>Mnium punctatum</i> var. <i>elatum</i>
G5	S2	<i>Rhizomnium pseudopunctatum</i> (Bruch. & Schimp.) T. Kop. <i>Mnium pseudopunctatum</i>
G5	S5	<i>Rhodobryum ontariense</i> (Kindb.) Kindb. <i>Rhodobryum roseum</i> (Hedw.) Limpr.
G4	S5	<i>Rhynchostegium aquaticum</i> Spruce
G5	S3S5	<i>Rhynchostegium serrulatum</i> (Hedw.) A. Jaeger <i>Steerecleus serrulatus</i> (Hedw.) Robbins
G5	S5	<i>Rhytidiadelphus subpinnatus</i> (Lindb.) T.J. Kop.
G5	S3	<i>Rhytidium rugosum</i> (Hedw.) Kindb.
G5	S4	<i>Rosulabryum capillare</i> (Hedw.) J.R. Spence <i>Bryum capillare</i> Hedw. s. l.
GNR	SU	<i>Rosulabryum moravicum</i> (Podp.) Ochyra & Stebel <i>Rosulabryum laevifilum</i> (Syed) Ochyra <i>Bryum laevifilum</i> Syed
G5?	S2S3	<i>Ruficaulis rufescens</i> (Dicks.) Bonfim Santos & Fedosov <i>Dicranella rufescens</i> (With.) Schimp.
G5	S2	<i>Saelania glaucescens</i> (Hedw.) Broth. in Bomanss. & Broth.
G5	S5	<i>Sanionia uncinata</i> (Hedw.) Warnst. <i>Drepanocladus uncinatus</i>
G5	S3	<i>Schistidium agassizii</i> Sull. & Lesq. in Sull. <i>Grimmia agassizii</i> <i>Grimmia alpicola</i> <i>Schistidium alpicola</i> (Hedw.) Limpr.
G5	SU	<i>Schistidium apocarpum</i> (Hedw.) Bruch. & Schimp. s.s.
G4	S1	<i>Schistidium boreale</i> Poelt
G5	SU	<i>Schistidium canadense</i> (Dupr.) Ignatova & H.H. Blom <i>Schistidium apocarpum</i> (Hedw.) Bruch. & Schimp. subsp. <i>canadense</i> (Dupr.) H. H. Blom
GNR	S1	<i>Schistidium crassithecium</i> H.H. Blom ex B.H. Allen
GNR	S2	<i>Schistidium dupretii</i> (Thér.) W.A. Weber
GNR	SH	<i>Schistidium lancifolium</i> (Kindb.) H. H. Blom
GNR	S3	<i>Schistidium liliputanum</i> (Mull. Hal.) Deguchi
G5	S1	<i>Schistidium papillosum</i> Culm.
G5	S4	<i>Schistidium rivulare</i> (Brid.) Podp. <i>Grimmia alpicola</i> var. <i>rivularis</i> <i>Grimmia rivularis</i>
G3	SH	<i>Schistidium trichodon</i> (Brid.) Poelt.
GNR	S2	<i>Schistidium viride</i> H. H. Blom
G4	S3	<i>Schistostega pennata</i> (Hedw.) Web. & Mohr.
G5	S1	<i>Schwetschkeopsis fabronia</i> (Schwaegr.) Broth.
G5	S5	<i>Sciuro-hypnum curtum</i> (Lindb.) Ignatov

		Brachythecium curtum (Lindb.) Limpr.
		Brachythecium oedipodium (Mitt.) Jaeg. (misapplied)
G5	S5	Sciuro-hypnum plumosum (Hedw.) Ignatov & Huttunen
		Brachythecium plumosum (Hedw.) Schimp.
G5	S5	Sciuro-hypnum populeum (Hedw.) Ignatov & Huttunen
		Brachythecium populeum (Hedw.) Schimp.
G5	S5	Sciuro-hypnum reflexum (Starke) Ignatov & Huttunen
		Brachythecium reflexum (Starke in Web. & Mohr.) Schimp. var. reflexum
G5	S1	Sciuro-hypnum starkei (Brid.) Ignatov & Huttunen
		Brachythecium starkei (Brid.) Schimp.
G5	S3	Scorpidium cossonii (Schimp.) Hedenäs
		Limprichtia cossonii (Schimp.) Anderson et al.
G5	S1S3	Scorpidium revolvens (Sw.) Rubers
		Limprichtia revolvens (Sw.) Loeske
		Drepanocladus revolvens
G5	S2	Scorpidium scorpioides (Hedw.) Limpr.
G4?	S1	Seligeria calcarea (Hedw.) Bruch. & Schimp.
G4G5	S1	Seligeria donniana (Sm.) C. Mull.
G3G5	S1	Seligeria pusilla (Hedw.) Bruch & Schimp.
G4	SH	Seligeria tristichoides Kindb.
G5	S1	Sematophyllum adnatum (Michx.) Britt.
G5	S1	Sematophyllum demissum (Wils.) Mitt.
G5	S1	Sematophyllum marylandicum (C. Mull.) Britt.
G4G5	S2S4	Serpoleskea confervoides (Brid.) Loeske
		Platydictya confervoides (Brid.) Crum
G5	S1	Sphagnum affine Ren. & Card.
G5	S1	Sphagnum angermanicum Melin
G5	S5	Sphagnum angustifolium (C. Jens. ex Russ.) C. Jens. in Tolf
		Sphagnum recurvum var. tenue
G5	S1	Sphagnum austinii Sull. in Aust.
G5	S5	Sphagnum capillifolium (Ehrh.) Hedw.
		Sphagnum nemoreum
		Sphagnum subtile (Russ.) Warnst.
G5	S5	Sphagnum centrale C. Jens. in Arnell & C. Jens.
G5	S1	Sphagnum compactum DC. in Lam. & DC.
G5	S2	Sphagnum contortum Schultz
		Sphagnum subsecundum var. contortum
G5	S3S4	Sphagnum cuspidatum Ehrh. ex Hoffm.
		Sphagnum viride Flatb.
GNR	SU	Sphagnum divinum Flatberg & Hassel
		One of several species formerly identified as Sphagnum magellanicum
G5	S5	Sphagnum fallax (Klinggr.) Klinggr.
		Sphagnum recurvum var. brevifolium
		Sphagnum brevifolium (Lindb. ex Braithw.) Röhl.
		Sphagnum isoviitae Flatberg
G5	S5	Sphagnum fimbriatum Wils. in Wils. & Hook. f. in Hook. f. subsp. fimbriatum
G5	S2	Sphagnum flexuosum Dozy & Molk.
		Sphagnum recurvum var. amblyphyllum
G5	S5	Sphagnum fuscum (Schimp.) Klinggr.
G5	S5	Sphagnum girgensohnii Russ.
G5	S2	Sphagnum lescurii Sull. in Gray
		Sphagnum inundatum Russ. (eastern North American collections)
		Sphagnum subsecundum var. rufescens
G5?	S1	Sphagnum lindbergii Schimp. in Lindb.
G5	S2	Sphagnum majus (Russ.) C. Jens.
		Sphagnum majus subsp. majus (Russ.) C. Jens.
		Sphagnum majus subsp. norvegicum Flatberg
GNR	SU	Sphagnum medium Limpr.
		One of several species formerly identified as Sphagnum magellanicum
G5	S5	Sphagnum palustre L.
		Sphagnum henryense Warnst.
G5	S3	Sphagnum papillosum Lindb.
G5	S1	Sphagnum platyphyllum (Lindb. ex Braithw.) Sull. ex Warnst.
G5	S1	Sphagnum pulchrum (Lindb. ex Braithw.) Warnst.
G5	S3	Sphagnum quinquefarium (Lindb. ex Braithw.) Warnst.

G5	S1	<i>Sphagnum recurvum</i> P. Beauv.
G5	S1	<i>Sphagnum riparium</i> Angstr.
G5	S5	<i>Sphagnum rubellum</i> Wils. <i>Sphagnum capillifolium</i> var. <i>tenellum</i> <i>Sphagnum andersonianum</i> Andrus <i>Sphagnum bartlettianum</i> Warnst.
G5	S5	<i>Sphagnum russowii</i> Warnst. <i>Sphagnum robustum</i> (Warnst.) Röll
G5	S5	<i>Sphagnum squarrosum</i> Crome
G5	S2	<i>Sphagnum subfulvum</i> Sjors <i>Sphagnum nitidum</i> Warnst.
G5	S4	<i>Sphagnum subsecundum</i> Nees in Sturm
G5	S1	<i>Sphagnum tenellum</i> (Brid.) Bory
G5	S4	<i>Sphagnum teres</i> (Schimp.) Angstr. in Hartm.
G5	SU	<i>Sphagnum torreyanum</i> Sull. <i>Sphagnum atlanticum</i> Andrus
G5	S5	<i>Sphagnum warnstorffii</i> Russ.
G5	S3	<i>Sphagnum wulfianum</i> Girg.
G5	S3	<i>Splachnum ampullaceum</i> Hedw.
G4?	S1	<i>Splachnum pensylvanicum</i> (Brid.) Grout ex Crum
G5	S3	<i>Stereodon pratensis</i> (W.D.J. Koch ex Spruce) Warnst. <i>Hypnum pratense</i> (Rabenh.) W. Koch ex Spruce
G5	S2S3	<i>Streblotrichum convolutum</i> (Hedw.) P.-Beauv. <i>Barbula convoluta</i> Hedw. var. <i>convolute</i>
G5	S1	<i>Syntrichia papillosa</i> (Wils. ex Spruce) Spruce
G5	S2	<i>Syntrichia ruralis</i> (Hedw.) Web. & Mohr <i>Tortula ruralis</i> (Hedw.) Gaertn. et al.
G4G5	S3	<i>Taxiphyllum deplanatum</i> (Bruch. & Schimp. ex Sull.) Fleisch.
G4	SH	<i>Tayloria tenuis</i> (Dicks.) Schimp.
G5T5	S5	<i>Tetraphis pellucida</i> Hedw. var. <i>pellucida</i>
G5	S1	<i>Tetraplodon angustatus</i> (Hedw.) Bruch & Schimp.
G4	S1	<i>Tetraplodon mnioides</i> (Hedw.) Bruch. & Schimp.
GNR	S2	<i>Tetrodontium brownianum</i> (Dicks.) Schwägr.
GNR	S1	<i>Tetrodontium ovatum</i> (Funck) Schwägr.
G5?	S3	<i>Thamnobryum subseriatum</i> (Hook. ex Harv.) Nog. & Z. Iwats. <i>Thamnobryum alleghaniense</i> (C. Mull.) Nieuwl.
G5	S2	<i>Thelia asprella</i> Sull. in Sull. & Lesq.
G5	SH	<i>Thelia hirtella</i> (Hedw.) Sull. in Sull. & Lesq.
G5	SU	<i>Thuidium assimile</i> (Mitt.) A. Jaeger <i>Thuidium delicatulum</i> (Hedw.) Schimp. var. <i>radicans</i> (Kindb.) H. A. Crum <i>Thuidium philibertii</i> Limpr.
G5	S5	<i>Thuidium delicatulum</i> (Hedw.) Schimp. <i>Thuidium delicatulum</i> (Hedw.) Schimp. var. <i>delicatulum</i>
G5	S5	<i>Thuidium recognitum</i> (Hedw.) Lindb.
G5	S1	<i>Timmia comata</i> Lindb. & Arnell <i>Timmia norvegica</i> var. <i>excurrens</i> Bryhn
G5	S2	<i>Timmia megapolitana</i> Hedw. <i>Timmia megapolitana</i> Hedw. subsp. <i>megapolitana</i>
G3G5	S1	<i>Tomentypnum falcifolium</i> (Ren. ex Nichols) Tuom. in Ahti & Fagers. <i>Tomentypnum nitens</i> var. <i>falcifolium</i>
G5	S3	<i>Tomentypnum nitens</i> (Hedw.) Loeske
G4G5	S1	<i>Tortella densa</i> (Lorentz & Molendo) Limpr. <i>Tortella inclinata</i> var. <i>densa</i> (Lorentz & Molendo) Limpr.
G5	S1	<i>Tortella fragilis</i> (Drumm.) Limpr.
G5	S3	<i>Tortella humilis</i> (Hedw.) Jenn.
G4G5	S1	<i>Tortella inclinata</i> (Hedw.) Limpr.
G5	S5	<i>Tortella tortuosa</i> (Hedw.) Limpr. <i>Tortella tortuosa</i> (Hedw.) Limpr. var. <i>tortuosa</i>
G5	S2	<i>Tortula mucronifolia</i> Schwaegr.
G5	S1	<i>Tortula obtusifolia</i> (Schwaegr.) Mathieu <i>Desmatodon obtusifolius</i> (Schwaegr.) Schimp.
G3?	SH	<i>Tortula porteri</i> (James) Broth. <i>Desmatodon porteri</i> James in Aust.
G3G5	S3	<i>Tortula truncata</i> (Hedw.) Mitt. <i>Pottia truncata</i> (Hedw.) Bruch & Schimp.

G5	S2S3	<i>Trematodon ambiguus</i> (Hedw.) Hornsch.
G5	S1	<i>Trematodon longicollis</i> Michx.
G4G5	S1	<i>Trichostomum crispulum</i> Bruch in F. Muell.
G5	S5	<i>Ulota coarctata</i> (P. Beauv.) Hammar
G5	S5	<i>Ulota crispula</i> Bruch
G4G5	S1	<i>Ulota curvifolia</i> (Wahl.) Lilj.
G5T5	S5	<i>Ulota hutchinsiae</i> (Sm.) Hammar var. <i>hutchinsiae</i>
G5	S2S3	<i>Warnstorfia exannulata</i> (Schimp.) Loeske
		<i>Sarmentypnum exannulatum</i> (Schimp.) Hedenäs
		<i>Drepanocladus exannulatus</i>
G5	S4	<i>Warnstorfia fluitans</i> (Hedw.) Loeske
		<i>Drepanocladus fluitans</i>
G3G4	S1	<i>Warnstorfia pseudostraminea</i> (Müll. Hal.) Tuom. & T.J. Kop.
G5	S3	<i>Warnstorfia straminea</i> (Dicks. ex Brid.) W.R. Buck & Goffinet
		<i>Straminergon stramineum</i> (Dicks. ex Brid.) Hedenäs
		<i>Calliergon stramineum</i> (Brid.) Kindb
G5	S4	<i>Weissia controversa</i> Hedw.
G5	S1S3	<i>Weissia muhlenbergiana</i> (Sw.) W. D. Reese & B. A. E. Lemmon
		<i>Astomum muhlenbergianum</i> (Sw.) Grout
G3G5	S1	<i>Zygodon conoideus</i> (Dicks.) Hook. & Tayl.

Liverworts

G5	S2	<i>Anastrophyllum michauxii</i> (F. Weber) H. Buch
G5T5	S5	<i>Aneura pinguis</i> (L.) Dum. var. <i>pinguis</i>
		<i>Riccardia pinguis</i> (L.) Gray
GNR	S1	<i>Aneura sharpii</i> Inoue & N.G. Mill.
G5	SU	<i>Apopellia endiviifolia</i> (Dicks.) Nebel & D. Quandt
		<i>Pellia endiviifolia</i> (Dicks.) Dumort.
GNR	S1	<i>Apopellia megaspora</i> (R. M. Schust.) Nebel & D. Quandt
		<i>Pellia megaspora</i> Schust.
G5	S3	<i>Asterella tenella</i> (L.) P. Beauv.
G5	S5	<i>Barbilophozia barbata</i> (Schmid. ex Schreb.) Loeske
		<i>Lophozia barbata</i> (Schmid.) Dum.
G5	S1	<i>Barbilophozia hatcheri</i> (Evans) Loeske
		<i>Lophozia hatcheri</i> (Evans) Steph.
G5	S1	<i>Barbilophozia lycopodioides</i> (Wallr.) Loeske
G4G5	S1	<i>Barbilophozia sudetica</i> (Nees ex Huebener) L. Soderstr., De Roo & Hedd.
		<i>Lophozia sudetica</i> (Nees) Grolle
		<i>Pseudolophozia sudetica</i> (Nees ex Huebener) Konstant. & Vilnet
G4G5	S4	<i>Bazzania denudata</i> (Torrey ex Gott. et al.) Trev.
G4T4	S3	<i>Bazzania tricenata</i> (Wahlenb.) Lindb. var. <i>tricenata</i>
G5T5	S5	<i>Bazzania trilobata</i> (L.) Gray var. <i>trilobata</i>
G5	S5	<i>Blasia pusilla</i> L.
G5T5	S5	<i>Blepharostoma trichophyllum</i> (L.) Dumort. subsp. <i>trichophyllum</i>
G5	SH	<i>Calypogeia azurea</i> Stotler & Crotz
G5	S4	<i>Calypogeia integristipula</i> Steph.
G5T5	S4	<i>Calypogeia muelleriana</i> (Schiffn.) Müll.Frib. subsp. <i>muelleriana</i>
G5	S4	<i>Calypogeia neesiana</i> (Mass. & Carest.) K. Mull.
G4	S5	<i>Calypogeia neogaea</i> (Schust.) Bakalin
		<i>Calypogeia fissa</i> (L.) Raddi subsp. <i>neogaea</i> Schust.
G4G5	S3	<i>Calypogeia sphagnicola</i> (Arnell & J. Perss.) Warnst. & Loeske
G5	SH	<i>Calypogeia suecica</i> (H. Arnell & J. Perss.) K. Mull.
G3G4	S1	<i>Cephalozia ambigua</i> C. Massal.
G5	S4	<i>Cephalozia bicuspidata</i> (L.) Dum.
G5T5	S3	<i>Cephaloziella divaricata</i> (Sm.) Schiffn. var. <i>divaricata</i>
		<i>Cephaloziella byssacea</i> (Roth) Warnst.
		<i>Cephaloziella starkei</i> (Funck.) Schiffn.
G4	S2	<i>Cephaloziella elachista</i> (Jack) Schiffn.
G3?	SH	<i>Cephaloziella elegans</i> (Heeg) Schiffn.
G5	S3	<i>Cephaloziella hampeana</i> (Nees) Schiffn.
G3G5	SH	<i>Cephaloziella massalongoi</i> (Spruce) K. Mull.
GNR	S2	<i>Cephaloziella rubella</i> (Nees) Warnst.
		<i>Cephaloziella rubella</i> (Nees) Warnst. var. <i>bifida</i> (Schmid. ex Hoffm.) Douin
G2G4	S1	<i>Cephaloziella stellulifera</i> (Tayl.) Schiffn.

G5	SH	<i>Cephaloziella varians</i> (Gott.) Steph.
G5T4	SH	<i>Chiloscyphus pallescens</i> (Ehrh. ex Hoffm.) Dum. var. <i>fragilis</i> (Roth) K. Mull.
G5T5	S2	<i>Chiloscyphus pallescens</i> (Ehrh. ex Hoffm.) Dum. var. <i>pallescens</i>
G5T4	S1	<i>Chiloscyphus polyanthos</i> (L.) Corda var. <i>polyanthos</i>
G5T4	SH	<i>Chiloscyphus polyanthos</i> (L.) Corda var. <i>rivularis</i> (Schrad.) Nees
G3G4	SH	<i>Cladoradula tenax</i> (Lindb.) M.A.M. Renner, Gradst., Ilk-Borg., & F.R. Oliveira-da-Silva
		<i>Radula tenax</i> Lindb.
G5	SH	<i>Clevea hyalina</i> (Sommert.) Lindb.
		<i>Athalamia hyalina</i> (Sommert.) Hatt.
G5	S4	<i>Cololejeunea biddlecomeae</i> (Aust.) Evans
G5	S5	<i>Conocephalum salebrosum</i> Szweyk., Buczk. & Odrzyk.
G5	S2	<i>Crossocalyx hellerianus</i> (Nees ex Lindenb.) Meyl.
		<i>Anastrophyllum hellerianum</i> (Nees) Schust.
G5	S4	<i>Diplophyllum apiculatum</i> (Evans) Steph.
G2	SH	<i>Diplophyllum obtusatum</i> (R.M. Schust.) R.M. Schust.
G5T5	S3	<i>Diplophyllum taxifolium</i> (Wahlenb.) Dumort. var. <i>taxifolium</i>
G5	S2	<i>Fossombronia foveolata</i> Lindb.
G4G5	SH	<i>Fossombronia wondraczekii</i> (Corda) Dumort. ex Lindb.
G3	S1	<i>Frullania appalachiana</i> R.M. Schust.
G5	S5	<i>Frullania asagrayana</i> Mont.
		<i>Frullania tamarisci</i> (L.) Dum. subsp. <i>asagrayana</i> (Mont.) Hatt.
GNR	S1	<i>Frullania austinii</i> J.J. Atwood, Vilnet, Mamontov, & Konstant.
G4	S2	<i>Frullania brittoniae</i> Evans
G5	S5	<i>Frullania eboracensis</i> Gott.
G5	S2	<i>Frullania inflata</i> Gott.
G5	S2	<i>Frullania oakesiana</i> Aust.
G4	S1	<i>Frullania plana</i> Sull.
G4G5	S2	<i>Frullania riparia</i> Hampe ex Lehm.
G3	S1	<i>Frullania selwyniana</i> Pears.
G5	S2	<i>Fuscocephaloziopsis catenulata</i> (Huebener) Váňa & L. Söderstr.
		<i>Cephalozia catenulata</i> (Hub.) Lindb.
G5	S2	<i>Fuscocephaloziopsis connivens</i> (Dicks.) Váňa & L. Söderstr.
		<i>Cephalozia connivens</i> (Dicks.) Lindb. s.l.
G4	SH	<i>Fuscocephaloziopsis leucantha</i> (Spruce) Váňa & L. Söderstr.
		<i>Cephalozia leucantha</i> Spruce
G5	S5	<i>Fuscocephaloziopsis lunulifolia</i> (Dumort.) Váňa & L. Söderstr.
		<i>Cephalozia lunulifolia</i> (Dum.) Dum.
		<i>Cephalozia media</i> Lindb.
G4	SH	<i>Fuscocephaloziopsis macrostachya</i> (Kaal.) Váňa & L. Söderstr.
		<i>Cephalozia macrostachya</i> Kaal. subsp. <i>macrostachya</i>
G5	S2	<i>Fuscocephaloziopsis pleniceps</i> (Austin) Váňa & L. Söderstr.
		<i>Cephalozia pleniceps</i> (Aust.) Lindb. var. <i>pleniceps</i>
G5	S5	<i>Geocalyx graveolens</i> (Schrad.) Nees
G5T5	S2	<i>Gymnocolea inflata</i> (Huds.) Dum. subsp. <i>inflata</i>
G5T3Q	SH	<i>Gymnocolea inflata</i> (Huds.) Dum. subsp. <i>acutiloba</i> (Schiffn.) R.M. Schust. & Damsh. ex L. Söderstr. & Váňa
G5	SH	<i>Gymnomitrium concinnatum</i> (Lightf.) Corda
G4?	S2	<i>Harpanthus drummondii</i> (Tayl.) Grolle
G4G5	S2	<i>Harpanthus scutatus</i> (Web & Mohr) Spruce
G4	SH	<i>Heterogemma capitata</i> (Hook.) Konstant. & Vilnet
		<i>Lophozia capitata</i> (Hook.) Macoun
G4	S2	<i>Heterogemma laxa</i> (Lindb.) Konstant. & Vilnet
		<i>Lophozia laxa</i> (Lindb.) Grolle
		<i>Lophozia marchica</i> (Nees) Steph.
G5	S3	<i>Isopaches bicrenatus</i> (Schmid.) Buch
		<i>Lophozia bicrenata</i> (Schmid. ex Hoffm.) Dum.
G5T5	S2	<i>Jubula hutchinsiae</i> (Hook.) Dumort. subsp. <i>pennsylvanica</i> (Steph.) Verd.
		<i>Jubula pennsylvanica</i> (Steph.) Evans subsp. <i>pennsylvanica</i>
G5	SH	<i>Jungermannia eucordifolia</i> Schljakov
		<i>Jungermannia exsertifolia</i> Steph. subsp. <i>cordifolia</i> (Dumort.) Váňa
		<i>Solenostoma cordifolium</i> (Hook.) Steph.
G5	S3	<i>Jungermannia pumila</i> With.
		<i>Solenostoma pumilum</i> (With.) K. Mull.
G5	S1	<i>Kurzia pauciflora</i> (Dicks.) Grolle
G5	S5	<i>Lejeunea cavifolia</i> (Ehrh.) Lindb. emend. Buch
G5T4	S1	<i>Lejeunea lamacerina</i> (Steph.) Schiffn. subsp. <i>gemminata</i> Schust.

G5	S5	<i>Lepidozia reptans</i> (L.) Dum.
G5	S4	<i>Lioclaena lanceolata</i> Nees
		<i>Jungermannia leiantha</i> Grolle
		<i>Jungermannia lanceolata</i> L. amend. Schrad.
G5	S1	<i>Lophocolea bidentata</i> (L.) Dum.
		<i>Lophocolea cuspidata</i> (Nees) Limpr. var. <i>alata</i> K. Mull.
G5	S5	<i>Lophocolea heterophylla</i> (Schrad.) Dum.
		<i>Chiloscyphus profundus</i> (Nees) Engel & Schust.
G5	S2	<i>Lophocolea minor</i> Nees
		<i>Chiloscyphus minor</i> (Nees) Eng. & Schust.
G4	S1	<i>Lophozia ascendens</i> (Warnst.) Schust.
	S2	<i>Lophozia guttulata</i> (Lindb. & H. Arnell) Evans
G5	S3	<i>Lophozia longiflora</i> (Nees) Schiffn.
		<i>Lophozia porphyroleuca</i> (Nees) Schiffn.
		<i>Lophozia ventricosa</i> (Dicks.) Dum. var. <i>longiflora</i> (Nees) Macoun
G5	S1	<i>Lophozia silvicola</i> H. Buch
G5T4T5	S4	<i>Lophozia ventricosa</i> (Dicks.) Dum. var. <i>ventricosa</i>
G4G5T4	S1	<i>Lophozia wenzelii</i> (Nees) Steph. var. <i>wenzelii</i>
		<i>Lophocolea confertifolia</i> Schiffn.
G5	S1	<i>Lophozopsis excisa</i> (Dicks.) Konstant. & Vilnet
		<i>Lophozia excisa</i> (Dicks.) Dum. s.l.
G5?	S3	<i>Lophozopsis longidens</i> (Lindb.) Konstant. & Vilnet
		<i>Lophozia longidens</i> (Lindb.) Macoun subsp. <i>longidens</i>
G5	SH	<i>Lunularia cruciata</i> (L.) Dum.
G5	S1	<i>Mannia fragrans</i> (Balbis) Frye & Clark
G4?	SH	<i>Mannia pilosa</i> (Hornem.) Frye & Clark
G4?	SH	<i>Mannia sibirica</i> (Müll. Frib.) Frye & L. Clark
G3G4	SH	<i>Mannia triandra</i> (Scop.) Grolle
		<i>Mannia rupestris</i> (Nees) Frye & L. Clark
G5T3T5	S1	<i>Marchantia polymorpha</i> subsp. <i>montivagans</i> Bischl. & Boissel.-Dub.
		<i>Marchantia alpestris</i> (Nees) Burgeff
G5TNR	S2	<i>Marchantia polymorpha</i> L. subsp. <i>polymorpha</i>
		<i>Marchantia aquatica</i> (Nees) Burgeff
G5TNR	S5	<i>Marchantia polymorpha</i> subsp. <i>ruderalis</i> Bischl. & Boissel.-Dub.
G5T5	S5	<i>Marchantia quadrata</i> Scop. subsp. <i>quadrata</i>
		<i>Preissia quadrata</i> (Scop.) Nees subsp. <i>quadrata</i>
G5TNR	S1	<i>Marchantia quadrata</i> Scop. subsp. <i>hyperborea</i> (Schust.) Borovich.
		<i>Preissia quadrata</i> (Scop.) Nees subsp. <i>hyperborea</i> Schust
G5	S3	<i>Marsupella emarginata</i> (Ehrh.) Dum.
		<i>Marsupella ustulata</i> (Hub.) Spruce var. <i>ustulata</i>
G5	S1	<i>Marsupella sphacelata</i> (Gieseke) Dum.
G5?	S1	<i>Mesoptychia badensis</i> (Gottsche) L. Söderstr. & Vána
		<i>Lophozia badensis</i> (Gott. ex Rabenh.) Schiffn. var. <i>badensis</i>
G5	S1	<i>Mesoptychia collaris</i> (Nees) L. Söderstr. & Vána
		<i>Lophozia alpestris</i>
G5	S3	<i>Mesoptychia gillmanii</i> (Austin) L. Söderstr. & Vána
		<i>Lophozia gillmanii</i> (Aust.) Schust. s.l.
		<i>Leiocolea gillmanii</i> (Aust.) Evans
G5TU	SH	<i>Mesoptychia heterocolpos</i> (Thed.) L. Söderstr. & Vána var. <i>heterocolpos</i>
		<i>Lophozia heterocolpos</i> (Thed.) M.A. Howe var. <i>heterocolpos</i>
		<i>Leiocolea heterocolpa</i> (Thed.) ex Hartm.) Buch.
GNR	SH	<i>Mesoptychia rutheana</i> (Limpr.) L. Söderstr. & Vána
		<i>Lophozia rutheana</i> (Limpr.) M.A. Howe
G5	S5	<i>Metzgeria conjugata</i> Lindb.
G4G5	S2	<i>Metzgeria crassipilis</i> (Lindb.) Evans
G5	S5	<i>Metzgeria furcata</i> (L.) Dum.
G5	SH	<i>Metzgeria pubescens</i> (Schrank) Raddi
		<i>Apometzgeria pubescens</i> (Schrank) Kuwah.
GNR	S2	<i>Moerckia flotoviana</i> (Nees) Schiffn.
G4?	S3	<i>Moerckia hibernica</i> (Hook.) Gott.
G5	S4	<i>Mylia anomala</i> (Hook.) S. Gray
G5	S2	<i>Mylia taylorii</i> (Hook.) S. Gray
G5T5	SH	<i>Nardia scalaris</i> S. Gray var. <i>scalaris</i>
G5	S4	<i>Neorthocaulis attenuatus</i> (Mart.) L. Söderstr., De Roo, Hedd. & Mart.
		<i>Barbilophozia attenuata</i> (Mart.) Loeske

		<i>Lophozia attenuata</i> (Mart.) Dum.
G5	SH	<i>Neoorthocaulis floerkei</i> (F. Weber & D. Mohr) L. Söderstr., De Roo & Hedd.
		<i>Barbilophozia floerkei</i> (Web. & Mohr) var. <i>floerkei</i>
		<i>Lophozia floerkei</i> (Web. & Mohr.) Schiffn.
G5	S5	<i>Nowellia curvifolia</i> (Dicks.) Mitt.
G5T5	S3	<i>Odontoschisma denudatum</i> (Nees ex Mart.) Dum. subsp. <i>denudatum</i>
G5	S4	<i>Odontoschisma fluitans</i> (Nees) L. Söderstr. & Vána
		<i>Cladopodiella fluitans</i> (Nees) Joerg.
		<i>Cephalozia fluitans</i> (Nees) Spruce
G5	SH	<i>Odontoschisma sphagni</i> (Dicks.) Dumort.
		<i>Odontoschisma prostratum</i> (Sw.) Trev.
G5	S4	<i>Pallavicinia lyellii</i> (Hook.) Carruth.
G5T5	S5	<i>Pellia epiphylla</i> (L.) Corda var. <i>epiphylla</i>
GNR	S5	<i>Pellia neesiana</i> (Gott.) Limpr.
G3	S1	<i>Plagiochila austinii</i> Evans
G5	S5	<i>Plagiochila porelloides</i> (Torrey ex Nees) Lindenb.
		<i>Plagiochila asplenioides</i> (L.) Dum. subsp. <i>porelloides</i> (Torrey ex nees) Schust.
G5	S2	<i>Porella pinnata</i> L.
G5	S5	<i>Porella platyphylla</i> (L.) Pfeiff.
		<i>Porella platyphylloidea</i> (Schwein.) Lindb.
GNR	SH	<i>Protochilopsis grandiretis</i> (Lindb. ex Kaal.) A.V. Troitsky, Bakalin & Fedosov
		<i>Schistochilopsis grandiretis</i> (Lindb. ex Kaal.) Konstant.
		<i>Lophozia grandiretis</i> (Lindb.) Schiffn. var. <i>grandiretis</i>
G5	S5	<i>Ptilidium ciliare</i> (L.) Hampe
G5	S5	<i>Ptilidium pulcherrimum</i> (G. Web.) Hampe
G5	S5	<i>Radula complanata</i> (L.) Dum.
G5	S2	<i>Radula obconica</i> Sull.
G5	S3	<i>Reboulia hemisphaerica</i> (L.) Raddi
G5	S4	<i>Riccardia latifrons</i> Lindb.
G5TNR	S4	<i>Riccardia multifida</i> (L.) S. Gray var. <i>multifida</i>
G5	S3	<i>Riccardia palmata</i> (Hedw.) Carruth.
G5	S1	<i>Riccia bifurca</i> Hoffm.
G5	SH	<i>Riccia canaliculata</i> Hoffm.
G5	S1	<i>Riccia cavernosa</i> Hoffm.
		<i>Riccia crystallina</i> auct. pro parte non L.
G5	S4	<i>Riccia fluitans</i> L.
		<i>Cladopodiella fluitans</i>
G5	SH	<i>Riccia frostii</i> Aust.
G4G5T4T5QS2		<i>Riccia huebeneriana</i> Lindenb. subsp. <i>sullivantii</i> (Aust.) Schust.
G5	S1	<i>Riccia sorocarpa</i> Bisch.
G5	S4	<i>Ricciocarpos natans</i> (L.) Corda
G3?	S1	<i>Scapania carinthiaca</i> J.B. Jack ex Lindb.
G5T5	SH	<i>Scapania curta</i> (Mart.) Dum. var. <i>curta</i>
G5T5	S1	<i>Scapania cuspiduligera</i> (Nees) K. Mull. var. <i>cuspiduligera</i>
G4G5	SH	<i>Scapania glaucocephala</i> (Tayl.) Aust.
G4	S2	<i>Scapania gymnostomophila</i> Kaal.
G5T5?	S2	<i>Scapania irrigua</i> (Nees) Gott. et al. subsp. <i>irrigua</i>
G2G4TU	SH	<i>Scapania lingulata</i> Buch
G5	S1	<i>Scapania mucronata</i> Buch
G5	S5	<i>Scapania nemorea</i> (L.) Grolle
		<i>Scapania nemorosa</i> (L.) Dum.
G5T3T5	S2	<i>Scapania paludicola</i> Loeske & K. Mull. var. <i>paludicola</i>
G5	SH	<i>Scapania paludosa</i> (K. Mull.) K. Mull.
G4	SH	<i>Scapania subalpina</i> (Nees ex Lindenb.) Dumort.
G4G5	S1	<i>Scapania umbrosa</i> (Schr.) Dum.
G5	S5	<i>Scapania undulata</i> (L.) Dum.
G5T5	S4	<i>Schistochilopsis incisa</i> (Schr.) Konstant. var. <i>incisa</i>
		<i>Lophozia incisa</i> (Schr.) Dum. var. <i>incisa</i>
G5	S1	<i>Schljakovia kunzeana</i> (Huebener) Konstant. & Vilnet
		<i>Barbilophozia kunzeana</i> (Hüb.) Gams
		<i>Lophozia kunzeana</i> (Hüb.) Evans
G5	S4	<i>Solenostoma gracillimum</i> (Smith) Schust.
		<i>Jungermannia gracillima</i> Sm.
G5	S1	<i>Solenostoma hyalinum</i> (Lyell) Mitt.
		<i>Jungermannia hyalina</i> Lyell

GNR	SH	<i>Solenostoma obovatum</i> (Nees) Schust. <i>Jungermannia obovata</i> Nees
G2G4	S2	<i>Solenostoma obscurum</i> (Evans) Schust. <i>Jungermannia evansii</i> Vana
G5	SH	<i>Solenostoma sphaerocarpum</i> (Hook.) Steph. <i>Jungermannia sphaerocarpa</i> Hook.
G5	S3	<i>Sphenolobus minutus</i> (Schreb.) Berggr. <i>Anastrophyllum minutum</i> (Schreb.) Schust. var. <i>minutum</i> <i>Eremonotus minutus</i> (Schreb.) Schust.
G3G4	SH	<i>Sphenolobus saxicola</i> (Schrad.) Steph. <i>Anastrophyllum saxicola</i> (Schrad.) Schust.
G5	S5	<i>Syzygiella autumnalis</i> (DC.) K. Feldberg, Váňa, Hentschel & Heinrichs <i>Jamesoniella autumnalis</i> (DC.) Steph. var. <i>autumnalis</i>
G5	S1	<i>Tetralophozia setiformis</i> (Ehrh.) Schljak. <i>Chandonanthus setiformis</i> (Ehrh.) Lindb.
G5	S5	<i>Trichocolea tomentella</i> (Ehrh.) Dum.
G5	S2	<i>Trilophozia quinquedentata</i> (Huds.) Bakalin <i>Tritomaria quinquedentata</i> (Huds.) Buch. var. <i>quinquedentata</i>
G5	S3	<i>Tritomaria exsecta</i> (Schrad.) Loeske
G5T5	S2	<i>Tritomaria exsectiformis</i> (Breidl.) Loeske subsp. <i>exsectiformis</i>

Hornworts

G4G5	S1	<i>Anthoceros agrestis</i> Paton
G3G4	S1	<i>Anthoceros macounii</i> M.A. Howe
G5	S2	<i>Notothylas orbicularis</i> (Schwein.) Sull.
G5	S3	<i>Phaeoceros carolinianus</i> (Michx.) Prosk